District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410

1220 S. St. Francis Dr., Santa Fe, NM 87505

District IV

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-144 June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe

## Pit or Below-Grade Tank Registration or Closure

| ls pit or below-grade tank covered by a "general plan"? Yes ☐ No ☒  Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒   |   |              |
|--|---|--------------|
| Type of action. Registration of a pit of below-grade tank Closure of a pit of below-grade tank   |   |              |
| Operator: Pride Energy Company Telephone: 918-524-9200 e-mail address: larrym@pride-energy.com   |   |              |
| Address: P.O. Box 701950, Tulsa, OK 74170-1950   |   |              |
| Facility or well name: Paduca Delaware 16 State #5 API #: 30-025-37912 U/L or Qtr/Qtr B Sec 16 T 25S R 32E   |   |              |
| County: Lea Latitude 32- 08' 12.5" Longitude 103- 40' 36.4" NAD: 1927 1983 Surface Owner: Federal State Private Indian   |   |              |
| Pit  | Below-grade tank  |              |
| Type: Drilling ⊠ Production ☐ Disposal ☐   | Volume: bbl Type of fluid:  |              |
| Workover Emergency   | Construction material:  |              |
| Lined \( \square\) Unlined \( \square\)  | Double-walled, with leak detection? Yes  If not, explain why not. |              |
| _  | Double-wailed, with leak detection: Tes if not, explain why not.  |              |
| Liner type: Synthetic ☑ Thickness 12 mil Clay ☐  |   |              |
| Pit Volumebbl  |   |              |
| Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water).   | Less than 50 feet 50 feet or more, but less than 100 feet         | (20 points)  |
| Tilgli water elevation of ground water).   | 100 feet or more  | ( 0 points)  |
| Wellhead protection area: (Less than 200 feet from a private domestic  | Yes   | (20 points)  |
| water source, or less than 1000 feet from all other water sources.)  | No  | ( 0 points)  |
| Distance to surface water: (horizontal distance to all wetlands, playas,   | Less than 200 feet  | (20 points)  |
| irrigation canals, ditches, and perennial and ephemeral watercourses.  | 200 feet or more, but less than 1000 feet 1000 feet or more       | (10 points)  |
|  | Ranking Score (Total Points)                                      | 0            |
| If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check   |   |              |
| the onsite box if you are burying in place) onsite 🖂 offsite 🗌 If offsite, name of facility (3) Attach a general description of  |   |              |
| remedial action taken including remediation start date and end date. (4) Groundwater encountered: No 🔲 Yes 🔲 If yes, show depth below groundscrept   |   |              |
| ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.  Additional Comments:   |   |              |
| Additional Comments:   | 1.  | V ann        |
| Aug ( ) Will be a second of the second of th | /u  | er. Paviery  |
| All fluids will be removed from the pit. Burial pit will be constructed adjacent to the drilling pit. Burial pit will be lined with a 12 ml liner.  Impacted material will be placed in the burial pit, totally encapsulated and capped with a 20 ml liner covered by 3 feet of topsoil to grade.  Fach quadrant will be sampled to below acceptable MCL levels for chlorides prior to closure.  |   |              |
| Each quadrant will be sampled to below acceptable MCL levels for chlorides prior to closure.   |   |              |
|  |   |              |
| ,  |   | 6507 19T3/   |
|  |   |              |
| I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been / will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-  |   |              |
| approved plan . By: Pride Production Co. Inc.  |   |              |
| Date: 8/21/07 Title: General Partner   | Signature Matthe  | L. Pride     |
| Printed Name / Title By: Matthew L. Pride Signature Signature  |   |              |
| Your certification and NMOUUD approvar or this application roles are does not relieve the operator of liability should the contents of the pit or tank contaminate   |   |              |
| ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and / or regulations.  |   |              |
|  |   |              |
| Approval   | Coheren-  | 0 / 0 70 57  |
| Printed Name / Title Sig   | nature  | Date 8.79.07 |