

Submit 3 Copies To Appropriate District Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
March 4, 2004

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-03907
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other Injector <input type="checkbox"/>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator Chevron Midcontinent L.P.		6. State Oil & Gas Lease No. B4287-1
3. Address of Operator 15 Smith Rd., Midland, TX 79705		7. Lease Name or Unit Agreement Name West Lovington Unit
4. Well Location Unit Letter <u>D</u> : <u>618</u> feet from the <u>West</u> line and <u>660</u> feet from the <u>North</u> line Section <u>7</u> Township <u>17-S</u> Range <u>36-E</u> NMPM Lea County		8. Well Number 39
11. Elevation (Show whether DR, RKB, RT, GR, etc.)		9. OGRID Number 241333
		10. Pool name or Wildcat Lovington Upr. San Andres W.

Pit or Below-grade Tank Application (For pit or below-grade tank closures, a form C-144 must be attached)

Pit Location: UL D Sect 7 Twp 17S Rng 36E Pit type Steel Depth to Groundwater 50' Distance from nearest fresh water well Over 1000'
Distance from nearest surface water 618 feet from the West line and 660 feet from the North line (Steel Tank)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data	
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/> PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/> ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/> PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/> MULTIPLE COMPLETION <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>
OTHER: <input type="checkbox"/>	OTHER: <input type="checkbox"/>

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1. Notify OCD 24 hrs prior to MI and RU
2. RIH and set CIBP@4700' and spot 25sx cement from 4700'-4500' (OH/shoe).
3. Displace hole w/MLF, 9.5# Brine w/12.5# gel P/BBL.
4. Perf and squeeze 60sx cement plug from 3100'-2900' (B-Salt est) WOC Tag.
5. Perf and squeeze 75sx cement plug from 2130'-1850' (T-Salt, shoe) WOC Tag.
6. Perf and squeeze 225sx cement plug from 370'-surface. (shoe, Frsh. Wtr., surface) WOC Tag.
7. Install dryhole marker.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below grade tank has been/will be constructed or closed according to NMOC guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☒.

SIGNATURE M. Lee Roark TITLE Agent DATE 9-02-2007
Type or print name M. Lee Roark E-mail address: Telephone No. 432-561-8600

(This space for State use)

APPROVED BY Laurel W. Wink TITLE ALTERNATIVE H/STAFF MANAGER DATE SEP 05 2007
Conditions of approval, if any:

THE OIL CONSERVATION DIVISION MUST
BE NOTIFIED 24 HOURS PRIOR TO THE
BEGINNING OF PLUGGING OPERATIONS.

Location:

660' FNL & 618' FWL
 Section: 7 (NW/4 NW/4)
 Township: 17S
 Range: 36E Unit: D
 County: Lea State: NM

Elevations:

GL: 3922
 KB: 3932
 DF: 3930

Log Formation Tops


Rustler	1940
Salt	2030
Queen	4024
San Andres	4740

TUBING DETAIL - 8/10/91

150 jts - 2 3/8" IPC tbg & pkr

EOT @ 4599

Current
Wellbore Diagram



Pkr @ 4599

Prod. Csg: 5 1/2" 14#
 Set: @ 4740 w/450 sx cmt
 Hole Size: 6 3/4" to 4740
 Circ: TOC:
 TOC By:

Well ID Info:

Chevno: FA5054
 API No: 30-025-03907
 L5/L6:
 Spud Date: 10/17/48
 Rig Released: 11/16/48
 Compl. Date: 11/17/48

Surface Csg: 13 3/8" 50#

Set: @ 268 w/ 210 sx class C cmt
 Hole Size: 17 1/4" TO 268
 Circ: TOC:
 TOC By:

Intermediate Csg: 8 5/8" 32#

Set: @ 1950 w/ 450 sx cmt
 Hole Size: 11" to 1950
 Circ: TOC:
 TOC By:

Initial Completion:

11/17/48 (San Andres) OH4740-5130 ; A/8500 gal 15% HCL

Subsequent Work

2/18/63 Convert to water injection ; 4972' 2" tbg w/pkr set @ 4691

6/10/91 2 3/8" IPC tbg set @ 4499 ; A/3000 gal 15% NEFE & 15 lns CO2

12/29/05 TA pkr set @ 4599

Perfs

Status

OH4740-5130

San Andres - open

TD: 5130 COTD: 5130 PBTD: 5130

By: W.P. Johnson

Updated: 9-26-08 by WAYN

New Mexico Office of the State Engineer
POD Reports and Downloads

Township: 17S Range: 36E Sections: 6

NAD27 X: Y: Zone: Search Radius:

County: LE Basin: Number: Suffix:

Owner Name: (First) (Last) ☐ Non-Domestic ☐ Domestic ☒ All

POD / Surface Data Report

Avg Depth to Water Report

Water Column Report

Clear Form

iWATERS Menu

Help

AVERAGE DEPTH OF WATER REPORT 09/03/2007

Bsn	Tws	Rng	Sec	Zone	X	Y	Wells	(Depth Water in Feet)		
								Min	Max	Avg
L	17S	36E	06				1	50	50	50

Record Count: 1