

Submit 3 Copies To Appropriate District  
Office  
District I  
1625 N French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Ave., Artesia, NM 88210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM  
87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
March 4, 2004

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

WELL API NO. 30-025-03899
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. B-4120
7. Lease Name or Unit Agreement Name West Lovington Unit
8. Well Number 59
9. OGRID Number 241333
10. Pool name or Wildcat Lovington Upr. San Andres W.

<b>SUNDRY NOTICES AND REPORTS ON WELLS</b> (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other Injector <input type="checkbox"/>	
2. Name of Operator Chevron Midcontinent L.P.	
3. Address of Operator 15 Smith Rd., Midland, TX 79705	
4. Well Location Unit Letter <u>I</u> : <u>1980</u> feet from the <u>South</u> line and <u>660</u> feet from the <u>East</u> line Section <u>7</u> Township <u>17-S</u> Range <u>36-E</u> NMPM Lea County	
11. Elevation (Show whether DR, RKB, RT, GR, etc.)	

Pit or Below-grade Tank Application (For pit or below-grade tank closures, a form C-144 must be attached)

Pit Location: UL I Sect 7 Twp 17S Rng 36E Pit type Steel Depth to Groundwater 50' Distance from nearest fresh water well Over 1000'  
Distance from nearest surface water \_\_\_\_\_ Below-grade Tank Location UL \_\_\_\_\_ Sect \_\_\_\_\_ Twp \_\_\_\_\_ Rng \_\_\_\_\_ ;  
1980 feet from the South line and 660 feet from the East line (Steel Tank)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data	
<b>NOTICE OF INTENTION TO:</b>	<b>SUBSEQUENT REPORT OF:</b>
PERFORM REMEDIAL WORK <input type="checkbox"/> PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/> ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/> PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/> MULTIPLE COMPLETION <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>
OTHER: <input type="checkbox"/>	OTHER: <input type="checkbox"/>

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1. Notify OCD 24 hrs prior to MI and RU.
2. RIH and set CIBP@4975' and spot 25sx cement from 4975'-4775' (Perfs).
3. Displace hole w/MLF, 9.5# Brine w/12.5# gel P/BBL.
4. Perf and squeeze 60sx cement plug from 3100'-2900' (B-Salt est) WOC Tag.
5. Perf and squeeze 65sx cement plug from 2075'-1855' (T-Salt, shoe) WOC Tag
6. Perf and squeeze 175sxsx cement plug from 430'-surface. (shoe, Frsh. Wtr., surface) WOC Tag.
7. Install dryhole marker.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOC guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE M. Lee Roark TITLE Agent

Type or print name M. Lee Roark

E-mail address:

Telephone No. 432-561-8600

(This space for State use)

APPROVED BY Larry W. Wink TITLE OC Representative II/STAFF MANAGER

Conditions of approval, if any:

SEP 05 2007  
THE OIL CONSERVATION DIVISION MUST  
BE NOTIFIED 24 HOURS PRIOR TO THE  
BEGINNING OF PLUGGING OPERATIONS.

**Location:**

1980' FSL & 660' FEL  
 Section: 7 (NE/4 SE/4)  
 Township: 17S  
 Range: 36E Unit: I  
 County: Lea State: NM

**Elevations:**

GL:  
 KB:  
 DF: 3903

**Log Formation Tops**


Rustler	1890
Salt	1975
Yates	3074
Queen	4023
San Andres	4742

**TUBING DETAIL - 2/26/92**

152 jts - 2 3/8" IPC tbg & pkr

EOT @ 4720

**Current**  
**Wellbore Diagram**

**Well ID Info:**

Chevron: FA5046  
 API No: 30-025-03899  
 L5/L6:  
 Spud Date: 11/15/48  
 Rig Released: 12/13/48  
 Compl. Date: 1/26/49

**Surface Csg: 10 3/4" 40.5#**

Set: @ 331 w/ 275 sx class C cmt  
 Hole Size: 15" to 347  
 Circ: TOC:  
 TOC By:

**Intermediate Csg: 7 5/8" 26#**

Set: @ 1955 w/ 650 sx cmt  
 Hole Size: 9 7/8" to 1855  
 Circ: TOC:  
 TOC By:

**Initial Completion:**

1/26/49 (San Andres) 5020-5106 ; A/4000 gal

**Subsequent Work**

2/26/92 Convert to water injection ; 152 jts 2 3/8" IPC tbg w/pkr set @ 4720

12/29/05 TA ; pkr set @ 4720

Perfs

Status

Pkr @ 4720

Prod. Csg: 5 1/2"  
 Set: @ 5110 w/650 sx cmt  
 Hole Size: 8 3/4" to 5110  
 Circ: TOC:  
 TOC By:

5020-50, 5060-80, 5090-5106

San Andres - open

TD: 5110 COTD: 5110 PBTD: 5110

Updated: 9-26-06 by WAYN

By: W.P. Johnson

*New Mexico Office of the State Engineer*  
**POD Reports and Downloads**

Township: 17S    Range: 36E    Sections: 6

NAD27   X:                      Y:                      Zone:                      Search Radius:

County: LE                      Basin:                      Number:                      Suffix:

Owner Name: (First) [ ] (Last) [ ]    ☐ Non-Domestic    ☐ Domestic    ☒ All

POD / Surface Data Report

Avg Depth to Water Report

Water Column Report

Clear Form

WATERS Menu

Help

**AVERAGE DEPTH OF WATER REPORT 09/03/2007**

Bsn	Tws	Rng	Sec	Zone	X	Y	Wells	(Depth Water in Feet)		
								Min	Max	Avg
L	17S	36E	06				1	50	50	50

Record Count: 1