i i 🌢 - 👘 - 👘					Division			
Form 3160-5 (September 2001)	UNITED STAT	ES 16	25 N. I	French	Dr.	FORM APPRO	VED	
	DEPARTMENT OF THE BUREAU OF LAND MAN	EINTERIOR HO	bbs, N	IM 88	240	OMB No. 1004 Expires January 3	-0135	
SUND		AOBMENT			the second se	e Serial No.		
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.				the second se	NMNM104724			
abandoned wen. Ose Form 3160-3 (APD) for such proposals.					6. If Inc	6. If Indian, Allottee or Tribe Name		
	RIPLICATE - Other Inst	ructions on rev	orse side	•	7. If Un	it or CA/Agreement	, Name and/or No	
1. Type of Well					NMNM	L03145X		
2. Name of Operator		······································			8. Well	Name and No.		
Chesapeake Operating, Inc. 3a. Address P. O. Box 18496						WTYSRII 945 9. API Well No.		
IF OF DOA		hone No. (include area code)			30-025-36079			
<u>Oklahoma City, C</u> 4. Location of Well (Footage, Sec	<u>JK / 3154–0496</u> c., T., R., M., or Survey Description	(405) 848	8-8000			and Pool, or Explor		
SE NE Sec 9-20S- 2612' FNL & 330'	-33E				11. Coun	ates-Seven ty or Parish, State	Rivers.W	
12. CHECK AI	PPROPRIATE BOX(ES) TO	O INDICATE NA			Lea	Co,, NM		
TYPE OF SUBMISSION		PPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF ACTION						
	Acidize	Deepen			· · · · · · · · · · · · · · · · · · ·			
Notice of Intent	Alter Casing	Fracture Treat	<u> </u>	Reclamation	itart/Resume)	Water Shut-		
Subsequent Report	Casing Repair	New Construction	a 🛄 1	Recomplete		Well Integri Other	ty	
Final Abandonment Notice	Change Plans Convert to Injection	Plug and Abando Plug Back	_	Temporarily				
09/22/03 Convers MIRU, unseat p test tbg to 2.	ne work will be performed or pro- volved operations. If the operation nal Abandonment Notices shall b for final inspection.) sion pump, LD 45 7/8", 5 500#, OK, pull std	inent details, including illy, give subsurface loo wide the Bond No. on n results in a multiple filed only after all n 80- 3/4" rod calve out.	estimated si ations and r file with BL completion of equirements, S, Send Dut BOF	M/BIA. Re or recompleti , including re	f any proposed of true vertical dej quired subseque on in a new inte- clamation, have	nt reports shall be f rval, a Form 3160-4 been completed, a	markers and zone iled within 30 day shall be filed ond and the operator ha	
following completion of the inv testing has been completed. Find determined that the site is ready 09/22/03 Convert MIRU, unseat p test tbg to 2. w/101 2-3/8" 9/23/04 RU Basic NE-FE w/50 BPU PU 5-1/2" Arro pkr fluid w/we leave csg valv 09/24/03 Tie on 09/25/03 Open we	ne work will be performed or prov rolved operations. If the operation na Abandonment Notices shall b for final inspection.) sion pump, LD 45 7/8", 8 500#, OK, pull std tbg, SN, PS, BPMJ, c WS #1253, RIH w/3 W from 3096-3218', ow-Set coated pkr, ell on vacuum, set ve open to get air csg, test & chart ell, ready for inje	inent details, including illy, give subsurface loo wide the Bond No. on n results in a multiple of filed only after all n 80- 3/4" rod calve out, SDFN 5-1/2" treat: well on vacu PU 96 2-3/8 pkr @3034's, out overnigi for 30 min.	estimated si ations and r file with BL completion of equirements, but BOF ing pkr ium @ 3 ' coate took 2	tarting date on neasured and M/BLA. Re or recompleti , including re on, ta on, ta on, ta c, set (b.5 BPM, cd plast 5 bbls	f any proposed w true vertical dej quired subseque on in a new inter- clamation, have ag bottom d 3054', j r1se pkr ic tbg, j pkr fluic	are, drop s (3,292', P oump 1000 g c, LD 102 2 Load csg w/ 1 to load h	markers and zone iled within 30 day shall be filed one and the operator has td valve 00H al 15% -3/8",	
following completion of the inv testing has been completed. Find determined that the site is ready 09/22/03 Convert MIRU, unseat p test tbg to 2. w/101 2-3/8" 9/23/04 RU Basic NE-FE w/50 BPU PU 5-1/2" Arro pkr fluid w/we leave csg valv 09/24/03 Tie on 09/25/03 Open we	ne work will be performed or prov rolved operations. If the operation na Abandonment Notices shall b for final inspection.) sion pump, LD 45 7/8", 8 500#, OK, pull std tbg, SN, PS, BPMJ, c WS #1253, RIH w/3 W from 3096-3218', ow-Set coated pkr, ell on vacuum, set ve open to get air csg, test & chart ell, ready for inje	inent details, including illy, give subsurface loo wide the Bond No. on n results in a multiple of filed only after all n 80- 3/4" rod calve out, SDFN 5-1/2" treat: well on vacu PU 96 2-3/8 pkr @3034's, out overnigi for 30 min.	estimated si ations and r file with BL completion of equirements, but BOF ing pkr ium @ 3 ' coate took 2	tarting date on neasured and M/BLA. Re or recompleti , including re on, ta on, ta on, ta c, set (b.5 BPM, cd plast 5 bbls	f any proposed w true vertical dej quired subseque on in a new inter- clamation, have ag bottom d 3054', j r1se pkr ic tbg, j pkr fluic	are, drop s @3,292', P pump 1000 g , LD 102 2	markers and zone iled within 30 day shall be filed one and the operator has td valve 00H al 15% -3/8",	
following completion of the inv testing has been completed. Find determined that the site is ready 09/22/03 Convert MIRU, unseat p test tbg to 2. w/101 2-3/8" 9/23/04 RU Basic NE-FE w/50 BPU PU 5-1/2" Arro pkr fluid w/we leave csg valv 09/24/03 Tie on 09/25/03 Open we	ne work will be performed or prov rolved operations. If the operation na Abandonment Notices shall b for final inspection.) sion pump, LD 45 7/8", 8 500#, OK, pull std tbg, SN, PS, BPMJ, c WS #1253, RIH w/3 W from 3096-3218', ow-Set coated pkr, ell on vacuum, set ve open to get air csg, test & chart ell, ready for inje	inent details, including illy, give subsurface loo wide the Bond No. on n results in a multiple of calve out, SDFN 5-1/2" treat well on vace PU 96 2-3/8" pkr @3034', out overnigh for 30 min, ection	estimated si ations and r file with BL completion of equirements, but BOF ing pkr ium @ 3 ' coate took 2 ht, SDF 450#,	tarting date on neasured and M/BLA. Re or recompleti , including re on, ta on, ta on, ta c, set (b.5 BPM, cd plast 5 bbls	f any proposed with the vertical deguined subseque on in a new interschamation, have the schemation, have the sche	are, drop s (3,292', P oump 1000 g c, LD 102 2 Load csg w/ 1 to load h	markers and zone iled within 30 day shall be filed one and the operator has td valve 00H al 15% -3/8",	
 following completion of the invitesting has been completed. Findetermined that the site is ready 09/22/03 Conver: MIRU, unseat present to be a site of the invitest to be a	ne work will be performed or prov rolved operations. If the operation na Abandonment Notices shall b for final inspection.) sion pump, LD 45 7/8", 8 500#, OK, pull std tbg, SN, PS, BPMJ, c WS #1253, RIH w/3 W from 3096-3218', ow-Set coated pkr, ell on vacuum, set ve open to get air csg, test & chart ell, ready for inje	inent details, including illy, give subsurface loo wide the Bond No. on n results in a multiple of calve out, SDFN 5-1/2" treat well on vace PU 96 2-3/8" pkr @3034', out overnigh for 30 min, ection	estimated si ations and r file with BL completion of equirements, but BOF ing pkr ium @ 3 ' coate took 2 ht, SDF 450#,	tarting date on neasured and MBLA. Re or recompleti , including ro on, ta on, ta on, ta on, ta c, set (0 3.5 BPM, ed plast 5 bbls N OK, RDM	f any proposed with the vertical deguined subseque on in a new interschamation, have the schemation, have the sche	are, drop s (3,292', P oump 1000 g c, LD 102 2 Load csg w/ 1 to load h	markers and zone iled within 30 day shall be filed one and the operator has td valve 00H al 15% -3/8",	
 following completion of the invitesting has been completed. Fildetermined that the site is ready 09/22/03 Conversion of the invitesting has been completed. Fildetermined that the site is ready 09/22/03 Conversion of the invitesting has been completed. Fildetermined that the site is ready 09/22/03 Conversion of the invitesting has been completed. Fildetermined that the site is ready 09/22/03 Conversion of the invitesting has been completed. Fildetermined that the site is ready 09/23/04 RU Basing Name (Printed/Typed) Barbara J. Bale Signature Definite of the site of	ne work will be performed or prov rolved operations. If the operation na Abandonment Notices shall b for final inspection.) sion pump, LD 45 7/8", 8 500#, OK, pull std tbg, SN, PS, BPMJ, c WS #1253, RIH w/3 W from 3096-3218', ow-Set coated pkr, ell on vacuum, set ve open to get air csg, test & chart ell, ready for inje	inent details, including illy, give subsurface loo wide the Bond No. on n results in a multiple of calve out, SDFN 5-1/2" treat well on vace PU 96 2-3/8" pkr @3034', out overnigh for 30 min, ection Title Date	estimated si ations and r file with BL completion of equirements, s, send put BOF ing pkr ium @ 3 ' coate took 2 it, SDF 450#, Regul	tarting date on neasured and MBLA. Re or recompleti , including re on, ta on, t	f any proposed with the vertical deguined subseque on in a new intersclamation, have a solution of the second seco	are, drop s (3,292', P oump 1000 g c, LD 102 2 Load csg w/ 1 to load h	markers and zone iled within 30 day shall be filed one and the operator has td valve 00H al 15% -3/8",	
 following completion of the invitesting has been completed. Findetermined that the site is ready 09/22/03 Conver: MIRU, unseat it to be the site is ready 09/22/03 Conver: MIRU, unseat it to be the site is ready 09/22/03 Conver: MIRU, unseat it to be the site is ready 9/23/04 RU Basic NE-FE w/50 BPU PU 5-1/2" Arrow pkr fluid w/we leave csg valve 09/24/03 Tie on 09/25/03 Open we 14. I hereby certify that the foregoing Name (Printed/Typed) Barbara J. Bale Signature ACCEPTED F Approved by Approved by 	ne work will be performed or provolved operations. If the operation mal Abandonment Notices shall be for final inspection.) sion pump, LD 45 7/8", 3 500#, OK, pull std tbg, SN, PS, BPMJ, c WS #1253, RIH w/S W from 3096-3218', ow-Set coated pkr, ell on vacuum, set ve open to get air csg, test & chart ell, ready for inje g is true and correct MALL OR RECUNSPACE FOR COR	inent details, including illy, give subsurface loo wide the Bond No. on n results in a multiple of calve out, SDFN 5-1/2" treat well on vacu PU 96 2-3/8" pkr @3034', out overnigh for 30 min, ection Title Date DR FEDERAL OR	estimated si ations and r file with BL completion of equirements, s, send put BOF ing pkr ium @ 3 ' coate took 2 it, SDF 450#, Regul	tarting date on neasured and MBLA. Re or recompleti , including re on, ta on, t	f any proposed with the vertical deguined subseque on in a new intersclamation, have a solution of the second seco	are, drop s (3,292', P (3,292', P) (1, LD 102 2) (2, LD 102 2) (2, LD 102 2) (2, LD 102 2) (3, 292', P) (1, LD 102 2) (1, LD 102 2)	markers and zone iled within 30 day shall be filed one and the operator has td valve 00H al 15% -3/8",	
 following completion of the invitesting has been completed. Findetermined that the site is ready 09/22/03 Conversion of the invitesting has been completed. Findetermined that the site is ready 09/22/03 Conversion of the invitesting has been completed. Findetermined that the site is ready 09/22/03 Conversion of the invitesting has been completed. Findetermined that the site is ready 09/22/03 Conversion of the invitesting has been completed. Findetermined that the site is ready 09/23/04 RU Basic NE-FE w/50 BPI PU 5-1/2" Arrow pkr fluid w/we leave csg valve 14. I hereby certify that the foregoing Name (Printed/Typed) Barbara J. Bale Signature Acception of Acception of the invitesting the signature of the signate of the signature of the signature of the signature of the	ne work will be performed or provolved operations. If the operation nal Abandonment Notices shall b for final inspection.) sion pump, LD 45 7/8", a 500#, OK, pull std tbg, SN, PS, BPMJ, c WS #1253, RIH w/S W from 3096-3218', ow-Set coated pkr, ell on vacuum, set ve open to get air csg, test & chart ell, ready for inje g is true and correct MACLE OR RECULS SPACE FO Machine of popooral of this notice or equilable title to those rights onduct operations thereon.	inent details, including illy, give subsurface loo wide the Bond No. on n results in a multiple of the filed only after all m 80- 3/4" rod calve out, SDFN 5-1/2" treat: well on vacu PU 96 2-3/8" pkr @3034", out overnigi for 30 min, ection Title Date DR FEDERAL OR	estimated si ations and r file with BL completion of quirements, s, send but BOF ing pkr ium @ 3 ' coate took 2 nt, SDF 450#, Regul. 10/0. STATE O Title	Arting date on neasured and MBLA. Re or recompleti , including ro on, ta , set (, set	f any proposed with the vertical degree of th	are, drop s (3,292', P (3,292', P) (1, LD 102 2) (1, LD 102 2) (2, LD 102 2) (2, LD 102 2) (3, 292', P) (1, LD 102 2) (2, LD 102 2) (3, 292', P) (1, LD 102 2) (1,	markers and zone iled within 30 day shall be filed one and the operator have 00H a1 15% -3/8", 50 bb1s 91e, 01 03 04 04 04 04 04 04 04 04 04 04	



.

•