

District I  
2625 N. Lincoln Ave. Topeka, NM 88201  
District II  
1301 W. Grand Avenue Artesia NM 88210  
District III  
1000 P.O. Box 1000, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Oil Conservation Division  
1220 South St. Francis Dr  
Santa Fe, NM 87505

Form C-101  
Revised June 10, 2007

Submit to appropriate District Office  
State Lease - 6 Copies  
Fee Lease - 5 Copies

☐ AMENDED REPORT

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

<sup>1</sup> Operator Name and Address  
Chesapeake Operating, Inc.  
2010 Rankin Highway Midland, TX 79701

<sup>2</sup> OC/RID Number 147179

<sup>3</sup> AP Number

30-025-35817

<sup>4</sup> Property Code 35626 <sup>5</sup> Property Name Trinity Burras Abo Unit <sup>6</sup> Well No. 44

Surface Location

| Section | Township | Range | Foot from toe | North/South | Foot from toe | East/West | County |
|---------|----------|-------|---------------|-------------|---------------|-----------|--------|
| 22      | 12S      | 38E   | 2340          | South       | 1240          | East      | Lea    |

<sup>8</sup> Proposed Bottom Hole Location If Different From Surface

| Section | Township | Range | Foot from toe | North/South | Foot from toe | East/West | County |
|---------|----------|-------|---------------|-------------|---------------|-----------|--------|
| 22      | 12S      | 38E   | 1209          | South       | 1784          | East      | Lea    |

Proposed Pool 1

Proposed Pool 2

Trinity Wolfcamp

| Well Type Code | Well Type Code | Well Type Code | Well Type Code | Well Type Code | Well Type Code | Well Type Code | Well Type Code |
|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| P              | O              | R              | S              |                |                |                |                |
| 10000          |                | Wolfcamp       |                |                |                |                |                |
|                |                |                |                |                |                |                |                |

<sup>21</sup> Proposed Casing and Cement Program

| Flow Size | Casing Size | Casing weight/foot | Setting Depth | Sacks of Cement | Estimated LOC |
|-----------|-------------|--------------------|---------------|-----------------|---------------|
| 25        | 20          |                    | 40            |                 | Surface       |
| 17 1/2    | 13 3/8      | 48#                | 400           | 350             | Surface       |
| 11        | 8 5/8       | 32#                | 4500          | 1450            | Surface       |
| 7 7/8     | 5 1/2       | 17#                | 10000         | 850sx           | Surface       |

Describe the proposed program. If this application is to DEEPEN or PLUG BACK, give the data on the present productive zone and proposed new productive zone.  
Describe the blowout prevention program, if any. Use additional sheets if necessary.

Please, consider our request to plug back this well and then drill horizontal, per the attached plan. Also, attached, please find the C-102 showing the surface location, penetration point and bottom hole location. Directional Drill plan BOP and C-144. A verbal approval, today, would be appreciated as we have a rig on standby.

Permit Expires 1 Year From Approval  
Date Unless Drilling Underway  
Horizontal

|                                                                                                                              |                                 |                                   |                                        |
|------------------------------------------------------------------------------------------------------------------------------|---------------------------------|-----------------------------------|----------------------------------------|
| <sup>21</sup> I hereby certify that the information given above is true and complete to the best of my knowledge and belief. |                                 | OIL CONSERVATION DIVISION         |                                        |
| Signature                                                                                                                    | Brenda Coffman                  | Approved by                       | Chris Williams                         |
| Printed name                                                                                                                 | Brenda Coffman                  | Title                             | OC DISTRICT SUPERVISOR/GENERAL MANAGER |
| Title                                                                                                                        | Sr. Regulatory Comp. Specialist | Approval Date                     | SEP 17 2007                            |
| E-mail Address                                                                                                               | bcoffman@chkenergy.com          | Expiration Date                   |                                        |
| Date                                                                                                                         | 09/14/2007                      | Phone                             | (432)687-2992                          |
| Conditions of Approval                                                                                                       |                                 | Attached <input type="checkbox"/> |                                        |

Submitted to: Columbia District Office  
 Date: 12-10-2003  
 Submitted by: 36 copies  
 Date: 12-10-2003

WORLD REPORT

## WELL LOCATION AND ACREAGE DEDICATION PLAT

10 025-35817 59800 Henry Wolcott  
 Property Code: 147176 Chesapeake Operating, Inc.  
 Surface Location: 128 587 25 0 South 1210 East 1210  
 Bottom Hole Location If Different From Surface: 128 584 1220 South 84 East 1210

STANDARD COST HAS BEEN APPROVED BY THE DIVISION.

## OPERATOR CERTIFICATIONS

the day is over, the National Council, which  
the day is over, the National Council, which

<sup>1000</sup>  
Bierda Giffman

Prakash Chandra  
Sr. Regulatory Compliance Spec  
bec@prakashchandra.com

09 13 2007

## SURVEYOR CERTIFICATION

was printed in a field notes or actual survey made by  
me or under my supervision and that the same is as  
true and correct to the best of my belief.

2000 2001 2002 2003 2004 2005 2006 2007 2008 2009 2010 2011 2012 2013 2014 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 2025 2026 2027 2028 2029 2030 2031 2032 2033 2034 2035 2036 2037 2038 2039 2040 2041 2042 2043 2044 2045 2046 2047 2048 2049 2050 2051 2052 2053 2054 2055 2056 2057 2058 2059 2060 2061 2062 2063 2064 2065 2066 2067 2068 2069 2070 2071 2072 2073 2074 2075 2076 2077 2078 2079 2080 2081 2082 2083 2084 2085 2086 2087 2088 2089 2090 2091 2092 2093 2094 2095 2096 2097 2098 2099 2100 2101 2102 2103 2104 2105 2106 2107 2108 2109 2110 2111 2112 2113 2114 2115 2116 2117 2118 2119 2120 2121 2122 2123 2124 2125 2126 2127 2128 2129 2130 2131 2132 2133 2134 2135 2136 2137 2138 2139 2140 2141 2142 2143 2144 2145 2146 2147 2148 2149 2150 2151 2152 2153 2154 2155 2156 2157 2158 2159 2160 2161 2162 2163 2164 2165 2166 2167 2168 2169 2170 2171 2172 2173 2174 2175 2176 2177 2178 2179 2180 2181 2182 2183 2184 2185 2186 2187 2188 2189 2190 2191 2192 2193 2194 2195 2196 2197 2198 2199 2200 2201 2202 2203 2204 2205 2206 2207 2208 2209 2210 2211 2212 2213 2214 2215 2216 2217 2218 2219 2220 2221 2222 2223 2224 2225 2226 2227 2228 2229 2230 2231 2232 2233 2234 2235 2236 2237 2238 2239 2240 2241 2242 2243 2244 2245 2246 2247 2248 2249 2250 2251 2252 2253 2254 2255 2256 2257 2258 2259 2260 2261 2262 2263 2264 2265 2266 2267 2268 2269 2270 2271 2272 2273 2274 2275 2276 2277 2278 2279 2280 2281 2282 2283 2284 2285 2286 2287 2288 2289 2290 2291 2292 2293 2294 2295 2296 2297 2298 2299 2300 2301 2302 2303 2304 2305 2306 2307 2308 2309 2310 2311 2312 2313 2314 2315 2316 2317 2318 2319 2320 2321 2322 2323 2324 2325 2326 2327 2328 2329 2330 2331 2332 2333 2334 2335 2336 2337 2338 2339 2340 2341 2342 2343 2344 2345 2346 2347 2348 2349 2350 2351 2352 2353 2354 2355 2356 2357 2358 2359 2360 2361 2362 2363 2364 2365 2366 2367 2368 2369 2370 2371 2372 2373 2374 2375 2376 2377 2378 2379 2380 2381 2382 2383 2384 2385 2386 2387 2388 2389 2390 2391 2392 2393 2394 2395 2396 2397 2398 2399 2400 2401 2402 2403 2404 2405 2406 2407 2408 2409 2410 2411 2412 2413 2414 2415 2416 2417 2418 2419 2420 2421 2422 2423 2424 2425 2426 2427 2428 2429 2430 2431 2432 2433 2434 2435 2436 2437 2438 2439 2440 2441 2442 2443 2444 2445 2446 2447 2448 2449 2450 2451 2452 2453 2454 2455 2456 2457 2458 2459 2460 2461 2462 2463 2464 2465 2466 2467 2468 2469 2470 2471 2472 2473 2474 2475 2476 2477 2478 2479 2480 2481 2482 2483 2484 2485 2486 2487 2488 2489 2490 2491 2492 2493 2494 2495 2496 2497 2498 2499 2500 2501 2502 2503 2504 2505 2506 2507 2508 2509 2510 2511 2512 2513 2514 2515 2516 2517 2518 2519 2520 2521 2522 2523 2524 2525 2526 2527 2528 2529 2530 2531 2532 2533 2534 2535 2536 2537 2538 2539 2540 2541 2542 2543 2544 2545 2546 2547 2548 2549 2550 2551 2552 2553 2554 2555 2556 2557 2558 2559 2560 2561 2562 2563 2564 2565 2566 2567 2568 2569 2570 2571 2572 2573 2574 2575 2576 2577 2578 2579 2580 2581 2582 2583 2584 2585 2586 2587 2588 2589 2590 2591 2592 2593 2594 2595 2596 2597 2598 2599 2600 2601 2602 2603 2604 2605 2606 2607 2608 2609 2610 2611 2612 2613 2614 2615 2616 2617 2618 2619 2620 2621 2622 2623 2624 2625 2626 2627 2628 2629 2630 2631 2632 2633 2634 2635 2636 2637 2638 2639 2640 2641 2642 2643 2644 2645 2646 2647 2648 2649 2650 2651 2652 2653 2654 2655 2656 2657 2658 2659 2660 2661 2662 2663 2664 2665 2666 2667 2668 2669 2670 2671 2672 2673 2674 2675 2676 2677 2678 2679 2680 2681 2682 2683 2684 2685 2686 2687 2688 2689 2690 2691 2692 2693 2694 2695 2696 2697 2698 2699 2700 2701 2702 2703 2704 2705 2706 2707 2708 2709 2710 2711 2712 2713 2714 2715 2716 2717 2718 2719 2720 2721 2722 2723 2724 2725 2726 2727 2728 2729 2730 2731 2732 2733 2734 2735 2736 2737 2738 2739 2740 2741 2742 2743 2744 2745 2746 2747 2748 2749 2750 2751 2752 2753 2754 2755 2756 2757 2758 2759 2760 2761 2762 2763 2764 2765 2766 2767 2768 2769 2770 2771 2772 2773 2774 2775 2776 2777 2778 2779 2780 2781 2782 2783 2784 2785 2786 2787 2788 2789 2790 2791 2792 2793 2794 2795 2796 2797 2798 2799 2800 2801 2802 2803 2804 2805 2806 2807 2808 2809 2810 2811 2812 2813 2814 2815 2816 2817 2818

[illegible]

Q. 2.  $\frac{1}{2} \times \frac{3}{4} = \frac{1 \times 3}{2 \times 4} = \frac{3}{8}$

**CHESAPEAKE OPERATING, INC.**  
**TRINITY BURRUS ABO UNIT #4H**  
**APPLICATION TO PLUG BACK AND DRILL HORIZONTAL**

**Plug Back:**

Work done previously to plug back:

8/2/07 Set CIBP @ 7250' w/35' cmt cap.  
8/29/07 Found free point. Chemical cut casing @ 5150'  
8/30/07 POOH w/ casing  
8/31/2007 RIH to 5214' Spot 450 sx plug

C-103 for above is forthcoming

**New Casing Procedure:**

Mud will be conventional water base mud, of weight 8.5 - 9.5 ppg with viscosity range of 30 - 60 sec/qt. Let me know if any additional specifications are required

For the production casing (5-1/2" 17.0# N-80 8rd LT&C, from 0' - TD), we will plan a DV tool (stage cementing tool) at ~8000', with estimated cement as follows:

Stage 1

8000' - 10,000': 350 sx Class H with 0.5% FLC, 0.4% dispersant, 3.0 pps salt and 0.25 pps defoamer, 13.2 ppg, 1.63 yield, assumes 60% OH washout/safety factor

Stage 2


7600' - 8000': 100 sx Class H (neat premium), 15.6 ppg, 1.18 yield, assumes 60% OH washout/safety factor.

4000' - 7600': 400 sx Interfill H with 0.125 pps LCA (poly flake), 11.9 ppg, 2.45 yield; assumes 60% OH washout/safety factor.

All actual cement volumes will be based on open hole caliper log annular volume plus 20% OH excess

**OPERATION:** Drill out below 8-5/8" Casing (7-7/8" hole size)

| SIZE     | PRESSURE                          | DESCRIPTION |
|----------|-----------------------------------|-------------|
| A 1 1/2" | 5000 psi                          | Rot Head    |
| B 1 1/2" | 5000 psi                          | Annular     |
| C 1 1/2" | 5000 psi                          | Pine Rams   |
| D 1 1/2" | 5000 psi                          | Bind Rams   |
| E 1 1/2" | 5000 psi                          | Mud Cress   |
| OSA      | 11" 5M x 11" 3M (only, if needed) |             |
| 13-5/8"  | 13-5/8" 3M x 11" 5M               |             |
| 13-5/8"  | 13-5/8" 50.A x 13-5/8" 3M         |             |





| SIZE | PRESSURE | DESCRIPTION |
|------|----------|-------------|
| 2"   | 5000 psi | Check Valve |
| 2"   | 5000 psi | Gate Valve  |
| 2"   | 5000 psi | Gate Valve  |

| SIZE | PRESSURE | DESCRIPTION |
|------|----------|-------------|
| 4"   | 5000 psi | Gate Valve  |
| 4"   | 5000 psi | HCR Valve   |
|      |          |             |
|      |          |             |
|      |          |             |



Company: Onesapeake Operating, Inc.  
 Lease/Well: Trinity Burrus Aho Unit #4H  
 Location: Lea County  
 State/Country: New Mexico





Job Number: 1  
 Company: Chesapeake Operating, Inc.  
 Lease/Well: Trinity Burrus Abo Unit #4H  
 Location: Lea County  
 Rig Name: 1  
 RKB: 3818'  
 G.L. or M.S.L.: 3800'

State/Country: New Mexico  
 Declination: 1  
 Grid: 5  
 File name: C:\DOCUME~1\TRICKMA~1\MYDOCU~1\PROPOS~1\CH  
 Date/Time: 12-Sep-07 / 18:12  
 Curve Name: WELL PLAN

# The Directional Drilling Company

## WINSERVE PROPOSAL REPORT Minimum Curvature Method Vertical Section Plane 158.84 Vertical Section Referenced to Woincad Rectangular Coordinates Referenced to Wellhead

| Measured<br>Depth<br>FT | Incl<br>Angle<br>Deg | Drift<br>Direction<br>Deg | True<br>Vertical<br>Depth | Vertical<br>Section<br>FT | N-S<br>FT | E-W<br>FT | CLOSURE        |                  | Dogleg<br>Severity<br>Deg/100 |
|-------------------------|----------------------|---------------------------|---------------------------|---------------------------|-----------|-----------|----------------|------------------|-------------------------------|
|                         |                      |                           |                           |                           |           |           | Distance<br>FT | Direction<br>Deg |                               |
| Gyro Tie-in / KOP 1     |                      |                           |                           |                           |           |           |                |                  |                               |
| 4600.00                 | 1.31                 | 83.64                     | 4599.62                   | 21.96                     | -12.39    | 28.83     | 31.38          | 113.26           | .00                           |
| 4700.00                 | 1.50                 | 160.00                    | 4699.60                   | 23.56                     | -13.49    | 30.41     | 33.27          | 113.92           | 1.74                          |
| End of Build            |                      |                           |                           |                           |           |           |                |                  |                               |
| 4800.00                 | 3.00                 | 160.00                    | 4799.52                   | 27.49                     | -17.18    | 31.76     | 36.11          | 118.42           | 1.50                          |
| Begin 1°/100' Drop      |                      |                           |                           |                           |           |           |                |                  |                               |
| 4900.00                 | 3.00                 | 160.00                    | 4899.38                   | 32.72                     | -22.10    | 33.55     | 40.17          | 123.38           | .00                           |
| 5000.00                 | 2.00                 | 160.00                    | 4999.28                   | 37.08                     | -26.20    | 35.04     | 43.75          | 126.79           | 1.00                          |
| 5100.00                 | 1.00                 | 160.00                    | 5099.25                   | 39.70                     | -28.66    | 35.93     | 45.96          | 128.57           | 1.00                          |
| End of Drop             |                      |                           |                           |                           |           |           |                |                  |                               |
| 5200.00                 | .00                  | .00                       | 5199.24                   | 40.57                     | -29.48    | 36.23     | 46.71          | 129.13           | 1.00                          |
| 5300.00                 | .00                  | .00                       | 5299.24                   | 40.57                     | -29.48    | 36.23     | 46.71          | 129.13           | .00                           |
| 5400.00                 | .00                  | .00                       | 5399.24                   | 40.57                     | -29.48    | 36.23     | 46.71          | 129.13           | .00                           |
| 5500.00                 | .00                  | .00                       | 5499.24                   | 40.57                     | -29.48    | 36.23     | 46.71          | 129.13           | .00                           |
| 5600.00                 | .00                  | .00                       | 5599.24                   | 40.57                     | -29.48    | 36.23     | 46.71          | 129.13           | .00                           |
| 5700.00                 | .00                  | .00                       | 5699.24                   | 40.57                     | -29.48    | 36.23     | 46.71          | 129.13           | .00                           |
| 5800.00                 | .00                  | .00                       | 5799.24                   | 40.57                     | -29.48    | 36.23     | 46.71          | 129.13           | .00                           |
| 5900.00                 | .00                  | .00                       | 5899.24                   | 40.57                     | -29.48    | 36.23     | 46.71          | 129.13           | .00                           |
| 6000.00                 | .00                  | .00                       | 5999.24                   | 40.57                     | -29.48    | 36.23     | 46.71          | 129.13           | .00                           |
| 6100.00                 | .00                  | .00                       | 6099.24                   | 40.57                     | -29.48    | 36.23     | 46.71          | 129.13           | .00                           |
| 6200.00                 | .00                  | .00                       | 6199.24                   | 40.57                     | -29.48    | 36.23     | 46.71          | 129.13           | .00                           |
| 6300.00                 | .00                  | .00                       | 6299.24                   | 40.57                     | -29.48    | 36.23     | 46.71          | 129.13           | .00                           |
| 6400.00                 | .00                  | .00                       | 6399.24                   | 40.57                     | -29.48    | 36.23     | 46.71          | 129.13           | .00                           |
| 6500.00                 | .00                  | .00                       | 6499.24                   | 40.57                     | -29.48    | 36.23     | 46.71          | 129.13           | .00                           |

| Measured<br>Depth<br>FT               | Incl<br>Angle<br>Deg | Drift<br>Direction<br>Deg | True<br>Vertical<br>Depth | Vertical<br>Section<br>FT | N-S<br>FT | E-W<br>FT | CLOSURE        |                  | Dogleg<br>Severity<br>Deg/100 |
|---------------------------------------|----------------------|---------------------------|---------------------------|---------------------------|-----------|-----------|----------------|------------------|-------------------------------|
|                                       |                      |                           |                           |                           |           |           | Distance<br>FT | Direction<br>Deg |                               |
| 6600.00                               | 00                   | .00                       | 6599.24                   | 40.57                     | -29.48    | 36.23     | 46.71          | 129.13           | .00                           |
| 6700.00                               | .00                  | .00                       | 6699.24                   | 40.57                     | -29.48    | 36.23     | 46.71          | 129.13           | .00                           |
| 6800.00                               | 00                   | .00                       | 6799.24                   | 40.57                     | -29.48    | 36.23     | 46.71          | 129.13           | .00                           |
| 6900.00                               | .00                  | .00                       | 6899.24                   | 40.57                     | -29.48    | 36.23     | 46.71          | 129.13           | .00                           |
| 7000.00                               | 00                   | .00                       | 6999.24                   | 40.57                     | -29.48    | 36.23     | 46.71          | 129.13           | .00                           |
| 7100.00                               | 00                   | .00                       | 7099.24                   | 40.57                     | -29.48    | 36.23     | 46.71          | 129.13           | .00                           |
| 7200.00                               | .00                  | .00                       | 7199.24                   | 40.57                     | -29.48    | 36.23     | 46.71          | 129.13           | .00                           |
| 7300.00                               | .00                  | .00                       | 7299.24                   | 40.57                     | -29.48    | 36.23     | 46.71          | 129.13           | .00                           |
| 7400.00                               | 00                   | .00                       | 7399.24                   | 40.57                     | -29.48    | 36.23     | 46.71          | 129.13           | .00                           |
| 7500.00                               | .00                  | .00                       | 7499.24                   | 40.57                     | -29.48    | 36.23     | 46.71          | 129.13           | .00                           |
| 7600.00                               | 00                   | .00                       | 7599.24                   | 40.57                     | -29.48    | 36.23     | 46.71          | 129.13           | .00                           |
| 7700.00                               | 00                   | .00                       | 7699.24                   | 40.57                     | -29.48    | 36.23     | 46.71          | 129.13           | .00                           |
| 7800.00                               | .00                  | .00                       | 7799.24                   | 40.57                     | -29.48    | 36.23     | 46.71          | 129.13           | .00                           |
| 7900.00                               | 00                   | .00                       | 7899.24                   | 40.57                     | -29.48    | 36.23     | 46.71          | 129.13           | .00                           |
| 8000.00                               | .00                  | .00                       | 7999.24                   | 40.57                     | -29.48    | 36.23     | 46.71          | 129.13           | .00                           |
| 8100.00                               | 00                   | .00                       | 8099.24                   | 40.57                     | -29.48    | 36.23     | 46.71          | 129.13           | .00                           |
| 8200.00                               | 00                   | .00                       | 8199.24                   | 40.57                     | -29.48    | 36.23     | 46.71          | 129.13           | .00                           |
| 8300.00                               | .00                  | .00                       | 8299.24                   | 40.57                     | -29.48    | 36.23     | 46.71          | 129.13           | .00                           |
| 8400.00                               | 00                   | .00                       | 8399.24                   | 40.57                     | -29.48    | 36.23     | 46.71          | 129.13           | .00                           |
| 8500.00                               | 00                   | .00                       | 8499.24                   | 40.57                     | -29.48    | 36.23     | 46.71          | 129.13           | .00                           |
| KOP 2. Build 12°/100'                 |                      |                           |                           |                           |           |           |                |                  |                               |
| 8586.72                               | .00                  | .00                       | 8585.96                   | 40.57                     | -29.48    | 36.23     | 46.71          | 129.13           | .00                           |
| 8636.72                               | 6.00                 | 160.00                    | 8635.87                   | 43.19                     | -31.94    | 37.13     | 48.97          | 130.70           | 12.00                         |
| 8686.72                               | 12.00                | 160.00                    | 8685.23                   | 51.00                     | -39.28    | 39.80     | 55.92          | 134.62           | 12.00                         |
| 8736.72                               | 18.00                | 160.00                    | 8733.51                   | 63.93                     | -51.44    | 44.22     | 67.83          | 139.31           | 12.00                         |
| 8786.72                               | 24.00                | 160.00                    | 8780.17                   | 81.84                     | -68.26    | 50.35     | 84.82          | 143.59           | 12.00                         |
| 8836.72                               | 30.00                | 160.00                    | 8824.70                   | 104.52                    | -89.58    | 58.11     | 106.78         | 147.03           | 12.00                         |
| 8886.72                               | 35.99                | 160.00                    | 8866.62                   | 131.73                    | -115.16   | 67.42     | 133.44         | 149.65           | 12.00                         |
| 8936.72                               | 41.99                | 160.00                    | 8905.46                   | 163.17                    | -144.71   | 78.17     | 164.47         | 151.62           | 12.00                         |
| 8986.72                               | 47.99                | 160.00                    | 8940.80                   | 198.50                    | -177.91   | 90.26     | 199.50         | 153.10           | 12.00                         |
| 9036.72                               | 53.99                | 160.00                    | 8972.26                   | 237.32                    | -214.40   | 103.54    | 238.10         | 154.22           | 12.00                         |
| 9086.72                               | 59.99                | 160.00                    | 8999.48                   | 279.23                    | -253.79   | 117.87    | 279.83         | 155.09           | 12.00                         |
| 9136.72                               | 65.99                | 160.00                    | 9022.18                   | 323.74                    | -295.63   | 133.10    | 324.21         | 155.76           | 12.00                         |
| Penetration Point - Top of Burrus Pay |                      |                           |                           |                           |           |           |                |                  |                               |
| 9186.40                               | 71.95                | 160.00                    | 9040.00                   | 370.09                    | -339.19   | 148.96    | 370.45         | 156.29           | 12.00                         |
| 9186.72                               | 71.99                | 160.00                    | 9040.10                   | 370.39                    | -339.47   | 149.06    | 370.75         | 156.29           | 12.00                         |
| 9236.72                               | 77.99                | 160.00                    | 9053.04                   | 418.65                    | -384.83   | 165.57    | 418.94         | 156.72           | 12.00                         |
| 9286.72                               | 83.99                | 160.00                    | 9060.87                   | 468.00                    | -431.21   | 182.45    | 468.22         | 157.07           | 12.00                         |
| 9336.72                               | 89.99                | 160.00                    | 9063.50                   | 517.90                    | -478.11   | 199.52    | 518.07         | 157.35           | 12.00                         |
| End of Curve                          |                      |                           |                           |                           |           |           |                |                  |                               |
| 9351.83                               | 91.80                | 160.00                    | 9063.26                   | 533.00                    | -492.31   | 204.69    | 533.17         | 157.42           | 12.00                         |
| 9451.83                               | 91.80                | 160.00                    | 9060.12                   | 632.93                    | -586.23   | 238.87    | 633.03         | 157.83           | .00                           |
| 9551.83                               | 91.80                | 160.00                    | 9056.98                   | 732.86                    | -680.16   | 273.06    | 732.92         | 158.13           | .00                           |

| Measured<br>Depth<br>FT | Incl<br>Angle<br>Deg | Drift<br>Direction<br>Deg | True<br>Vertical<br>Depth | Vertical<br>Section<br>FT | N-S<br>FT | E-W<br>FT | CLOSURE        |                  | Dogleg<br>Severity<br>Deg/100 |
|-------------------------|----------------------|---------------------------|---------------------------|---------------------------|-----------|-----------|----------------|------------------|-------------------------------|
|                         |                      |                           |                           |                           |           |           | Distance<br>FT | Direction<br>Deg |                               |
| 9651.83                 | 91.80                | 160.00                    | 9053.84                   | 832.79                    | 774.08    | 307.24    | 832.82         | 158.35           | .00                           |
| 9751.83                 | 91.80                | 160.00                    | 9050.70                   | 932.72                    | -866.00   | 341.43    | 932.74         | 158.53           | .00                           |
| 9851.83                 | 91.80                | 160.00                    | 9047.56                   | 1032.65                   | -961.92   | 375.61    | 1032.66        | 158.67           | .00                           |
| 9951.83                 | 91.80                | 160.00                    | 9044.42                   | 1132.59                   | -1055.85  | 409.80    | 1132.59        | 158.79           | .00                           |
| <b>Proposed BHL</b>     |                      |                           |                           |                           |           |           |                |                  |                               |
| 10000.00                | 91.80                | 160.00                    | 9042.90                   | 1180.72                   | -1101.09  | 426.27    | 1180.72        | 158.84           | .00                           |

## Chesapeake

|            |             |             |
|------------|-------------|-------------|
| Field      | TRINITY     |             |
| County     | LEA         |             |
| State      | NEW MEXICO  |             |
| Elevation  | GL 3,800.00 | KB 3,818.00 |
| KB Height: | 18.00       |             |

Wet. Confg Original File 9/12/2007 15:59:14 AM  
Subtotal: 0.00

Well History

1044  
 1045  
 1046  
 1047  
 1048  
 1049  
 1050  
 1051  
 1052  
 1053  
 1054  
 1055  
 1056  
 1057  
 1058  
 1059  
 1060  
 1061  
 1062  
 1063  
 1064  
 1065  
 1066  
 1067  
 1068  
 1069  
 1070  
 1071  
 1072  
 1073  
 1074  
 1075  
 1076  
 1077  
 1078  
 1079  
 1080  
 1081  
 1082  
 1083  
 1084  
 1085  
 1086  
 1087  
 1088  
 1089  
 1090  
 1091  
 1092  
 1093  
 1094  
 1095  
 1096  
 1097  
 1098  
 1099  
 1100  
 1101  
 1102  
 1103  
 1104  
 1105  
 1106  
 1107  
 1108  
 1109  
 1110  
 1111  
 1112  
 1113  
 1114  
 1115  
 1116  
 1117  
 1118  
 1119  
 1120  
 1121  
 1122  
 1123  
 1124  
 1125  
 1126  
 1127  
 1128  
 1129  
 1130  
 1131  
 1132  
 1133  
 1134  
 1135  
 1136  
 1137  
 1138  
 1139  
 1140  
 1141  
 1142  
 1143  
 1144  
 1145  
 1146  
 1147  
 1148  
 1149  
 1150  
 1151  
 1152  
 1153  
 1154  
 1155  
 1156  
 1157  
 1158  
 1159  
 1160  
 1161  
 1162  
 1163  
 1164  
 1165  
 1166  
 1167  
 1168  
 1169  
 1170  
 1171  
 1172  
 1173  
 1174  
 1175  
 1176  
 1177  
 1178  
 1179  
 1180  
 1181  
 1182  
 1183  
 1184  
 1185  
 1186  
 1187  
 1188  
 1189  
 1190  
 1191  
 1192  
 1193  
 1194  
 1195  
 1196  
 1197  
 1198  
 1199  
 1200  
 1201  
 1202  
 1203  
 1204  
 1205  
 1206  
 1207  
 1208  
 1209  
 1210  
 1211  
 1212  
 1213  
 1214  
 1215  
 1216  
 1217  
 1218  
 1219  
 1220  
 1221  
 1222  
 1223  
 1224  
 1225  
 1226  
 1227  
 1228  
 1229  
 1230  
 1231  
 1232  
 1233  
 1234  
 1235  
 1236  
 1237  
 1238  
 1239  
 1240  
 1241  
 1242  
 1243  
 1244  
 1245  
 1246  
 1247  
 1248  
 1249  
 1250  
 1251  
 1252  
 1253  
 1254  
 1255  
 1256  
 1257  
 1258  
 1259  
 1260  
 1261  
 1262  
 1263  
 1264  
 1265  
 1266  
 1267  
 1268  
 1269  
 1270  
 1271  
 1272  
 1273  
 1274  
 1275  
 1276  
 1277  
 1278  
 1279  
 1280  
 1281  
 1282  
 1283  
 1284  
 1285  
 1286  
 1287  
 1288  
 1289  
 1290  
 1291  
 1292  
 1293  
 1294  
 1295  
 1296  
 1297  
 1298  
 1299  
 1300  
 1301  
 1302  
 1303  
 1304  
 1305  
 1306  
 1307  
 1308  
 1309  
 1310  
 1311  
 1312  
 1313  
 1314  
 1315  
 1316  
 1317  
 1318  
 1319  
 1320  
 1321  
 1322  
 1323  
 1324  
 1325  
 1326  
 1327  
 1328  
 1329  
 1330  
 1331  
 1332  
 1333  
 1334  
 1335  
 1336  
 1337  
 1338  
 1339  
 1340  
 1341  
 1342  
 1343  
 1344  
 1345  
 1346  
 1347  
 1348  
 1349  
 1350  
 1351  
 1352  
 1353  
 1354  
 1355  
 1356  
 1357  
 1358  
 1359  
 1360  
 1361  
 1362  
 1363  
 1364  
 1365  
 1366  
 1367  
 1368  
 1369  
 1370  
 1371  
 1372  
 1373  
 1374  
 1375  
 1376  
 1377  
 1378  
 1379  
 1380  
 1381  
 1382  
 1383  
 1384  
 1385  
 1386  
 1387  
 1388  
 1389  
 1390  
 1391  
 1392  
 1393  
 1394  
 1395  
 1396  
 1397  
 1398  
 1399  
 1400  
 1401  
 1402  
 1403  
 1404  
 1405  
 1406  
 1407  
 1408  
 1409  
 1410  
 1411  
 1412  
 1413  
 1414  
 1415  
 1416  
 1417  
 1418  
 1419  
 1420  
 1421  
 1422  
 1423  
 1424  
 1425  
 1426  
 1427  
 1428  
 1429  
 1430  
 1431  
 1432  
 1433  
 1434  
 1435  
 1436  
 1437  
 1438  
 1439  
 1440  
 1441  
 1442  
 1443  
 1444  
 1445  
 1446  
 1447  
 1448  
 1449  
 1450  
 1451  
 1452  
 1453  
 1454  
 1455  
 1456  
 1457  
 1458  
 1459  
 1460  
 1461  
 1462  
 1463  
 1464  
 1465  
 1466  
 1467  
 1468  
 1469  
 1470  
 1471  
 1472  
 1473  
 1474  
 1475  
 1476  
 1477  
 1478  
 1479  
 1480  
 1481  
 1482  
 1483  
 1484  
 1485  
 1486  
 1487  
 1488  
 1489  
 1490  
 1491  
 1492  
 1493  
 1494  
 1495  
 1496  
 1497  
 1498

