Form 3160-5 (August 1999)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

OCD-HOBBS

FORM APPROVED OMB NO. 1004-0135 Expires. November 30, 2000

5. Lease Serial No

891038170 - NM7488


SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE - Other instructions on reverse side						
				7 If Unit or CA/Agreement, Name and/or N Myers Langlie Mattix Unit		
1. Type of Well Oll Well Gas Well X Other	Injection		8. Well Name and No.			
2. Name of Operator						
OXY USA WTP Limited Partnership	192463 3b. Phone No. (include area code) 432 - 685 - 5717		9. API Well No. 30-025-11043 10. Field and Pool, or Exploratory Area Langlie Mattix 7Rvr Qn-GB			
3a. Address						
P.O. Box 50250, Midland, TX 79710-4. Location of Well (Footage, Sec., T., R, M., or Survey L						
. 3	- ·			Langile Ma	LLIX /KVI QII-	QD.
2310 FNL 660 FWL SWNW(E) Sec 7 T2			11. County or Parish, State			
					NM	
12. CHECK APPROPRIATE	BOY(ES) TO INI	DICATE NATURE OF N	NOTICE REPO	DRT OR OTH		
	BOX(20) 10		PE OF ACTION			
TYPE OF SUBMISSION		111	PE OF ACTION			
X Notice of Intent	Acidize	Deepen	Production	(Start/Resume)	Water Shut-Off	7
	Alter Casing	Fracture Treat	Reclamatio	n	Well Integrity	
Subsequent Report	Casing Repair	New Construction	Recomplet	A	Other	
		X Plug and Abandon				
Final Abandonment Notice	Change Plans			y Abandon		
,	Convert to Injecti	on Plug Back	Water Disp	oosal		
Attach the Bond under which the work will be per following completion of the involved operations. I testing has been completed. Final Abandonment Metermined that the final site is ready for final inspection. TD-3595' OH-3480-3595' 13" 40# csg @ 303' w/250sx, 17" h 8-5/8" 28-32# csg @ 2748' w/600sx 5-1/2" 14# csg @ 3480' w/185sx, 6 *2/78-Perf @ 1900', Sqz w/ 26 1. RIH & set CIBP @ 3430', w/ 25s 2. M&P 25sx cmt @ 2798-2698' — V 3. M&P 25sx cmt @ 1950-1850' 4. M&P 25sx cmt @ 1250-1150' 5. M&P 60sx cmt @ 353'-Surface 10# MLF between plugs	if the operation results in Notices shall be filed or ection.) nole, TOC-Surf-Common to the continuous shall be filed or ection.) nole, TOC-Surf-Common to the common to	n a multiple completion or really after all requirements, in irc - Surf-Circ C-1920'-CBL	FOR	PPRO SEP 18 LES PRO ROLF EN	VED 2007 SEP SON SER CONTROL Hobbs	filed once
14 I hereby certify that the foregoing is true and correct Name (Printed/Typed)		Title				
David Stewart	Sr. Regulatory Analyst					
la Sal		Date 5	(5/07			
тыя	SPACE FOR FEE	ERAL OR STATE OF				
Approved by January Williams		OC PILIUD REPRESI	entative il:	STAFF IN De	SEP 2 0 2)007
Conditions of approval, If any, are attached. Approval of certify that the application holds legal or equitable title to	of this notice does not we those rights in the sub	varrant or Office			SER 2 V	,uu i

OXY USA WTP LP - Current Myers Langlie Mattix Unit #210 API No. 30-025-11043



OXY USA WTP LP - Proposed Myers Langlie Mattix Unit #210 API No. 30-025-11043

60sx @ 353'-Surface


17" hole @ 303' 13" csg @ 303' w/250sx-TOC-Surf-Circ

25sx @ 1250-1150' WOC-Tag

25sx @ 1950-1850'

25sx @ 2798-2698'

CIBP @ 3430' w/ 25sx to 3330'



TD-3595'

*2/78-Perf @ 1900'sqz 260sx cmt, circ 36sx

11" hole @ 2748' 8-5/8" csg @ 2748' w/600sx-TOC-Surf-Calc

6-3/4" hole @ 3480' 5-1/2" csg @ 3480' w/185sx-*TOC-1920'-CBL

4-3/4" OH @ 3480-3595'