District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe

Form C-144 June 1, 2004

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes \( \subseteq \) No \( \subseteq \)

Surface Owner Federal   State   Private   Indian	Type of action: Registration of a pit	or below-grade tank Closure of a pit or below-g	grade tank
Address: PO Box 145097; Inting. TX 73914-9007 Facility or well name. Bierspid 12 Fee No. 4. API #: 30-025.  Facility or well			
County: Les	Address: PO Box 140907; Irving, TX 75014-0907	2018	
County: Les	Facility or well name: Bierstadt 12 Fee No. 4 API #: 30-025-	38 30 U/L or Qtr/Qtr O Sec 12	T15SR37E
Proceduction   Disposal   Workover   Emergency   Construction material:	County: Lea Latitude	33° 01' 32.77 N . Longitude 103	° 09' 02.68 W NAD: 1927 □ 1983 ⊠
Type, Drilling   Production   Disposal   Volume:   abbl Type of fluid:   Construction material:   Deable-walled, with leak detection? Yes   If not, explain why not	Surface Owner Federal ☐ State ☐ Private ☒ Indian ☐		
Construction material:   Double-walled, with leak detection? Yes   If not, explain why not	Pit	Below-grade tank	
Liner type: Synthetic Similar Thickness 12 mil Clay Double-walled, with leak detection? Yes   If not, explain why not Liner type: Synthetic Similar Clay Double-walled, with leak detection? Yes   If not, explain why not Double-walled, with leak detection? Yes   If not, explain why not Double-walled, with leak detection? Yes   If not, explain why not Double-walled, with leak detection? Yes   If not, explain why not Double-walled, with leak detection? Yes   If not, explain why not Double-walled, with leak detection? Yes   If not, explain why not Double-walled, with leak detection? Yes   If not, explain why not Double-walled, with leak detection? Yes   If not, explain why not Double-walled, with leak detection? Yes   If not, explain why not Double-walled, with leak detection? Yes   If not, explain why not Double-walled, with leak detection? Yes   If not, explain why not Double-walled, with leak detection? Yes   If not, explain why not Double-walled, with leak detection? Yes   If not, explain why not Double-walled, with leak detection? Yes   If not, explain why not Double-walled, with leak detection? Yes   If not, explain why not Double-walled, with leak detection? Yes   If opinits   Softet or more, but less than 1000 feet   (10 points)   (10 poin	Type. Drilling   Production   Disposal	Volume:bbl Type of fluid:	
Liner type: Synthetic   Thickness   12 mil Clay    Pit Volume   bb   closed system, cuttings buried    Depth to ground water (vertical distance from botton of pit to seasonal high water elevation of ground water)   60°    Weilhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)  Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennal and ephemeral watercourses.)  Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennal and ephemeral watercourses.)  Possible   Thick is a pit closure: (1) Attach a diagram of the facility showing the put's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box rour are burying in place) onsite   offsite   If offsite, name of facility   (3) Attach a general description of remedial oction taken including remediation state and end date. (4) Groundwater encountered: No   Yes   If yes, show depth below ground surface   (1) and attach sample results and a diagram of sample locations and excavations.  Additional Comments:  Thereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade fat has been/will be constructed or closed according to NMOCD guidelines   (3) Attach soil sample results and a diagram of sample locations and excavations.  Additional Comments:  Signature  Not general permit   (1), or an (attached) alternative OCD-approved plan   (1).  Printed Name/Title   Natalic Krueger - Regulatory Analysi   (3) Signature   (4) Analysi   (4) Analysi	Workover ☐ Emergency ☐	Construction material:	
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)    Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)   Depth to ground water.)   Distance to area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)   Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, disches, and perennal and ephemeral watercourses.)   Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, disches, and perennal and ephemeral watercourses.)   Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, disches, and perennal and ephemeral watercourses.)   Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, disches, and perennal and ephemeral watercourses.)   Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, disches, and perennal and ephemeral watercourses.)   Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, disches, and perennal and ephemeral watercourses.)   Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, disches, and perennal and ephemeral watercourses.)   Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, disches, and perennal and ephemeral watercourses.)   Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, disches, and perennal and ephemeral watercourses.)   Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, disches, and perennal and ephemeral watercourses.)   Distance to surface water. (horizontal distance to all wetlands, playas, irrigation canals, disches, and perennal and ephemeral watercourses.)   Distance to surface water. (horizontal distance to all wetlands, p	Lined ☑ Unlined ☐	Double-walled, with leak detection? Yes  If not, explain why not	
Depth to ground water (vertical distance from bottom of pit to seasonal high water clevation of ground water.)    10   10   10   10   10   10   10   1	Liner type: Synthetic ☑ Thickness 12 mil Clay ☐		
high water elevation of ground water.)  50 feet or more, but less than 100 feet  100 feet or more  (10 points)  (20 points	Pit Volumebbl closed system, cuttings buried		
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)  Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, disches, and perennial and ephemeral watercourses.)  Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, disches, and perennial and ephemeral watercourses.)  Ranking Score (Total Polits)  20  Ranking Score (Total Polits)  20  This is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box your are burying in place) onsite   offsite, name of facility   (3) Attach a general description of remedial action taken including remediation stal and end date. (4) Groundwater encountered: No   Yes   If yes, show depth below ground surface   n. and attach sample results  Attach soil sample results and a diagram of sample locations and excavations.  Additional Comments:    I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade facility showing the pit of the constructed or closed according to NMOCD guidelines   a general permit   n. or an (attached) alternative OCD-approved plan    Date:   10,11,07  Printed NameTitle   Natalite Krueger - Regulatory Analyst   Signature   According to public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other/sederal, state, or local laws and/or regulations	Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)  Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, duches, and perenntal and ephemeral watercourses.)  Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, duches, and perenntal and ephemeral watercourses.)  Ranking Score (Total Points)  Q0 feet or more  Ranking Score (Total Points)  Q0 points)  (10 points)  (10 points)  (10 points)  (10 points)  (11 points)  (12 points)  (13 points)  (14 points)  (15 points)  (16 points)  (17 points)  (18 points)  (19 points)  (19 points)  (10 points)  (11 points)  (12 points)  (13 points)  (14 points)  (15 points)  (16 points)  (17 points)  (18 points)  (19 points)  (19 points)  (10 point	high water elevation of ground water.) 60'	50 feet or more, but less than 100 feet	(10 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)  Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)  Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)  Ranking Score (Total Points)  20 feet or more  Ranking Score (Total Points)  20  If this is a pit closure: (1) Attach a diagram of the facility showing the put's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box your are burying in place) onsite   offsite   If offsite, name of facility   (3) Attach a general description of remedial action taken including remediation states and end date. (4) Groundwater encountered: No   Yes   If yes, show depth below ground surface   It and attach sample results   Attach sample results and a diagram of sample locations and excavations.  Additional Comments:  Thereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade far has been/will be constructed or closed according to NMOCD guidelines   A general permit   , or an (attached) alternative OCD-approved plan   .  Date:   10.11.07		100 feet or more	( 0 points)
water source, or less than 1000 feet from all other water sources.)  Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)    Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)    Ranking Score (Total Points)   20	ATTRACT - A ATTRACT - SHA AN A	Yes	(20 points)
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, duches, and perennial and ephemeral watercourses.)    Compose the construction of the facility showing the put's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box your are burying in place) onsite   offsite   If offsite, name of facility   (3) Attach a general description of remedial action taken including remediation states and end date. (4) Groundwater encountered: No   Yes   If yes, show depth below ground surface   ft. and attach sample results		(No	(0 points)
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennal and ephemeral watercourses.)  200 feet or more  Ranking Score (Total Points)  20  15 this is a pit closure: (1) Attach a diagram of the facility showing the put's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box your are burying in place) onsite  off offsite  offsite, name of facility.  (3) Attach a general description of remedial action taken including remediation state and end date. (4) Groundwater encountered: No  Yes  If yes, show depth below ground surface  15 Attach soil sample results and a diagram of sample locations and excavations.  Additional Comments:  Thereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade fact has been/will be constructed or closed according to NMOCD guidelines  a general permit  near of a gene	water source, or less than 1000 feet from all other water sources.)		
irrigation canals, ditches, and perennial and ephemeral watercourses.)    Ranking Score (Total Points)   20	Distance to surface water: (horizontal distance to all wetlands, playas,		
Ranking Score (Total Points)    Ranking Score (Total Points)   20	•		
If this is a pit closure: (1) Attach a diagram of the facility showing the put's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box your are burying in place) onsite   offsite   If offsite, name of facility   (3) Attach a general description of remedial action taken including remediation state and end date. (4) Groundwater encountered: No   Yes   If yes, show depth below ground surface   ft. and attach sample results   (5) Attach soil sample results and a diagram of sample locations and excavations.  Additional Comments:    I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tanks been/will be constructed or closed according to NMOCD guidelines   general permit   or an (attached) alternative OCD-approved plan   Date:   10.11.07    Printed Name/Title   Natalie Krueger - Regulatory Analyst   Signature   Date:   10.11.07    Printed Name/Title   Natalie Krueger - Regulatory Analyst   Signature   Date:   10.11.07    Printed Name/Title   Natalie Krueger - Regulatory Analyst   Signature   Date:   10.11.07    Printed Name/Title   Natalie Krueger - Regulatory Analyst   Signature   Date:   10.11.07    Printed Name/Title   Natalie Krueger - Regulatory Analyst   Signature   Date:   10.11.07    Printed Name/Title   Natalie Krueger - Regulatory Analyst   Signature   Date:   10.11.07    Printed Name/Title   Natalie Krueger - Regulatory Analyst   Signature   Date:   10.11.07    Printed Name/Title   Natalie Krueger - Regulatory Analyst   Signature   Date:   10.11.07    Printed Name/Title   Natalie Krueger - Regulatory Analyst   Signature   Date:   10.11.07    Printed Name/Title   Natalie Krueger - Regulatory Analyst   Signature   Date:   10.11.07    Printed Name/Title   Natalie Krueger - Regulatory Analyst   Signature   Date:   10.11.07    Printed Name/Title   Natalie Krueger - Regulatory Analyst   Signature   Date:   10.11.07    Printed Name/Title   Natalie Krueger - R	in gamen canals, anones, and perconnact and epitement materials	1000 feet or more	((0 points)
rour are burying in place) onsite □ offsite □ If offsite, name of facility □ (3) Attach a general description of remedial action taken including remediation state and end date. (4) Groundwater encountered: No □ Yes □ If yes, show depth below ground surface □ ft. and attach sample results  5) Attach soil sample results and a diagram of sample locations and excavations.  Additional Comments:  Thereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tar has been/will be constructed or closed according to NMOCD guidelines □, a general permit □, or an (attached) alternative OCD-approved plan □.  Date: □0.11.07  Printed Name/Title Natalic Krueger − Regulatory Analyst Signature □ Just □ J		Ranking Score (Total Points)	20
Interest certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tar has been/will be constructed or closed according to NMOCD guidelines \( \sigma_1 \), a general permit \( \sigma_1 \), or an (attached) alternative OCD-approved plan \( \sigma_1 \).  Date: \( \sigma_1 \).11.07  Printed Name/Title  Name/Tit	If this is a pit closure: (1) Attach a diagram of the facility showing the pit	's relationship to other equipment and tanks. (2) Inc	dicate disposal location: (check the onsite box if
Additional Comments:  I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade (as been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .  Date: 10.11.07  Printed Name/Title Natalie Krueger – Regulatory Analyst Signature Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pilyor tank contaminate ground water otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations  Approval:	your are burying in place) onsite 🔲 offsite 🔲 If offsite, name of facility_	(3) Attach a general description of a	remedial action taken including remediation start
Additional Comments:  I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade (as been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .  Date: 10.11.07  Printed Name/Title Natalie Krueger – Regulatory Analyst Signature Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pilyor tank contaminate ground water otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations  Approval:	date and end date. (4) Groundwater encountered: No 🗌 Yes 📗 If yes, sh	now depth below ground surfaceft. a	and attach sample results
Thereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tan has been/will be constructed or closed according to NMOCD guidelines ⊠, a general permit □, or an (attached) alternative OCD-approved plan □.  Date: 10.11.07  Printed Name/Title Natalie Krueger − Regulatory Analyst Signature Valuable Contents of the pilor tank contaminate ground water otherwise endanger public health or the environment. Nor does it relieve the operator of liability should the contents of the pilor tank contaminate ground water otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other tederal, state, or local laws and/or regulations			
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tar has been/will be constructed or closed according to NMOCD guidelines \( \sigma, \) a general permit \( \sigma, \) or an (attached) alternative OCD-approved plan \( \sigma. \).  Date: \( \frac{10.11.07}{\text{Printed Name/Title}} \) Natalie Krueger - Regulatory Analyst \( \sigma \) Signature \( \sigma \) and all all the contents of the pil/or tank contaminate ground water otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations			
has been/will be constructed or closed according to NMOCD guidelines \( \sigma, \) a general permit \( \sigma, \) or an (attached) alternative OCD-approved plan \( \sigma. \)  Date: \( \frac{10.11.07}{\text{Printed Name/Title} \) Natalie Krueger - Regulatory Analyst \( \sigma \) Signature \( \sigma \) and \( \sigma \) Approval of this application/closure does not relieve the operator of liability should the contents of the pilor tank contaminate ground water otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations	T de la composition della comp		
has been/will be constructed or closed according to NMOCD guidelines \( \sigma, \) a general permit \( \sigma, \) or an (attached) alternative OCD-approved plan \( \sigma. \)  Date: \( \frac{10.11.07}{\text{Printed Name/Title} \) Natalie Krueger - Regulatory Analyst \( \sigma \) Signature \( \sigma \) and \( \sigma \) Approval of this application/closure does not relieve the operator of liability should the contents of the pilor tank contaminate ground water otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations			
has been/will be constructed or closed according to NMOCD guidelines \( \sigma, \) a general permit \( \sigma, \) or an (attached) alternative OCD-approved plan \( \sigma. \)  Date: \( \frac{10.11.07}{\text{Printed Name/Title} \) Natalie Krueger - Regulatory Analyst \( \sigma \) Signature \( \sigma \) and \( \sigma \) Approval of this application/closure does not relieve the operator of liability should the contents of the pilor tank contaminate ground water otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations			
has been/will be constructed or closed according to NMOCD guidelines \( \sigma, \) a general permit \( \sigma, \) or an (attached) alternative OCD-approved plan \( \sigma. \)  Date: \( \frac{10.11.07}{\text{Printed Name/Title} \) Natalie Krueger - Regulatory Analyst \( \sigma \) Signature \( \sigma \) and \( \sigma \) Approval of this application/closure does not relieve the operator of liability should the contents of the pilor tank contaminate ground water otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations			
has been/will be constructed or closed according to NMOCD guidelines \( \sigma, \) a general permit \( \sigma, \) or an (attached) alternative OCD-approved plan \( \sigma. \)  Date: \( \frac{10.11.07}{\text{Printed Name/Title} \) Natalie Krueger - Regulatory Analyst \( \sigma \) Signature \( \sigma \) and \( \sigma \) Approval of this application/closure does not relieve the operator of liability should the contents of the pilor tank contaminate ground water otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations			
Printed Name/Title Natalie Krueger – Regulatory Analyst Signature  Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pilor tank contaminate ground water otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations  Approval  Approval	I hereby certify that the information above is true and complete to the bes has been/will be constructed or closed according to NMOCD guidelin	t of my knowledge and belief. I further certify the es $oxtimes_i$ , a general permit $oxdot_i$ , or an (attached) alter	nt the above-described pit or below-grade tank native OCD-approved plan □.
Printed Name/Title Natalie Krueger – Regulatory Analyst Signature  Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pilor tank contaminate ground water otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations  Approval  Approval	Date: 10.11.07	11	
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pilor tank contaminate ground water otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations  Approval.		Signature_VatalieK	me sig the
	otherwise endanger public health or the environment. Nor does it relieve	not relieve the operator of liability should the conte the operator of its responsibility for compliance wit	nts of the pivor tank contaminate ground water or h any other federal, state, or local laws and/or
Printed Name/Title Signature Date: UCI 11 200			- OCT 1 1 2007