

Submit 3 Copies To Appropriate District Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
May 27, 2004

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 3002524999
5. Indicate Type of Lease STATE ☐ <u>Federal</u> ☒
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name HODGES
8. Well Number 1
9. OGRID Number
10. Pool name or Wildcat Langlie Mattix

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well ☐ Gas Well ☐ Other SWD	
2. Name of Operator FULFER OIL & CATTLE CO LLC 395-9970	
3. Address of Operator P O BOX 1224, JAL, NM 88252	
4. Well Location Unit Letter 0 : 660 feet from the SOUTH line and 1980 feet from the EAST line Section 8 Township 24-S Range 37-E NMPM County Lea	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3295' DF	
Pit or Below-grade Tank Application ☐ or Closure ☐	
Pit type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____	
Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☒ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

3/15/07, PULLED PKR RIH WITH BRIDGE PLUG & PACKER, FOUND CSG LEAK BELOW 415' TO 734', RIGGED UP HALLIBURTON SQUEEZED 150 SACKS CEMENT TO SURFACE DRILLED OUT. TESTED TO 500 PSI NO TEST. ON 3/29/07 RIGGED DOWN, 5-21-07 PULLED PKR RIH WITH BRIDGE PLUG & PKR, FOUND SMALL LEAK AT 430'. SQUEEZED USING HALLIBURTON ON 5/25/07, DRILLED OUT FROM 291' TO 520'. POH RIH WITH PRODUCTION PKR. TESTED GOOD. BUDDY HILL W/OCD ON LOCATION.



I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE

Russ Fulfer

TITLE

member

DATE

8-15-07



For State Use Only


APPROVED BY:

Harry W. Wink

OC FIELD REPRESENTATIVE N/STAFF MANAGER
TITLE

OCT 22 2007

Conditions of Approval (if any):



5-31-07
Fuller oil + cattle Co. L.H.C
Hodges #1
Lest