

Submit 3 Copies To Appropriate District
Office

District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
Revised March 25, 1999

WELL API NO.

30-025-03000

5. Indicate Type of Lease

STATE ☒ FEE ☐

6. State Oil & Gas Lease No.

B-2519

7. Lease Name or Unit Agreement Name:

East Vacuum GB/SA Unit
Tract 3467

8. Well No.

024

9. Pool name or Wildcat

Vacuum GB/SA

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH
PROPOSALS.)

1. Type of Well:

Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator

ConocoPhillips Co.

3. Address of Operator

4001 Penbrook, Odessa, TX 79762

4. Well Location

Unit Letter A : 660 feet from the North line and 660 feet from the East line

Section 34 Township 17S Range 35E NMPM Lea County

10. Elevation (Show whether DR, RKB, RT, GR, etc.)

3,923' GL

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐


CASING TEST AND CEMENT JOB ☐

OTHER: ☐

12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

See attached procedure & wellbore diagrams.

THE COMMISSION MUST BE NOTIFIED 24
HOURS PRIOR TO THE BEGINNING OF
PLUGGING OPERATIONS FOR THE C-103
TO BE APPROVED.



I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE James F. Newman TITLE Engineer DATE 10/10/03

Type or print name James F. Newman, P.E. Triple N Services, Inc. Telephone No. 432-687-1994
(This space for State use)

APPROVED BY Chris Williams TITLE DISTRICT SUPERVISOR/GENERAL MANAGER DATE OCT 24 2003
Conditions of approval, if any:

ConocoPhillips

Proposed Plugging Procedure Page 1 of 1


East Vacuum GBSA #3467-024
Vacuum GBSA Field
Section 34, T17S, R35E
Lea County, New Mexico

See attached wellbore diagrams for wellbore configuration

SI producer – TA'd w/ CIBP @ 4,060'

- Notify BLM & OCD 24 hrs prior to move in, and 4 hrs prior to plugs
- Hold daily tailgate safety meetings w/ crews

1. Set steel pit and flow well down as needed.
2. MIRU plugging equipment. ND wellhead and NU 6" 3,000# manual BOP. RIH w/ workstring to 4,060'.
3. RU cementer and circulate hole w/ mud. Pump 25 sx C cmt on CIBP 4,060 – 3,960'. **Grayburg / San Andres plug**
4. POOH w/ tbg to 2,900' and pump 25 sx C cmt 2,900 – 2,800'. **base of salt plug**
5. POOH w/ tbg to 1,780' and pump 35 sx C cmt 1,780 – 1,532'. **Top of salt plug & surface casing shoe plug**
6. RIH w/ wireline and perforate casing @ 900'. POOH w/ wireline.
7. RIH w/ 5½" AD-1 packer to 600'. RU cementer and load hole w/ mud, set packer. Establish rate into perforations and squeeze 40 sx C cmt 900 – 800'.
8. RIH w/ wireline and perforate casings @ 60'. POOH w/ wireline.
9. ND BOP and NU wellhead. Establish circulation and 20 sx C cmt 60' to surface. **surface plug**
10. SI well. RDMO. Clean steel pit and dispose of bottoms.
11. Cut off wellhead and anchors, level location. Leave location clean and free of trash.



Field Name:	Vacuum GB/SA		
County:	Lea	Well Type:	
State:	New Mexico	Depth:	4,590
RRC District:		Drilling Commenced:	2/8/1939
Section:	34	Drilling Completed:	
Block:		Date Well Plugged:	
Survey:	T-17-S; R-35-E	Longitude:	
		Latitude:	
		Freshwater Depths:	
API #:	42-025-03000		
Lease or ID:			

Casing					
Description	Size (inches)	Depth (feet)	TOC (feet)	Cement (sacks)	Hole Size (inches)
Surface:	9-5/8"	1,582	Surface	875	12.25
Production:	7"	4,129	1,468	400	8.75


Existing Plugs				
Description	Top (feet)	Depth (feet)	Volume (sacks)	Volume (cu ft)
1 CIBP		4,062		0
				0
				0
				0
				0
				0
				0

Perforations			
Formation	Top (feet)	Depth (feet)	
	4,129	4,590	

Formations		
Name	Top of Formation	
Top of Salt	1,780	

Comments

Prepared By: Jim Newman
Date: 9/15/2003



← 20 sx cmt plug
0'-50'

← 40 sx cmt plug
800'-900'

← 9-5/8" set at 1,582'

← 35 sx cmt plug
1,780' - 1,532'

Top of Salt
1,780'

Base of Salt
2,846'

← 25 sx cmt plug
2800'-2900'

← 25 sx cmt plug
3960'-4060'

← CIBP
top at 4060'
7" set at 4,129'

← 4129'-4590'

← Open Hole to 4,590'

Field Name: Vacuum GB/SA

County: Lea

Well Type:

State: New Mexico

Depth:

4,590

RRC District:

Drilling Commenced:

2/8/1939

Section: 34

Drilling Completed:

Block:

Date Well Plugged:

Survey: T-17-S; R-35-E

Longitude:

Latitude:

Freshwater Depths:

API #:

42-025-03000

Lease or ID:

Casing

Description	Size (inches)	Depth (feet)	TOC (feet)	Cement (sacks)	Hole Size (inches)
Surface:	9-5/8"	1,582	Surface	875	12.25
Production:	7"	4,129	1,468	400	8.75
Proposed Plugs					

Existing Plugs

Description	Top (feet)	Depth (feet)	Volume (sacks)	Volume (cu ft)
1 CIBP		4,062		0
2 Cement-Class C - Balanced	3,960	4,060	25	33
3 Cement-Class C - Balanced	2,800	2,900	25	33
4 Cement-Class C - Balanced	1532(tagged)	1,780	35	46
5 Cement-Class C - Sqz/Packer	800	900	40	53
6 Cement-Class C - Sqz/Packer		50	20	26

Perforations

Formation	Top (feet)	Depth (feet)
	4,129	4,590

Formations

Name	Top of Formation
Top of Salt	1,780

Comments

Prepared By:

Jim Newman

Date:

9/15/2003