

Submit 3 Copies To Appropriate District
Office
District I
1625 N French Dr , Hobbs, NM 88240
District II
1301 W Grand Ave , Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S St. Francis Dr , Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
May 27, 2004

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-041-20349
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. K-4128

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS)		7. Lease Name or Unit Agreement Name Citgo State
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other		8. Well Number 1
2. Name of Operator McDonnold Operating, Inc.		9. OGRID Number
3. Address of Operator 505 N. Big Spring, Suite 204, Midland, Texas 79701-4347		10. Pool name or Wildcat Bluitt (San Andres) Assoc.
4. Well Location Unit Letter <u>M</u> : <u>766</u> feet from the <u>South</u> line and <u>554</u> feet from the <u>West</u> line Section <u>16</u> Township <u>8-S</u> Range <u>38-E</u> NMPM <u>Roosevelt</u> County		
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3986 GR		
Pit or Below-grade Tank Application <input type="checkbox"/> or Closure <input checked="" type="checkbox"/>		
Pit type <u>STEEL</u> Depth to Groundwater _____ Distance from nearest fresh water well <u>> 1 mile</u> Distance from nearest surface water <u>> 1 mile</u>		
Pit Liner Thickness: <u>STEEL</u> mil Below-Grade Tank: Volume <u>180</u> bbls; Construction Material <u>STEEL</u>		

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☒
CASING/CEMENT JOB ☐
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

See attached plugged wellbore diagram

10/01/07 Contacted NMOCD, Maxi Brown. Set steel pit. MIRU Triple N rig #24. LD rods & pump. NU BOP. SDFN.

10/02/07 NMOCD, Maxi Brown on location. POOH w/ tubing. RIH w/ gauge ring on wireline, stacked out @ 3,900'. RIH w/ 2 3/8" workstring tubing to 3,916', stacked out. Unable to work downhole. Called NMOCD, Gary Wink, instructed to fish tubing/rods as possible. RU cementer and circulated hole w/ b/w. POOH w/ tubing. WO fishing tools, SDFN.

10/03/07 RIH w/ impression block to 3,900'. POOH w/ impression block, indicated rod sideways on top of tubing fish. Contacted NMOCD, Maxi Brown, ok'd balanced plug on fish. RIH w/ tubing to 3,900' and pumped 25 sx C cmt w/ 3% CaCl₂ @ 3,900'. PUH w/ tubing. WOC and tagged cmt @ 2,844', ok'd by NMOCD, Maxi Brown. Circulated hole w/ mud. POOH w/ tubing. Perforated casing @ 2,678'. RIH w/ packer and squeezed 45 sx C cmt w/ CaCl₂ @ 2,678'. WOC and tagged cmt @ 2,490'. Perforated casing @ 2,312'. Squeezed 45 sx C cmt w/ CaCl₂ @ 2,312'. WOC and tagged cmt @ 2,154'. SDFN.

10/04/07 Contacted NMOCD, Maxi Brown. Perforated casing @ 400'. RIH w/ packer and squeezed 65 sx C cmt w/ CaCl₂ @ 400'. WOC and tagged cmt @ 280'. POOH w/ packer. RIH w/ tubing to 60' and circulate 10 sx C cmt to surface. POOH w/ tubing. Topped off wellbore w/ cmt. RDMO. Cut off wellhead & anchors, install dry hole marker.

Approved as to plugging of the Well Bore.
Liability under bond is retained until
surface restoration is completed.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐ or an (attached) alternative OGD-approved plan ☐.

SIGNATURE _____ TITLE _____ Engineer _____

Type or print name James F. Newman, P.E.

E-mail address: jim@triplenservices.com

Telephone No. 432-687-1994

For State Use Only

APPROVED BY: Gary W. Wink

TITLE OC FIELD REPRESENTATIVE II/STAFF DATE NOV 02 2007

Conditions of Approval (if any):

PLUGGED WELLBORE SKETCH

McDonnold Operating

Date October 30, 2007

RKB @ _____
DF @ 3,995
GL @ _____

Lease & Well No
Legal Description

Citgo State #1

UL M 766' FSL & 554' FWL, Sec 16, T8S, R38E

County
Field
Date Spudded
API Number
Status


Roosevelt State New Mexico

Bluitt (San Andres) Assoc

Rig Released

30-041-20325

PLUGGED 10/04/07



10 sx C cmt 60' to surface

11" Hole

8-5/8" 24# @ 350' cmt'd w/ 150 sx circ to surface

Perf/sqz'd 65 sx C cmt 400 - 280' TAGGED

**PLUGS SET 10/01/07 thru 10/04/07**

- 1) tbgr/rods @ ~3,906' (unable to fish 11/24-11/28/07)
- 2) 25 sx C cmt 3,900 - 2,844' TAGGED
- 3) Perf/sq'z'd 45 sx C cmt 2,678 - 2,490' TAGGED
- 4) Perf/sq'z'd 45 sx C cmt 2,312 - 2,154' TAGGED
- 5) Perf/sq'z'd 65 sx C cmt 400 - 280' TAGGED
- 6) 10 sx C cmt 60' to surface

Top of salt @ 2,312

Perf/sqz'd 45 sx C cmt 2,312 - 2,154' TAGGED

Base of salt @ 2,678

Perf/sqz'd 45 sx C cmt 2,678 - 2,490' TAGGED

7-7/8" Hole

TOC @ 3,722 calc.

25 sx C cmt 3,900 - 2,844' TAGGED

tubing & rods left @ ~3,906' (unable to fish 11/24-11/28/07)

25 sx C cmt 4,731 -4,370'

Set CIBP @ 4,731'

perfs

4,789 - 4,814

4-1/2" 9.5# @ 4844' cmt'd w/ 350 sx

7-7/8 hole

PBTD
TD 4844