District I
1625 N French Dr , Hobbs, NM 88240
District II
1301 W Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S St. Francis Dr , Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes \(\subseteq \text{No} \text{ \infty} \)

Type of action: Registration of a pit or below-grade tank Cosure o		
Address: 550 W. Texas, Suite 1300 Midland, TX 79701 O25 Facility or well name: MC Federal #12 API #: 30-045-38509 U/L or Qtr/Qtr C Sec 21 T 175 R 32E		
12 1 1		
County. Lea Latitude 32.824551° N Longitude 103.774158° W NAD. 1927 🛛 1983 🗌 Surface Owner, Federal 🖾 State 🗌 Private 🗌 Indian 🗍		
Pit	Below-grade tank	
Type. Drilling Production Disposal	Volumebbl Type of fluid	
Workover ☐ Emergency ☐	Construction material	
Lined 🛮 Unlined 🗌	Double-walled, with leak detection? Yes If not, explain why not.	
Liner type Synthetic ☑ Thickness <u>12</u> mil Clay ☐		
Pit Volume <u>2000</u> bbl		062178293037
Depth to ground water (vertical distance from bottom of pit to seasonal		(20 (15) E3
high water elevation of ground water.)	50 feet or more, but less than 100 feet 100 feet or more	(20 notats) (10 doints) (10 points)
Wellhead protection area. (Less than 200 feet from a private domestic	Yes	(20 points) 5 5 6
water source, or less than 1000 feet from all other water sources)	No .	
The state of the s	Less than 200 feet	(20 points)
Distance to surface water. (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(20 points) (10 points)
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	.(0 points)
	Ranking Score (Total Points)	0 points
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location (check the onsite box if		
your are burying in place) onsite 🗵 offsite 🔲 If offsite, name of facility		
remediation start date and end date (4) Groundwater encountered. No 🛛 Yes 🔲 If yes, show depth below ground surfaceft and attach sample results.		
(5) Attach soil sample results and a diagram of sample locations and excavations.		
Additional Comments COG Operating LLC proposes to close the drilling pit as follows:		
Remove fluids from pit.		
A deep trench pit will be constructed next to the existing reserve pit and lined with a 12 mil liner.		
The contents will be encapsulated in this pit and the liner will be folded over the mud & cuttings.		
3. Cover liner w/20 mil liner w/ excess of 3' on all sides as per option IV.B.3.(b) of Pit and Below-Grade Tank Guidelines.		
4 Cover w/ a minimum of 3' of native soil.		
5. Contour pit to prevent erosion & ponding of rainwater.		
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit, or an (attached) alternative OCD-approved plan.		
Date 11/06/07		
Printed Name/Title Kanicia Carrillo, Regulatory Analyst Signature		
Your certification and NMOCD approval of this application/closure does not relieve the operator of hability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.		
Ca aluxan		
Approval ENVIDONNATAL FAIGURES		
Printed Name/Title	Signature ENVIRONMENTAL ENGIN	EER Date 11.8.07