

District I  
1625 N French Dr., Hobbs, NM 88240  
District II  
1301 W Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S St Francis Dr, Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-144  
June 1, 2004

For drilling and production facilities, submit to  
appropriate NMOCD District Office  
For downstream facilities, submit to Santa Fe  
office

**Pit or Below-Grade Tank Registration or Closure**

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☒ Closure of a pit or below-grade tank ☐

Operator: **XTO ENERGY INC** Telephone: **432-620-6749** e-mail address: **sorina.flores@xtoenergy.com**

Address: **200 N. Loraine St., Ste. 800, Midland, TX 79701**

Facility or well name: **SEMGSAU # 147** API #: **30-025-38613** U/L or Qtr/Qtr: **P** Sec: **30** T **17S** R **33E**

County: **LEA** Latitude: **32 47' 56.74" N** Longitude: **103 41' 49.94" W** NAD: 1927 ☒ 1983 ☐

Surface Owner Federal ☒ State ☐ Private ☐ Indian ☐

<b>Pit</b> Type: Drilling <input checked="" type="checkbox"/> Production <input type="checkbox"/> Disposal <input type="checkbox"/> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input checked="" type="checkbox"/> Unlined <input type="checkbox"/> Liner type: Synthetic <input checked="" type="checkbox"/> Thickness: <b>12 mil</b> Clay <input type="checkbox"/> Pit Volume: <b>20000</b> bbl	<b>Below-grade tank</b> Volume: _____ bbl Type of fluid: _____ Construction material: _____ Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not: _____
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water)	Less than 50 feet (20 points) 50 feet or more, but less than 100 feet (10 points) ? <b>100 feet or more</b> (0 points)
Wellhead protection area. (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	<b>Yes</b> (20 points) No (0 points)
Distance to surface water. (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses)	Less than 200 feet (20 points) 200 feet or more, but less than 1000 feet (10 points) <b>1000 feet or more</b> (0 points)
<b>Ranking Score (Total Points)</b> <b>20</b>	

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks (2) Indicate disposal location (check the onsite box if you are burying in place) onsite ☐ offsite ☐ If offsite, name of facility: \_\_\_\_\_ (3) Attach a general description of remedial action taken including remediation start date and end date (4) Groundwater encountered. No ☐ Yes ☐ If yes, show depth below ground surface: \_\_\_\_\_ ft. and attach sample results (5) Attach soil sample results and a diagram of sample locations and excavations

Additional Comments:

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date: **November 19, 2007**

Printed Name/Title: **SORINA L. FLORES / DRILLING TECH** Signature: *Sorina Flores*

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.



Approval:

Printed Name/Title: **GARY W. WINK / STAFF MGR** Signature: *Gary W. Wink* Date: **NOV 21 2007**

See COA's  
Plot North Northeast

RIG

First wall on reserve @  
back of cellar on pump side



150'

170'

150'

Rathole/Mousehole

S 5' 5" M 20' @ 3 deg

8' 2" 7' 8" R 30' @ 6 deg

X.T.O. ENERGY

SEMSAU #147

334 FSL

1180 FEL SEC.30 T11S R33E


885-9264




2 PLAINS P/L ON SURFACE

Powerline about  
125' W.  
Reserve Pit will  
be close to Powerline  
but not underneath.

EW



E



JERRY LYNN 432-238-2357

S