| Submit 3 Copies To Appropriate District Office District I | State of New Mexico Energy, Minerals and Natural Resources | | Form C-103 May 27, 2004 | | | |
|---|---|---|--|-----------------------|--|--|
| 1625 N. French Dr., Hobbs, NM 88240 | | | WELL API NO. | | | |
| District II 1301 W. Grand Ave., Artesia, NM 88210 | OIL CONSERVATION DIVISION | | 30-025-36526 / 5. Indicate Type of Lease | | | |
| <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 | 1220 South St. Francis Dr. | | STATE FEE | | | |
| <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505 | Santa Fe, NM 87505 | | 6. State Oil & Gas Lease No. VA-1904 | | | |
| SUNDRY NOT | ICES AND REPORTS ON WELLS | | 7. Lease Name or Unit Agreem | ent Name | | |
| (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH | | | Willie State Unit | | | |
| PROPOSALS.) 1. Type of Well: Oil Well | Gas Well 🛛 Other 🗌 | 8. Well Number | | | | |
| 2. Name of Operator | | | 9. OGRID Number | | | |
| Yates Petroleum Corporation 3. Address of Operator | | | 025575 10. Pool name or Wildcat | | | |
| 105 S. 4 th Street, Artesia, NM 88210 | | | Wildcat Bough | | | |
| 4. Well Location Unit Letter I: | 1720 feet from the South | line and 1 | 280 feet from the Eas | st line | | |
| Section 6 | Township 12S Rar | | NMPM Lea County | y | | |
| | 11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4147' GR | | | | | |
| Pit or Below-grade Tank Application Bet type Parth to Crowndwate | or Closure 🔲 er Distance from nearest fresh wa | ntor well Dist | anaa fuam naavaat ayufaaa watau' | | | |
| Pit Liner Thickness: mil | | | nstruction Material | | | |
| 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data | | | | | | |
| NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒ REMEDIAL WORK ☐ ALTERING CASING ☐ | | | | | | |
| TEMPORARILY ABANDON DULL OR ALTER CASING | | | | | | |
| OTHER: | | OTHER: | | | | |
| | oleted operations. (Clearly state all pork). SEE RULE 1103. For Multipl | | | | | |
| 2) RU WL. Set CIBP @ 10100'. I 3) TIH w/tubing and circulate hole 4) PUH and place 100' cement plug 5) RU WL and perforate @ 2150'. | w/mud. PUH to 7100' and place 10 g 4360-4260'. WOC and tag. TOH. Place 100' cement plug 2150-2050' Place 100' cement plug 472-372', ins | 0' cement plug 7100, inside and outside | 0-7000'. casing. WOC and tag. | | | |
| 8) Install marker and clean location | | THE | OIL CONSERVATION D | MISIOTICTET | | |
| (Proposed schematic attached) BE NOTIFIED 24 HOURS PRIOR TO THE | | | | | | |
| | | BEGI | nning of Plugging | OPERATIONS. | | |
| I hereby certify that the information grade tank has been/will be constructed on | above is true and complete to the be | | | | | |
| SIGNATURE Storm | TITLE R | Regulatory Complian | nce Technician DATE 9- | -17-07 | | |
| Type or print name Stormi Da For State Use Only | E-mail address: | stormid@ypcnr | m.com Telephone No. 505- | 748-1471 | | |
| APPROVED BY: Conditions of Approval (if any) | Wink of TITLE | representative i | VSTAFF MAMAGE DATE NOV | <u>28 2007</u> | | |

| Well Name: | Willie State | Unit No. 2 | Field:_ | | |
|------------|---------------|------------------|-------------|----------|-------|
| Location: | 1720' FSL & 1 | 280' FEL Sec. 6 | -12S-35E Le | a Co, NM | |
| GL: 4147' | Zero: | AGL: | | KB: | 4167' |
| Spud Date: | 4/25/05 | Completion Date: | | | |
| Comments: | | | | | |
| | | | | | |

| Casing Program | | | | |
|-----------------------------|-----------|--|--|--|
| Size/Wt/Grade/Conn | Depth Set | | | |
| 13 3/8" 48# H40 | 422' | | | |
| 9 5/8" 36 & 40# J55 & HCK55 | 4310' | | | |
| 5 1/2" 17# J55, L80 & P110 | 12814' | | | |
| | | | | |
| | | | | |

10 sack cement plug at surface

PROPOSED CONFIGURATION

13 3/8" csg @ 422'. Cmtd w/ 420 sx. Cmt circ.

Perf @ 472'. Place a 100' cement plug 472-372', inside and outside casing. WOC and tag.

Perf @ 2150'. Place a 100' cement plug 2150-2050', inside and outside casing. WOC and tag.

TOC 4000' by CBL

9 5/8" csg @ 4310'. Cmtd w/ 1835 sx. Cmt circ.

100' cement plug 4360-4260'. WOC and tag.

Tops: Rustler 2174' 2900' Yates San Andres 4250' Glorieta 5682' 7096' Tubb Abo 7860' Wolfcamp 9382' 11168' Strawn Atoka 11707' 12160' Morrow Austin 12330' Chester 12523' L. Miss 12634'

100' cement plug 7100'-7000'

Bough B perfs 10118-34'

Middle Atoka perfs 12032-53' Lower Atoka perfs 12103-12'

5 1/2" csg @ 12814'. Cmtd w/ 3050 sx.

CIBP @ 11700' + 35' cmt

CIBP @ 12095' + 10' cmt

CIBP @ 10100' + 35' cmt

TD 12816'

DATE: 9/13/07 WILIE2G