District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesla, NM 88210
District III
1000 Rto Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fc, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fo, NM 87505

Form C-144 June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes [No []

of action: Registration of a pit or below-grade tank (Closure of a pit or below-grade tank [

		4
Operator: Whiting Oil & GAS CORP Telephor	ne: <u>432 - 686 - 6730</u> e-mail address: <u>- C</u>	Lindi. 19 oodman C Whiting Con
Address: 400 W. T. 11:0015 Suite 1300 Midland, TX 19701 Robbin a well page: (20th 6 State Com#) API#: 30.025-26-731 (UN) or QN/QN K Sec 6 T 215 R 34E		
Fileling of work marite Colors of Colors	32 - 51246 Longitude -10	3, 50964 NAD: 1927 11-1983 1
Copins,	Doughout	
Surface Owner: Federal 🗌 State 🔀 Private 🗎 Indian 🗆		
Cit	Below-grade tank	
Type: Drilling T Production Disposal	Volume:bbl Type of fluid: Construction material: Double-walled, with leak detection? Yes If not, explain why not.	
Workover 💢 Emergency 🗔		
Lined Unlined		
Liner type: Synthetic Thickness 2 mil Clay		
Pit Volume 60 bbl		
	Loss then 50 feet	(20 points)
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)
high water elevation of ground water.)	100 feet or mare	(0 paints)
1.0000000000000000000000000000000000000	Yes	(20 paints)
Wellhead protection area. (Less than 200 feet from a private domestic	NO	(0 paints)
water source, or less than 1000 feet from all other water sources.)	1103	, , , , ,
All and the standard standards along	Less than 200 feet	(20 points)
Distance to surface water: (horizontal distance to all wetlands, playes,	200 fact or more, but loss than 1000 feet	(10 points)
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points)
	Ranking Score (Total Points)	Q
If this is a pit closure: (1) Attach a diagram of the facility showing the phyont are burying in place) onsite offsite If offsite, name of facility remediation start date and end date. (4) Groundwater encountered: No (5) Attach soil sample results and a diagram of sample locations and excave	Yes If yes, show depth below ground surface	al description of remedial action taken including
Additional Comments:		
I hereby certify that the information above is true and complete to the be- line been/will be constructed or closed according to NMOCD guideling	gt of my knowledge and belief. I further certify th nes [5], a general permit [5], or an (atlached) alter	al the above-described pil or below-grade tank rantive OCD-approved plan □.
Date: 1243/07	1-1	1 .
Painted Normaltilla (in A) (TODE Man / Kery (afor)	Dec Signature	
Your certification and NMOCD approval of this application/closure does otherwise endanger public health or the environment. Nor does it relieve regulations.	a not relieve the operator of liability should the conte the operator of its responsibility for compliance wi	and of the pit of tank communities ground water of the any other federal, state, or local laws and/or
	Colu	300
Approval:		Date: 12/4/07
Printed Name/Title	Signature ENVIRONMENTAL	ENGINEER