

District I

1625 N French Dr, Hobbs, NM 88240

District II

1301 W Grand Ave, Artesia, NM 88210

District III

1000 Rio Brazos Rd, Aztec, NM 87410

District IV

1220 S St Francis Dr, Santa Fe, NM

87505

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO.	30-025-10287
5. Indicate Type of Lease	STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.	
7. Lease Name or Unit Agreement Name	E. W. Walden
8. Well Number	4
9. OGRID Number	147179
10. Pool name or Wildcat	San Andres

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS)

1. Type of Well: Oil Well ☐ Gas Well ☐ Others ☐ SWD

2. Name of Operator
Chesapeake Operating Inc.

3. Address of Operator 2010 Rankin Hwy
Midland, TX 79701

4. Well Location
Unit Letter K : 1980 feet from the SOUTH line and 1980 feet from the WEST line
Section 15 Township 22S Range 37E NMPM County Lea

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3385 GR

Pit or Below-grade Tank Application ☐ or Closure ☐

Pit type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____

Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐

OTHER: ☐

SUBSEQUENT REPORT OF:


REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Chesapeake, respectfully, request permission to Plug this well per the attached procedure.

THE OIL CONSERVATION DIVISION MUST
BE NOTIFIED 24 HOURS PRIOR TO THE
BEGINNING OF PLUGGING OPERATIONS.



I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOC guidelines ☒, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE Shay Stricklin TITLE Regulatory Tech. DATE 11/19/2007

Type or print name Shay Stricklin
For State Use Only

E-mail address: sstricklin@chkenergy.com Telephone No. (432)687-2992
OC FIELD REPRESENTATIVE ~~W/STAFF MANAGER~~

APPROVED BY: Hayden Wink TITLE _____ DATE DEC 07 2007
Conditions of Approval (if any): _____

**E W Walden 4
Lea County, New Mexico
Plugging Procedure**

Date: November 12 , 2007

Location: 1980' FSL & 1980' FWL, Sec. 15-T22S-R37E

Production Casing: 7" 24# 0-3,482'

PBTD/TD: 4,823' / 4,823'

Current Perfs: San Andres 4093-4823' OH

Recommended Procedure:

1. MIRU PU. ND WH/NU BOP.
2. RU Wireline Co. RIH w/ gauge ring and junk basket to 4075'. Set CIBP at 4075'. Then dump bail 35' of cement.
3. Perforate casing w/ 4 squeeze holes at 3432'.
4. RIH w/ open ended tbg to 3532' and set a 25 sxs cement plug. Pull up hole, wait 4 hours and tag plug and POH w/ tbg.
5. Perforate casing w/ 4 squeeze holes at 1275'.
6. RIH w/ open ended tbg to 1275' and set a 25 sxs cement plug. Pull up hole, wait 4 hours and tag plug and POH w/ tbg.
7. Perforate casing w/ 4 squeeze holes at 285'.
8. RIH w/ open ended tbg to 285' and set a 25 sxs cement plug. Pull up hole, wait 4 hours and tag plug and POH w/ tbg.
9. PUH w/ tbg to 60'. Fill casing back to surface with cement. POH w/ tbg. Top off casing with cement.
10. RDMO. Install dry hole marker and cut off dead man. Restore location.



Proposal - Workover

E W WALDEN 4

Field: PENROSE-SKELLY
County: LEA
State: NEW MEXICO
Elevation: GL 3,385.00 KB 3,396.00
KB Height: 11.00

Spud Date: 4/7/1937
Initial Compl. Date:
API #: 3002510287
CHK Property #: 891408
1st Prod Date:
PBTD: Original Hole - 4823.0
TD: 4,823.0

Location: SEC 15, 22S-37E, 1980 FSL & 1980 FWL

