District I
1625 N French Dr., Hobbs, NM 88240
District II
1301 W Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St Francis Dr, Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-144 June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration of Closure

Is pit or below-grade tank covered by a "general plan"? Yes No of action. Registration of a pit or below-grade tank Closure of a pit or below-grade tank

Type of action. Registration of a pit	of below-grade tank [] Closure of a pit of below-gra	de tank 🔼
Operator CHEVRON Telephone.	432-523-3655 e-mail address	WALLARW@CHEVRON COM
Address: P.O. DRAWER 29 ANDREWS, TX 79714		The state of the s
	: <u>30-025-11363</u> U/L or Qtr/Qtr	J Sec 35 T 24S R 37F
County LEA RUNW Lati	tudeLongitude	NAD: 1927 🗆 1983 🗖
Surface Owner Federal State Private Indian		
<u>Pit</u>	Below-grade tank	
Type Drilling ☑ Production ☐ Disposal ☐	Volumebbl Type of fluid	
Workover	Construction material.	
Lined 🖾 Unlined 🗔	Double-walled, with leak detection? Yes  If not, explain why not	
Liner type. Synthetic ☑ Thickness 20 mil Clay ☐		
Pit Volumebbl		
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)
high water elevation of ground water) $\int_{0}^{\pi}$	50 feet or more, but less than 100 feet	(10 points) 10
	100 feet or more	( 0 points)
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)
water source, or less than 1000 feet from all other water sources)	No	( 0 points) 0
water source, or less than 1000 teet from an other water sources )	Less than 200 feet	
Distance to surface water (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(20 points)
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(10 points)
	1000 feet of more	( 0 points) 0
,	Ranking Score (Total Points)	10
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's	s relationship to other equipment and tanks. (2) Indica	te disposal location (check the onsite box if
your are burying in place) onsite 🖾 offsite 🗌 If offsite, name of facility		
remediation start date and end date. (4) Groundwater encountered. No 🛛 Yes 🗌 If yes, show depth below ground surfaceft. and attach sample results.		
(5) Attach soil sample results and a diagram of sample locations and excavations.		
Additional Comments WE WILL REMOVE EXCESS FLUIDS FROM PIT AREA AND BLEND PIT MATERIAL UNTIL MATERIAL IS SOLID. WE WILL		
THEN LINE PIT MATERIAL WITH AN APPROVED LINER AND BACKFILL WITH A MINIMUM OF 3' OF CLEAN TOP SOIL		
DEEP EVEY W/ 20 MM LINER & CAP		
I hereby certify that the information above is true and complete to the best of	of my knowledge and belief. I further conting that the	
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .		
Date: $1\partial/11/07$		
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Not does it relieve the operator of liability should the contents of the pit or tank contaminate ground water or		
otherwise endanger public health or the environment Nor does it relieve the regulations	e operator of its responsibility for compliance with any	f the pit or tank contaminate ground water or other federal, state, or local laws and/or
	( Columnia	
Approval.	Ohuson	
inted Name/TitleSignature FNVIRONMENTAL ENGINEER Date 12-11-07		
		1









