District I 1625 N. French Dr , Hobbs, NM 88240 District II 1301 W Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S St Francis Dr , Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For dfilling and production facilities, submit to apprópriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes \(\subseteq \text{No} \subseteq \)

Type of action Registration of a pit	or below-grade tank Closur	e of a put or below-gra	de tank
Operator CHEVRON Telephone.	432-523-3655	e-mail address	WALLARW@CHEVRON COM
Address. PO DRAWER 29 ANDREWS, TX 79714			
Facility or well name GL ERWIN B FED NCT #13 API	# 30-025-38413	LI/L or Otr/Otr	Sec <u>35</u> T <u>24S</u> R <u>37E</u>
Country of well finding OLERWIN B FED NCT 1952 13 AT	#	•	
County <u>LEA</u> QUULati	nude	Longitude	NAD 1927 🗌 1983 🗌
Surface Owner Federal State Private Indian			
Pit Below-grade tank			
Type: Drilling ☑ Production ☐ Disposal ☐	Volume:bbl Type of fluid		
Workover	Construction material		
Lined 🛮 Unlined 🗌	Double-walled, with leak detection? Yes If not, explain why not.		
Liner type Synthetic ☑ Thickness 20 mil Clay ☐			
Pit Volumebbl			
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet		(20 points)
high water elevation of ground water)	50 feet or more, but less than 100 feet		(10 points) 10
Ingli water elevation of ground water)	100 feet or more	1700 1661	' '
10			(0 points)
Wellhead protection area (Less than 200 feet from a private domestic	Yes		(20 points)
water source, or less than 1000 feet from all other water sources)	\sim		(0 points) 0
water source, or less than 1000 feet from all other water sources)	L th 200 ft		
Distance to surface water (horizontal distance to all wetlands, playas,	Less than 200 feet		(20 points)
irrigation canals, ditches, and perennial and ephemeral watercourses)	200 feet or more, but less than 1000 feet		(10 points)
, mg-non canada, area promisa and apromosal maiores ,	1000 feet or more		(0 points) 0
	Ranking Score (Total Point	rs)	10
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks (2) Indicate disposal location. (check the onsite box if			
your are burying in place) onsite 🖂 offsite 🔲 If offsite, name of facility			
remediation start date and end date (4) Groundwater encountered No 🗵 Yes 🗌 If yes, show depth below ground surfaceft and attach sample results			
(5) Attach soil sample results and a diagram of sample locations and excavations			
Additional Comments WE WILL REMOVE EXCESS FLUIDS FROM PIT AREA AND BLEND MATERIAL UNTIL IT BECOMES OF A SOLID STATE WE WILL			
THEN LINE PIT AREA WITH AN APPROVED LINER AND BACKFILL WITH A MINIMUM OF 3° OF CLEAN TOP SOIL			
The second secon			
DEER BUEN 20 W. LINER & CAR			
I howalty contribute the information characters and any late to the late Contribute to the			
I hereby certify that the information above is true and complete to the best of my knowledge and belief I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .			
–			
Date 12/11/01/20 ·			
Date 12/11/07. Printed Name/Title Richard W. Wallace Signature Luwallace			
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or			
otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or			
regulations			
CP alux			
Approval	Chuson		
Printed Name/Title	Signature ENVIRONMENTAL ENGINEER, Date 12.4.67		







