Submit 3 Copies To Appropriate District Office State of New Mexico Energy, Minerals and Natural Re		Form C-103 May 27, 2004
District I	WELL API	NO.
1625 N. French Dr., Hobbs, NM 87240 District II OIL CONSERVATION DIV		0-025-250005
District III 1220 South St. Francis	Dr. 3. Indicate	Type of Lease
1000 Rio Brazos Rd., Aztec, NM 87410 Santa Fe, NM 87505		TE X FEE
District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505	6. State Oi	l & Gas Lease No. 033997
SUNDRY NOTICES AND REPORTS ON WELLS	7. Lease N	ame or Unit Agreement Name:
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH		PATE
PROPOSALS.)	8. Well Nu	Mexico
1. Type of Well:		moer
Oil Well X Gas Well Other	9. OGRID	Number
2. Name of Operator DYAD PETROLEUM COMPANY). Odlab	227257
3. Address of Operator	10. Pool n	ame or Wildcat
306 W. Wall, Suite 1410, Midland, TX 79701	Vacuum G	rayburg - San Andres
4. Well Location		
Unit Letter P: 822 feet from the SOUTH line and 1838 feet from the EAST line		
Section 12 Township 18 S Range 34 E NMPM LEA County NM		
11. Elevation (Show whether DR, RKB, RT, GR, etc.)		
Pit or Below-grade Tank Application or Closure		
Pit type Depth to Groundwater Distance from nearest fresh water well Distance from nearest sunface water		
Pit Liner Thickness: mil Below-Grade Tank: Volumebbls; Construction Material N		
Hobbs GO		
ackslash		
12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data		
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: OF THE PROPERTY OF THE PROPERT		
PERFORM REMEDIAL WORK PLUG AND ABANDON REM	EDIAL WORK	☐ ALTERING CASING ☐
TEMPORARILY ABANDON	IMENCE DRILLING OPNS.	PLUG AND X ABANDONMENT
	ING TEST AND ENT JOB	
OTHER:	ER:	
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date		
of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion		
or recompletion. Approved as to plugging of the Well Bore.		
TA 1 III Jon bond is relative unch		
7-6-07 Notify NOOD, Maxey. Liability under could be related a surface restoration is completed.		
7-10-07 Set 4 1/2" CIBP @4,650'. Circulate 10# M.L.F. Sp	ot 25 sx. cmt 4,650	'-4,282'. Sqz. 50 sx. cmt. 🚕
under pkr. 03,200' thru perfs. 03,453' 02 bb;,om/ 01500 psi. Dis TOC to 3,400'. SIP 01,100 psi.		
7-11-07 Tag T.O.C. @3,398'. Spot 40 sx. cmt 1,100'-511'. Perforate 4 1/2" csg. @60'. R.I.H. w/tbg. Pump 50 sx. cmt. from 400' thru perfs. @60 w/cmt. circulated to surface out 4 1/2" X 8 5/8" csg.		
Pump 50 sx. cmt. from 400' thru perfs. 660 W/cmt Close annulas valve, circulate cement to surface	circulated to surrace	all care full of cont
Remove Wellhead & anchors. Install P & A Marker		s are cogs. Part or ano.
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-		
grade tank has been/will be constructed or closed according to NMOCD guidelines, a general permitor an (attached) alternative OCD-approved plan		
SIGNATURE TITLE P & A Supv. DATE 7-18-07		
Type or print name RANDALL MINEAR E-mail address: Telephone No. (432) 530-0907		
For State Use Only OC DISTRICT SUPERVISOR/GENERAL MANAGES ATT		
APPROVED BY MIN USELLA TITLE TITLE DATE		
Conditions of Approval, if any:		