

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 87240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources


Form C-103
May 27, 2004

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-20910
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐	7. Lease Name or Unit Agreement Name: MONSANTO STATE
2. Name of Operator POGO PRODUCING CORP.	8. Well Number 7
3. Address of Operator PO. BOX 10340 MIDLAND TX. 79701	9. OGRID Number 17891
4. Well Location Unit Letter M : 330 feet from the SOUTH line and 990 feet from the WEST line Section 16 Township 25S Range 32E NMPM County LEA	10. Pool name or Wildcat PADUCA
11. Elevation (Show whether DR, RKB, RT, GR, etc.)	
Pit or Below-grade Tank Application ☐ or Closure ☐ Pit type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____ Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____	



12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data	
NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒ TEMPORARILY ABANDON ☐ CHANGE PLANS ☐ PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐ OTHER: ☐	SUBSEQUENT REPORT OF: REMEDIAL WORK ☐ ALTERING CASING ☒ COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐ CASING TEST AND CEMENT JOB ☐ OTHER: ☐

THE OIL CONSERVATION DIVISION MUST BE NOTIFIED 24 HOURS PRIOR TO THE BEGINNING OF PLUGGING OPERATIONS.

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- 1- M.I.R.U. RA. EQUIPT - NOTE MAY BE BAD CASG. AT 560'
- 2- R.H. TBG. TO 4600' SPOT 30 SAKS. CNT. W.O.C. TAG.
- 3- MUD UP HOLE. R.O.H. TBG. PERF. 3100' SgZ- 45 SAKS CNT TAG.
- 4- PERF. CASG. AT 1300' SgZ. 55 SAKS CNT W.O.C. TO TAG. 1100'
- 5- SPOT 20 SAKS CNT. 660' BAD CASG. TAG. AT 450'
- 6- PERF 4 1/2" SgZ. 150 SAKS. CNT. 4 1/2" X 9 5/8" - SURFACE.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐ , a general permit ☐ or an (attached) alternative OCD-approved plan ☐

SIGNATURE *Anthony Martinez* TITLE AGENT DATE 11-31-07
E-mail address: _____

Type or print name

Telephone No.

For State Use Only

APPROVED BY *Chris Williams* TITLE OC DISTRICT SUPERVISOR/GENERAL MANAGER DATE DEC 20 2007
Conditions of Approval, if any:

BE For

**CURRENT
WELLBORE DIAGRAM**

Lease: MONSANTO STATE Well No.: #7 Field: PADUCA
Location: 330' FSL & 990' FWL Sec: 16 Twn: 25S Range: 32E
County: Lea St: NM API: 30-025-20910 ID NO: 7538
Current Status: Shut-in
Anchors Test Date:

Surface Csg.
Size: 8 5/8"
Wt.: 24#
Set @: 361'
Sxs cmt: 250 SX
Circ: YES
TOC: SURF
Hole Size: 12 1/4"

KB: 3411'
DF: 3410'
GL: 3401'
Spud Date: 4/17/1964
TD Date: 4/25/1964
API No.: 30-025-20910

Possible bad csg @ 560'
(Could not get thru w/pkr)

# Jts	Size	Grade/#	Footage
1	2-3/8"	J-55/4 7#	31'

# Rods	Size	TYPE	Footage
--------	------	------	---------

TOC @ 3950'

TBG: 1 jt - 2-3/8", 4 7#, J-55

BOTTOM HOLE ASSEMBLY

Ramsey Sand

4603'- 07'	(4'- 16 holes)	Frac w/1000 gals oil + 1500# sand
4626'- 32'	(6'- 12 holes)	Acid only
4638'- 41'	(3'- 6 holes)	
4644'- 50'	(6'- 12 holes)	

Production Csg.
Size: 4-1/2"
Wt.: 9.5#
Set @: 4700'
Sxs Cmt: 150 SX CL "C"
Circ: NO
TOC: 3950' by calculation
Hole Size: 7-7/8"

PBTD: 4665'
TD: 4700'

Remarks:

Prepared by: B.L. SMITH
Date: 9/13/2007

CURRENT
WELLBORE DIAGRAM

A F T E ✓

Lease: MONSANTO STATE Well No.: #7 Field: PADUCA
Location: 330' FSL & 990' FWL Sec: 16 Twn: 25S Range: 32E
County: Lea St: NM API: 30-025-20910 ID NO: 7538
Current Status: Shut-in
Anchors Test Date:

Surface Csg.
Size: 8 5/8"
Wt.: 24#
Set @: 361'
Sxs cmt: 250 SX
Circ: YES
TOC: SURF
Hole Size: 12 1/4"


KB: 3411'
DF: 3410'
GL: 3401'
Spud Date: 4/17/1964
TD Date: 4/25/1964
API No.: 30-025-20910

Possible bad csg @ 560'
(Could not get thru w/pkr)

TOC @ 3950'

TBG: 1 jt - 2-3/8", 4.7#, J-55

BOTTOM HOLE ASSEMBLY



Ramsey Sand
4603'- 07' (4'- 16 holes) Frac w/1000 gals oil + 1500# sand
4626'- 32' (6'- 12 holes)
4638'- 41' (3'- 6 holes) } Acid only
4644'- 50' (6'- 12 holes)

Production Csg.
Size: 4-1/2"
Wt.: 9.5#
Set @: 4700'
Sxs Cmt: 150 SX CL "C"
Circ: NO
TOC: 3950' by calculation
Hole Size: 7-7/8"

PBTD: 4665'
TD: 4700'

Remarks:

Prepared by: B.L. SMITH
Date: 9/13/2007