Form 3160-5 (April 2004)

## OCD-HORRS

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB No 1004-0137 Expires March 31, 2007

Explies Water 51, 2007	
Lease Senal No	
NMNM027887	

SUNDRY NOTICES AND RE	EPORTS ON WELLS	NMNM027887
Do not use this form for proposals abandoned well. Use Form 3160-3	6 If Indian, Allottee or Tribe Name	
SUBMIT IN TRIPLICATE- Other ins	tructions on reverse side.	7 If Unit or CA/Agreement, Name and/or No
1 Type of Well		8 Well Name and No
2 Name of Operator Manhattan Petroleum, Inc.	_	Bell B Federal #2
3a Address	3b Phone No (include area code)	9 API Well No 30-025-07066
P.O. Box 35888, Tulsa, OK 74153-0888  4 Location of Well (Footage, Sec. T. R. M. or Survey Description	918-621-6533	10 Field and Pool, or Exploratory Area Sawyer San Andres As
P Sec 20-T9S-R38E		11 County or Parish, State
660' FSL & 660' FEL		Lea
12. CHECK APPROPRIATE BOX(ES) T	O INDICATE NATURE OF NOTICE. R	EPORT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION	
Notice of Intent  Acidize  Alter Casing	Deepen Production (Sta	art/Resume) Water Shut-Off Well Integrity
Subsequent Report Casing Repair	New Construction Recomplete	Other
Final Abandonment Notice Convert to Injection	Plug and Abandon ☐ Temporanly Al ☐ Plug Back ☐ Water Disposal	pandon
following completion of the involved operations. If the operation testing has been completed. Final Abandonment Notices shall be determined that the site is ready for final inspection.)  Request for approval of water disposal filed in response Additional information and water analysis attached.	e filed only after all requirements, including reclam	APPROVED  DEC 5 2007  LES BABYAK PETROLEUM ENGINEER
14 I hereby certify that the foregoing is true and correct Name (Printed/Typed)		
Connie Swan	Title Regulatory Administr	ator
Signature (Swan-	Date 1	1/26/2007
THIS SPACE FOR	FEDERAL OR STATE OFFICE	USE
Approved by Chus Ustles OC M  Conditions of approval, if any, are attached Approval of this notice certify that the applicant holds legal or equitable title to those rights which would entitle the applicant to conduct operations thereon	e does not warrant or in the subject lease  Office	MANAGEBAIC DEC 2 6 2007

## GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations, and reports of such operations when completed, as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this

form and the number of copies to be submitted, particularly with regard to local area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from the local Federal office.

### SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13 - Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports a should include reasons for the abandonment; data on any former or

present productive zones, or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to top of any left in the hole; method of closing top of well and date well site conditioned for final inspection looking to approval of the abandonment.

### NOTICE

The Privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c) and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

**EFFECT OF NOT PROVIDING THE INFORMATION:** Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

This information is being collected to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

#### **BURDEN HOURS STATEMENT**

Public reporting burden for this form is estimated to average 25 minutes per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer, (WO-630), Mail Stop 401 LS, 1849 C St., N.W., Washington D.C. 20240

BUREAU OF LAND MGMT HOBBS, HEW MEXICO

01 :E d 0E AON LOOZ

RECEINED

(Form 3160-5, page 2)

## Attachment to Sundry Notice 3160-5 Notice of Intention for Water Disposal Approval Bell B Federal #2

## API No. 30-025-07066

1. Formation producing water on the lease: <u>San Andres</u>

2. Amount of water produced in barrels per day: 3.0 bbls/day in Oct07

3. Water analysis report attached: <u>Lab ID May0806.001-3</u>

4. How water is stored on the lease: Fiberglass tank

5. How water is moved to the disposal facility: Tank truck

6. Identify disposal facility by

a. Operator's name: State Line Trucking

b. Well name: Reed Estate #1

c. Well type and well number: <u>Commercial Disposal</u>

d. Location: 467' FNL & 2130' FWL

Sec 41 Harrison & Brown Survey

Abstract 46

Cochran County, Texas

RRC Injection Permit No. 10658

# Permian Treating Chemicals, Inc. 5-12-06

## WATER ANALYSIS REPORT

MPL	Ε

Oil Co.: Manhattan Petro .

Lease : Bell B fed

Well No.: 2 Location:

Attention:

Date Sampled: 26-April-2006 Date Analyzed: 08-May-2006 Lab ID Number: May0806.001-3

Salesperson:

File Name: G:\ANALYSES\DATA\May0806.001

## **ANALYSIS**

19.

1.	Ph	5.970
2.	Specific Gravity 60/60 F.	1.167

Specific Gravity 60/60 F. 3. **CACO3 Saturation Index** 

@ 80F

1.073


@140E

3 A12


			@140F	3.013		
<u>[</u>	Dissolved Gasses		_	MG/L.	EQ. WT.	*MEQ/L
4.	Hydrogen Sulfide	e		Not Present		
5.	Carbon Dioxide		No	t Determined		
6.	Dissolved Oxyge	∍ก	No	t Determined		
9	Cations					
7.	Calcium	(Ca++)		6,513	/ 20.1 =	324.03
8.	Magnesium	(Mg++)		14,830	/ 12.2 =	1,215.57
9.	Sodium	(Na+)	(Calculated)	59,176	/ 23.0 =	2,572.87
10.	Barium	(Ba++)	No	t Determined		_,
· <u>/</u>	<u>Anions</u>					
¹1.	Hydroxyl	(OH+)		0	/ 17.0 =	0.00
12.	Carbonate	(CO3=)		Ŏ	/ 30.0 =	0.00
13.	Bicarbonate	(HCO3-)		370	/ 61.1 =	6.06
14.	Sulfate	(SO4=)		1,150	/ 48.8 =	23.57
15.	Chloride	(CI-)		144,967	/ 35.5 =	4,083.58
16.	Total Dissolved	Solids		227,006	•	1,
17.	Total Iron	(Fe)		2	/ 18.2 =	0.11
18.	Total Hardness a	, ,		77.319	, 10.2 -	0.11

Resistivity @ 75 F. (Calculated) 0.001 Ohm · meters

## LOGARITHMIC WATER PATTERN



Calcium	Sulfate	Solubility	Profile
---------	---------	------------	---------



## PROBABLE MINERAL COMPOSITION

I KODADEE MINEKAE COMEOSITION				
COMPOUND	*meq/L	X EQ. WT	. = mg/L	
Ca(HCO3)2	6.06	81.04	491	
CaSO4	23.57	68.07	1,604	
CaCl2	294.41	55.50	16,340	
Mg(HCO3)2	0.00	73.17	0	
MgSO4	0.00	60.19	Ö	
MgCl2	1,215.57	47.62	57,886	
NaHCO3	0.00	84.00	Ó	
NaSO4	0.00	71.03	Ó	
NaCl	2,573.60	58.46	150,452	
*	milliaguivata	inte nor Litor	<b>,</b>	

milliequivalents per Liter

Kevin Byrne, Analyst



RICHARD A. VARELA DIRECTOR, OIL AND GAS DIVISION STEVEN J. SENI

ASSISTANT DIRECTOR, ENVIRONMENTAL SERVICES

## RAILROAD COMMISSION OF TEXAS

# OIL AND GAS DIVISION PERMIT TO DISPOSE OF NON-HAZARDOUS OIL AND GAS WASTE BY INJECTION INTO A POROUS FORMATION NOT PRODUCTIVE OF OIL AND GAS

PERMIT NO. 10658, AMENDED.

STATE LINE TRUCKING, INC. P O BOX 520 LEVELLAND TX 79336

Based on information contained in your application (Form W-14) dated April 6, 2006, you are hereby authorized to dispose of oil and gas waste into your well designated as follows:

Reed Estate Lease, (67650), Well No. 1, Levelland Field, Cochran County, RRC District 8A

Authority is granted to inject in accordance with Statewide Rule 9 of the Railroad Commission of Texas and subject to the following special and standard conditions:

## **SPECIAL CONDITIONS:**

- 1. Oil and gas waste shall only be injected into strata in the subsurface depth interval from 5200 feet to 10300 feet.
- 2. The injection volume shall not exceed 3000 barrels per day.
- 3. The maximum operating surface injection pressure shall not exceed 2600 psig.
- 4. The authority to dispose of oil and gas waste is limited to the disposal of salt water.

## STANDARD CONDITIONS:

- 1. Injection must be through tubing set on a packer. The packer must be set no higher than 100 feet above the top of the permitted interval.
- 2. The District Office must be notified 48 hours prior to:
  - a. running tubing and setting packer;
  - b. beginning any workover or remedial operation:
  - c. conducting any required pressure tests or surveys.
- 3. The wellhead must be equipped with a pressure observation valve on the tubing and for each annulus.

- 4. Prior to beginning injection and subsequently after any workover, an annulus pressure test must be performed. The test pressure must equal the maximum authorized injection pressure or 500 psig, whichever is less, but must be at least 200 psig. The test must be performed and the results submitted in accordance with the instructions of Form H-5.
- 5. The injection pressure and injection volume must be monitored at least monthly and reported annually on Form H-10 to the Commission's Austin office.
- 6. Within 30 days after completion, conversion to disposal, or any workover which results in a change in well completion, a new Form W-2 or G-1 must be filed in duplicate with the District Office to show the current completion status of the well. The date of the disposal well permit and the permit number must be included on the new Form W-2 or G-1.
- 7. Written notice of intent to transfer the permit to another operator must be submitted to the Commission at least 15 days prior to the date the transfer will occur by filing Form P-4.
- 8. Unless otherwise required by conditions of the permit, completion and operation of the well shall be in accordance with the information represented on the application (Form W-14).
- 9. This permit will expire when the Form W-3. Plugging Record, is filed with the Commission.

Provided further that, should it be determined that such injection fluid is not confined to the approved strata, then the permission given herein is suspended and the disposal operation must be stopped until the fluid migration from such strata is climinated.

APPROVED AND ISSUED ON April 26, 2006.

NOTE: Amends permit dated October 10, 1997. Amends the maximum surface injection pressure from 2000 psig.

Skon J. Sevi

Steven J. Seni, Ph.D.
Assistant Director, Environmental Services

PERMIT NO. 10658 Page No. 2