

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

OCD-HOBBS

FORM APPROVED
OMB No. 1004-0135
Expires: January 31, 2004

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

Mewbourne Oil Company 14744

3a. Address

PO Box 5270 Hobbs, NM 88240

3b. Phone No. (include area code)

505-393-5905

4. Location of Well (Footage, Sec., T, R., M., or Survey Description)

330' FSL & 1930' FWL Unit N Sec 30-T18S-R32E

5. Lease Serial No.

NM-94192

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.

Geronimo 30 Federal #2

9. API Well No.

30-025-37946

10. Field and Pool, or Exploratory Area

North Lusk BoneSpring

11. County or Parish, State

Lea County, NM

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

TYPE OF ACTION

☐ Notice of Intent

☒ Subsequent Report

☐ Final Abandonment Notice

☐ Acidize

☐ Alter Casing

☐ Casing Repair

☐ Change Plans

☐ Convert to Injection

☐ Deepen

☐ Fracture Treat

☐ New Construction

☐ Plug and Abandon

☐ Plug Back

☐ Production (Start/Resume)

☐ Reclamation

☐ Recomplete

☐ Temporarily Abandon

☒ Water Disposal


☐ Water Shut-Off

☐ Well Integrity

☐ Other

3. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Water is produced from the Bone Springs formation at approx 29 BPD. The water is stored on lease in a water tank. The water is trucked from the lease by Majority Services and will go to Judah Oil Company Water Disposal at the Oxy T-bone Federal #1 WDW (permit #SWD950) located in Unit C NE/NW/4 of Sec 33-T18S-R31E. Attached latest water analysis.



14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

Kristi Green

Title Hobbs Regulatory

Signature

Kristi Green

Date 11/29/07

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by (Signature)

/S/ DAVID R. GLASS

Name
(Printed/Typed)

Title PETROLEUM ENGINEER

Office

Date

DEC 05 2007

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Continued on next page)

SEE ATTACHED FOR
CONDITIONS OF APPROVAL



Water Analysis

Date: 03-Oct-06

2708 West County Road, Hobbs NM 88240

Phone (505) 392-5556 Fax (505) 392-7307

Analyzed For

Company	Well Name	County	State
Mewbourne	Geronimo 30-2	Lea	New Mexico

Sample Source	Swab Sample	Sample #	1
Formation		Depth	
Specific Gravity	1.110	SG @ 60 °F	1.112
pH	6.46	Sulfides	Absent
Temperature (°F)	72	Reducing Agents	

Cations

Sodium (Calc)	in Mg/L	56,016	in PPM	50,356
Calcium	in Mg/L	4,000	in PPM	3,596
Magnesium	in Mg/L	480	in PPM	431
Soluable Iron (FE2)	in Mg/L	100.0	in PPM	90

Anions

Chlorides	in Mg/L	94,000	in PPM	84,502
Sulfates	in Mg/L	200	in PPM	180
Bicarbonates	in Mg/L	732	in PPM	658
Total Hardness (as CaCO3)	in Mg/L	12,000	in PPM	10,787
Total Dissolved Solids (Calc)	in Mg/L	155,528	in PPM	139,813
Equivalent NaCl Concentration	in Mg/L	139,404	in PPM	125,319

Scaling Tendencies

*Calcium Carbonate Index 2,928,000

Below 500,000 Remote / 500,000 - 1,000,000 Possible / Above 1,000,000 Probable

*Calcium Sulfate (Gyp) Index 800,000

Below 500,000 Remote / 500,000 - 10,000,000 Possible / Above 10,000,000 Probable

*This Calculation is only an approximation and is only valid before treatment of a well or several weeks after treatment.

Remarks rw=.05@72f

Report # 2317

BUREAU OF LAND MANAGEMENT
Carlsbad Field Office
620 East Greene Street
Carlsbad, New Mexico 88220-6292
(505) 234-5972

Disposal of Produced Water From Federal Wells
Conditions of Approval

Approval of the produced water disposal methodology is subject to the following conditions of approval:

1. This agency shall be notified of any change in your method or location of disposal.
2. Compliance with all provisions of Onshore Order No. 7.
3. This agency shall be notified of any spill or discharge as required by NTL-3A.
4. This agency reserves the right to modify or rescind approval whenever it determines continued use of the approved method may adversely affect the surface or subsurface environments.
5. Any on-lease open top storage tanks shall be covered with a wire screen to prevent entry by birds and other wildlife.
6. This approval should not constitute the granting of any right-of-way or construction rights not granted by the lease instrument.
7. If water is transported via a pipeline that extends beyond the lease boundary, then you need to submit within 30 days an application for right-of-way approval to the Realty Section to the BLM Carlsbad Field office at 620 East Greene Street, Carlsbad, New Mexico 88220-6292 for wells in Eddy or Lea County if you have not already done so.