

State of New Mexico
Energy Minerals and Natural Resources

Form C-144
June 1, 2004

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For drilling and production facilities, submit to
appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe
office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☐ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: Texland Pet Telephone: 2-22316 e-mail address: seay04@1000.net
Address: 777 Main St. Suite 3200 Ft Worth Tx
Facility or well name: Shelton #1 API #: 30-025-38435 J/L or Qtr/Qtr F Sec 29 T 16 R 38
County: Leon Latitude _____ Longitude _____ NAD: 1927 ☐ 1983 ☐ Surface Owner Federal ☐ State ☐ Private ☒ Indian ☐

Pit Type: Drilling <input checked="" type="checkbox"/> Production <input type="checkbox"/> Disposal <input type="checkbox"/> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input checked="" type="checkbox"/> Unlined <input type="checkbox"/> Liner type: Synthetic <input checked="" type="checkbox"/> Thickness <u>12</u> mil Clay <input type="checkbox"/> Pit Volume <u>3000</u> bbl	Below-grade tank Volume: _____ bbl Type of fluid: _____ Construction material: _____ Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not: _____
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.) <u>New water level 90-100</u>	Less than 50 feet (20 points) 50 feet or more, but less than 100 feet (10 points) 100 feet or more (0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes (20 points) No (0 points)
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet (20 points) 200 feet or more, but less than 1000 feet (10 points) 1000 feet or more (0 points)
Ranking Score (Total Points)	

If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility Sundance (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface _____ ft. and attach sample results. (5)

Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments: (Supplement to original C-144 Per Chris Williams)
As discussed with Mr. Williams, after hauling contents of pit to Sundance disposal, and soil down to approx ten feet. We still have elevated ch. We would like to install 26 mil liner over damaged bottom and backfill with clean soil, contours, level & seed.
will notify ocp before starting & file sundance notice after closing as soon as approved. Final Closure 11/24/07

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐, or an (attached) alternative OCD-approved plan ☒.

Date: 11/12/07

Printed Name/Title: Eddie W Seay Agent Signature: Eddie W Seay

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval: Printed Name/Title: CHRIS WILLIAMS / DIST. SUPV. Signature: Chris Williams Date: 11/13/07

November 12, 2007

NMOCD
ATTN: Chris Williams
1625 N. French Dr.
Hobbs, NM 88240


RE: Texland Pet.
Shelton #1
Pit Closure

Mr. Williams:


Find attached an amended C-144 for the pit closing at the above listed well site. We have excavated and hauled the contents of the pit to Sundance Disposal. After hauling, the bottom was sampled per OCD rules, and the results showed elevated chloride. We have continued to haul soil until we are now at approximately 10 feet below ground surface. After discussing project with Mr. Williams, it was decided to dome bottom with clean soil and install a 20 mil liner across the entire bottom of pit. After liner is in place, Texland will backfill pit area with clean soil to surface.

If you have any questions, please call.

Thanks,



Eddie W. Seay, Agent
Eddie Seay Consulting
601 W. Illinois
Hobbs, NM 88242
(575)392-2236
seay04@leaco.net



November 27, 2007

NMOCD

ATTN: Chris Williams
1625 N. French Drive
Hobbs, NM 88240


RE: Texland Petroleum
Shelton #1 API 30-025-38435
Pit Closure - Final

Mr. Williams:

Texland has completed the closing of the above listed pit as approved. The bottom was mounded, a 20 mil liner was installed over the bottom and the pit backfilled with clean soil to surface. Whenever the weather gets appropriate, we will seed as needed.

If you have any questions, please call.

Sincerely,



Eddie W. Seay, Agent
Eddie Seay Consulting
601 W. Illinois
Hobbs, NM 88242
(575)392-2236
seay04@leaco.net



cc: Texland Petroleum

