District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes \(\subseteq \) No \(\subseteq \) Type of action: Registration of a pit or below-grade tank \(\subseteq \) Closure of a pit or below-grade tank \(\subseteq \)		
Operator: B. C. Operating, Inc. Telephone: (432) 684-9696 e-mail address: Jsimon@usaonline.net Address: P. O. Box 50820 Midland, TX 79710		
Facility or well name: Rattletrap #1 API #: 30-025-38373 U/L or Qtr/Qtr H Sec 18 T 16S R 32E		
County: Lea Latitude Longitude NAD: 1927 ⋈ 1983 □		
Surface Owner: Federal State Private Indian		
Pit Type: Drilling ☑ Production ☐ Disposal ☐ Workover ☐ Emergency ☐	Below-grade tank Volume:bbl Type of fluid: Construction material: Double-walled, with leak detection? Yes If not, explain why have 1 1 2008	
Lined Unlined		
Liner type: Synthetic ☑ Thickness 20 mil Clay ☐ Pit Volume 12,000bbl	HOBBS OCD	
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) (0 points) XXX
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points) XXX
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) (0 points) XXX
	Ranking Score (Total Points)	0 Points
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite of offsite if if offsite, name of facility		
Additional Comments: A burial will be excavated and lined with a 12 mil impervious liner. The drilling pit contents will be mixed with dry soil to stiffen the mud then		
placed in the burial pit. The burial pit will then be capped with a 20 mil impervious liner 3' below ground surface and overlaping 3' in all directions. A minimum of 3' of clean		
native soil will then be backfilled. 5 bottom sample points will be analyzed per NMOCD guidelines. The site will be backfilled with clean native soil and contoured to the		
surrounding areas. A full closure report will be submitted at the end of the job.		
Hobbs NMOCD will be notified 48 hrs before the start of the job.		
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines \(\sigma, \) a general permit \(\sigma, \) or an (attached) alternative OCD-approved plan \(\sigma. \).		
Date: <u>1-8-08</u>		
Printed Name/Title Logan Anderson - Agent Signature		
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.		
Approval:		/
Printed Name/Title Date:		
COMPLIANCE OFFICER		