<u>District I</u> 1625 N French Dr., Hobbs, NM 88240 District II 130 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV

1220 S St Francis Dr , Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources**

Form C-144 June 1, 2004


Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or	Below-Grade Tank Ro	egistration	or Closure
Is pit or	below-grade tank covered by a	'general plan"	Yes No 🖂
Type of action: R	legistration of a pit or below-grade tank	Closure of a	oit or below-grade tank

	(420) 605 4240			
Operator COG Operating, LLC Telephone Address 550 West Texas Ave., Suite 1300, Midland, Texas 79701	e-ma	il address: PEdwards@conchoresources com		
	25-38698 U/L or Qtr/Qtr H	Sec 22 T-17-S R-32-E		
•	32.822685N Longitude 103 746247W	Sec 22 T-17-S R-32-E NAD, 1927 X 1983 □		
Surface Owner Federal State Private Indian	22.0220031V Longitude 103 /40247 W	NAD. 1727 A 1763		
Pit	Below-grade tank			
Type Drilling Production Disposal	Volumebbl Type of fluid			
Workover Emergency	Construction material			
Lmed Unlined	Double-walled, with leak detection? Yes If not, explain why not			
Liner type: Synthetic Thickness 12 mil Clay				
Pit Volume 25,000 bbl				
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)		
	50 feet or more, but less than 100 feet	(10 points) 9 10		
high water elevation of ground water) 1500 6 8	100 feet or more	(0 points)		
Wellhead protection area. (Less than 200 feet from a private domestic	Yes	(20 points)		
water source, or less than 1000 feet from all other water sources.)	No	(0 points) 0		
The course of th	Less than 200 feet	(20 points)		
Distance to surface water (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)		
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points) 0		
	Ranking Score (Total Points)	8/0 Cel		
If this is a pit closure: (1) Attach a diagram of the facility showing the pit are burying in place) onsite offsite If offsite, name of facility remediation start date and end date (4) Groundwater encountered No \(\) \(\) \(\) Attach soil sample results and a diagram of sample locations and excava	Yes [] If yes, show depth below ground surface	cription of remedial action taken including		
Additional Comments.	tions			
Additional Comments.				
· ·				
I hereby certify that the information above is true and complete to the best has been/will be constructed or closed according to NMOCD guideline.	of my knowledge and belief 1 further certify that es X , a general permit \square , or an (attached) altern	the above-described pit or below-grade tank ative OCD-approved plan .		
Date: 11-12-07	1/1			
Printed Name/Title Gary Miller, Agent	Signature	_		
Your certification and NMOCD approval of this application/closure does not otherwise endanger public health or the environment. Nor does it relieve to regulations	not relieve the operator of hability should the contented the operator of its responsibility for compliance with	ts of the pit or tank contaminate ground water or any other federal, state, or local laws and/or		
Approval. Printed Name/Title CHRIS WILLIAMS / DIST. SUP	V_Signature_ Chris Welle	. Date		

DRILLING LOCATION H2S SAFETY EQUIPMENT Exhibit # 8



- \bigvee H2S Monitors with alarms at the bell nipple
 - Wind Direction Indicators

