District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mex RECEIVED Energy Minerals and Natural Resources

Form C-101 May 27, 2004

Oil Conservation Division JAN 1 8 2008 ubmit to appropriate District Office 1220 South St. Francis Dr.
Santa Fe, NM 87 0 BBS OCE Permit renewal request

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE OGRID Number: 184860 Operator Name and Address: API Number 3 Melrose Operating Co., c/o Box 953, Midland, TX 79702 30 - 025 - 27501Property Name Property Code Jalmat Field Yates Sand Unit 25191 10 Proposed Pool 2 ⁹ Proposed Pool 1: Jalmat; Tansill-Yates-7 Rvrs ⁷ Surface Location East/West line County Feet from the North/South line Feet from the Township Lot Idn UL or lot no Section Range 660 1980 East Lea 10 **22S** 35E South O ⁸ Proposed Bottom Hole Location If Different From Surface North/South line East/West line County UL or lot no Township Range Lot Idn Feet from the Feet from the Additional Well Information 13 Cable/Rotary 15 Ground Level Elevation 12 Well Type Code Lease Type Code Work Type Code N R State 3592 Spud Date Contractor 16 Multiple Proposed Depth Formation 2-5-08 42003 **TBA** Yates No Distance from nearest surface water: none Depth to Groundwater: 300-350 Distance from nearest fresh water well: 20 Liner: Synthetic: X 12 mils thick Clay Pit Volume: 3000 bbls Drilling Method: Pit: Brine X Diesel/Oil-based Gas/Air Fresh Water X Closed-Loop System Proposed Casing and Cement Program Casing weight/foot Setting Depth Sacks of Cement Estimated TOC Hole Size Casing Size 12.1/4" 8 5/8" 24# 350° 375 sxSurface 7 7/8" 5 1/2" 15.5# 4200° 925 sx Surface ²² Describe the proposed program. If this application is to DEEPEN or PLUG BACK, give the data on the present productive zone and proposed new productive zone. Describe the blowout prevention program, if any. Use additional sheets if necessary. Propose to drill 12 1/4" hole to 350', set 8 5/8" casing @ 350', cementing with 375 sx Cl C, slurry wt of 14.8 ppg, yield of 1.34 cf/sx, type Cl C with 2% CaCl2. Drill 7 7/8" hole to 4200', run open hole logs, set production casing string to approximately 4200', cementing with lead slurry of 600 sx, 50:50 poz Cl C w/10% bentonite + Sodium Chloride + 0.2% FL, slurry weight – 11.80 ppg, yield – 2.45 cf/sx; tail w/ 325 sx, 50:50 poz Cl C + 10% bentonite + Sodium Chloride + 0.2% FL, slurry weight – 14.2 ppg, yield – Will perforate, stimulate & test well. We do not anticipate encountering any H2S intervals during the drilling of this well, based on wells drilled offsetting this location and producing wells in the unit. ²³ I hereby certify that the information given above is true and complete to the OIL CONSERVATION DIVISION best of my knowledge and belief. I further certify that the drilling pit will be constructed according to NMOCD guidelines X, a general permit \square , Approved by: or an (attached) alternative OCD-approved plan OC DISTRICT SUPERVISOR/GENERAL MANAGER Printed name. Ann E. Ritchie Title: Title: Regulatory Agent Approval Date: **Expiration Date:** E-mail Address: ann.ritchie@wtor.net Phone: 432 684-6381/214-762-0830 Conditions of Approval Attached Date: 1-15-08

State of New Mexico

DISTRICT I 1625 N. FRENCH DR., HOBBS, NM 58240

Energy, Minerals and Natural Resources Department

WELL LOCATION AND ACREAGE DEDICATION PLAT

Property Name

JYSU

DISTRICT II 1301 W. GRAND AVENUR, ARTESIA, NM 88210

1220 SOUTH ST. FRANCIS DR.

Pool Code

33820

Revised JUNE 10, 2003 Submit to Appropriate District Office State Lease - 4 Copies

☐ AMENDED REPORT

Well Number

227

Form C-102

DISTRICT III 1000 Rio Brazos Rd., Aztec, NM 87410

30-025- 3750

Property Code

25/91

1220 S. ST. FRANCIS DR., SANTA FE, NM 87505

API Number 38 106


DISTRICT IV

OIL CONSERVATION DIVISION Fee Lease - 3 Copies Santa Fe, New Mexico 87505

Jalmat (T- Y- 7 Rvrs)

OGRID No.		Operator Name							Elevation	
184860			N	MELROSI	E OPERATIN	G COMPANY		3592	2'	
Surface Location										
UL or lot No.	Section	Township Range		Lot Idn	Lot Idn Feet from the North/South line		Feet from the	East/West line	County	
0	10	22-S	35-E		660	SOUTH	1980	EAST	LEA	
Bottom Hole Location If Different From Surface										
UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County	
Dedicated Acres	Joint o	r Infill Co	nsolidation (20	ier No.					
40 *					waterflood					
NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION										
							OPERATO	R CERTIFICAT	ION	
	1		,	· 	1				1	
	1						contained herein	certify the the inf is true and comple		
1	1		į		1		best of my know	ledge and belief.	$A \mid$	
	1				1			1 d 2		
	[[Mit fale	his	
<u> </u>	<u>'</u> .						Signature	P:-1 - 1:0		
							Printed Name	Ritchie		
	1		1		ĺ		Regula	tory Ager	1+	
		16-6-05 Date						5		
L	· - —		-			SURVEYO	R CERTIFICATI	ON		
GEODETIC COORDINATES							I hereby certify	that the well locatio	n shown	
NAD 27 NME on this plat was plotted from j								* 14		
Y=510878.4 N actual surveys made by me or und supervison and that the same is true.							7 11			
X=802625.2 E correct to the best of my belief.										
LAT. =32'24'02.54" N SEPTEMBER 22, 2005							; }			
LONG. = 103'21'10.21" W Date Surveyed							3 (2 4 2	LA		
	Signature & Seal of Professional Surveyor];		
	İ		1		1				- 11	
						hans b.	2012	105		
	1980'							24777488	700	
			r	Ċ			Cartificate No.		10011	
	i		1.	/	S 1		Certificate No.	GARI ELUSUN	12641	
	- 1		1	1 - 1	1 / /		1 1		11	

LOCATION VERIFICATION MAP



SCALE: 1" = 2000'

CONTOUR INTERVAL: OIL CENTER, N.M. — 10'

SEC. 10 TWP. 22-S RGE. 35-E
SURVEYN.M.P.M.
COUNTYLEA
DESCRIPTION 660' FSL & 1980' FEL
ELEVATION 3592'
OPERATOR MELROSE OPERATING COMPANY
LEASEJYSU
U.S.G.S. TOPOGRAPHIC MAP OIL CENTER, N.M.



PROVIDING SURVEYING SERVICES
SINCE 1946
JOHN WEST SURVEYING COMPANY
412 N. DAL PASO
HOBBS, N.M. 88240
(505) 393-3117


SECTION 10, TOWNSHIP 22 SOLLER COUNTY,	OUTH, RAI	NGE 35	S EAST, 1 NEW	V.M.P.M., MEXICO
	coo'			
	600 '			
0/	NORTH FFSET 592.3'		I	
		·		нуун
OFFSET 3586.3' LAT.=32°.	U #227 O 3591.5' 24'02.54" N *21'10.22" W	□ OF	EAST FSET 92.1'	,009
150' OF	□ ` SOUTH FSET 89.9'			
	<u> </u>			
DIRECTIONS TO LOCATION				
FROM THE INTERSECTION OF DELAWARE BASIN RD. AND WEAVER RD. GO WEST ON DELAWARE BASIN RD. APPROX. O.8 MILES. TURN RIGHT AND GO WEST APPROX. 1.1 MILES. TURN LEFT AND GO SOUTH APPROX. 0.1 MILES.	100 घनम	0 Scale:1"	100 '=100'	200 Feet
TURN RIGHT AND GO WEST APPROX. 0.6 MILES. TURN LEFT AND GO WEST APPROX. 0.6 MILES TO THE JYSU #123 WELL. THIS LOCATION IS APPROX. 1320 FEET	MELA	ROSE OPE	RATING COM	IPANY
PROVIDING SURVEYING SERVICES SINCE 1946 JOHN WEST SURVEYING COMPANY	AND 1980 F TOWNSHIP	EET FROM THE 22 SOUTH, RA LEA COUNTY,	ROM THE SOUTH L EAST LINE OF SE ANGE 35 EAST, N.M NEW MEXICO.	CTION 10.
412 N. DAL PASO HOBBS, N.M. 88240			Sheet 1 of	
(505) 383-3117	W.O. Number: 05. Date: 9/28/05	11.1488 Dr Disk: CD#4	By: LA	Rev 1:N/A Scale:1"=100'

VICINITY MAP


26		12	(S)		٩		<u> </u>	1	> -1	1 8	, ,	10
						T 21	s		KILY	<u> </u>	KILY	
15	14	13	SAN SIMON 19	17	16	15	14	13 ST. 176	18	E31 27 GULF	E31 16 ST. 176	ST. 12
22	23	24 (NAN 19	20	21	32	23	일 24 8 2	R 36 E 5 WEAVER	[2] 20]	S7. 8
27	26	25	30 30 30	٤9	28	27	26	25	30	29	LEA C	D EUNICE AP
34	35	36 /	31	32	33	34	35	36	31	32	33	34
3	ر ح	SHIP 1	6	5	4	3	3	1	6 <u>Ω</u>	5	4	3
10	11	12	7	8	SU #227 9	10]11	12	vEAVER	8 E21	9	16
15	14	13	18	17	16	15	14	13 55 E	R 36 E	17	16	15
22	23	R 34 FS	ୟ ୧୯ ଅ	50	21	22 S	23	24	19	50	sı	22
27	26	25 -	30	29	28	27	26	25	30	29	28	27
34	35	36	36	31	33	34	35 E21	36	31	32	33	34
3	2	1	6	5	/,	3	2	1 13	TEAGUE SWITCH	5	4	3
ADOBE EZI	11	12	,	8	9	¹⁰ I 23 S	11	12	1EAGU	8	9	10
1		2	AN L			r 23 s	·			17		i5

SCALE: 1" = 2 MILES

JEC. 10 IWF. 2	2-3 KGE. 35-E
SURVEY	N.M.P.M.
COUNTY	LEA
DESCRIPTION 660'	FSL & 1980' FEL
ELEVATION	3592'
OPERATOR MELRO	SE OPERATING COMPANY
LEASE_	JYSU







Typical 3,000 psi choke manifold assembly with at least these minimum features

---- Intermediate Casing

Check Valve sequence optional

