District I
1625 N French Dr., Hobbs, NM 88240
District II
1301 W Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S St Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-144 June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe

Pit or Below-Grade Tank Registration or Closure

Type of action: Registration of a pit	or below-grade tank Closure of a pit or below-gra	de tank/ 🔼 .
Type of action recgistation of a per	or below-grade tank Closure of a pit or below-grad	JAN 22 2008
Operator Yates Petroleum Corporation Telephone 505-748-4500 e-mail	laddress mikes@ypcnm.com	OBBS OCD
Address 105 South 4th Street, Artesia, N.M. 88210		VDBS OCH
Faculity or well name: Faron State Unit #2 API # 30-025-37920 U/L or Qu/0	Qtr 1. Sec 5 T 98 R 32F	
County Lea Latitude 33 55941 Longitude 103 7008	2 NAD- 1927 ⊠ 1983 [ ]	
Surface Owner Federal  State Private Indian		10
Pit	Below-grade tank 2	107
Type Drilling  Production  Disposal	Volumebbl Type of fluid	Received 22
Work over ☐ Emergency ☐	Construction material (2)	COLUMN
Lined 🗵 Unlined 🔲	Double-walled, with leak detection? Yes 1 If not	Fred Chippy you
Liner type: Synthetic M Thickness 12 mil Clay	462	000 N/
Pit Volume 24000 bbl		250
	Less than 50 feet	E. OF 130 bouler
Depth to ground water (vertical distance from bottom of pit to seasonal high	50 feet or more, but less than 100 feet	(10 points)
water elevation of ground water)	100 feet or more 89 ?	( 0 points) XXXX
	Yes	(20 points)
Wellhead protection area. (Less than 200 feet from a private domestic water	No	( 0 points) XXXX
source, or less than 1000 feet from all other water sources)		
Distance to surface water. (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)
	200 feet or more, but less than 1000 feet	(10 points)
	1000 feet or more	( 0 points) XXXX
	Ranking Score (Total Points)	10 OPOINTS
	,	
(4) Groundwater encountered No 🔲 Yes 🔲 If yes, show depth below ground	. (3) Attach a general description of remedial actionsurfaceft and attach sample results	
(5) Attach soil sample results and a diagram of sample locations and excavations		
Additional Comments: Closure workplan for encapsulation trench The drilling		
with a 12 mil synthetic liner on former drilling pit site. Drilling pit contents w	all then be emplaced into the encapsulation trench A	20 mil synthetic liner will then be placed over the pit
contents with a minimum of a 3' over lap of the underlying trench areas. The	encapsulation trench will then be backfilled to grade u	sing a minimum of 3' of clean soil and like material A
one call and 48 hour notice will be provided to the Oil Conservation Division	before pit closure actions begin	
Pit Closure actions to begin by NA Ending date NA		
I hereby certify that the information above is true and complete to the best of r been/will be constructed or closed according to NMOCD guidelines	ny knowledge and belief I further certify that the a e general permit ⊠, or an (attached) alternative O	bove-described pit or below-grade tank has CD-approved plan □.
Date 02/08/2007		
Printed Name/Title Mike Stubblefield / Environmental Regulatory Agent	Signature mile Scopefiell	
Your certification and NMOCD approval of this application/closure does not rendanger public health or the environment. Nor does it relieve the operator of	relieve the operator of liability should the contents of the contents of the responsibility for compliance with any other federal	he pit or tank contaminate ground water or otherwise al, state, or local laws and/or regulations
Approval. Printed Name/Title GARY W. WINK STAFFMS.	RSIgnature Layw-Win	Date: 2/13/07

PATE 1/15/2008