

Submit To Appropriate District Office State Lease # 6 copies Fee Lease - 5 copies District I 1625 N French Dr, Hobbs, NM 88240 District II 1301 W Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Rd, Aztec, NM 87410 District IV 1220 S St Francis Dr, Santa Fe, NM 87505	<b>State of New Mexico</b> <b>Energy, Minerals and Natural Resources</b>  <b>Oil Conservation Division</b> <b>1220 South St. Francis Dr.</b> <b>Santa Fe, NM 87505</b>	<b>Form C-105</b> Revised June 10, 2003  WELL API NO. 30-025-37887  5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input type="checkbox"/> State Oil & Gas Lease No.					
<b>WELL COMPLETION OR RECOMPLETION REPORT AND LOG</b>							
1a Type of Well OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> DRY <input type="checkbox"/> OTHER _____  b Type of Completion NEW <input type="checkbox"/> WORK <input type="checkbox"/> DEEPEN <input type="checkbox"/> PLUG <input type="checkbox"/> DIFF. WELL OVER BACK RESVR <input type="checkbox"/> OTHER		7. Lease Name or Unit Agreement Name  C.H WEIR B					
2 Name of Operator CHEVRON U S A INC		8 Well No 13					
3 Address of Operator 15 SMITH ROAD, MIDLAND, TEXAS 79705		9 Pool name or Wildcat MONUMENT TUBB/SKAGGS DRINKARD					
4 Well Location  Unit Letter O 990 Feet From The SOUTH Line and 2310 Feet from The EAST Line  Section 11 Township 20-S Range 37-E NMPM County LEA							
10 Date Spudded 9-13-07	11 Date T D Reached 9-29-07	12 Date Compl (Ready to Prod) 11-19-07	13 Elevations (DF& RKB, RT, GR, etc)	14 Elev Casinghead			
15. Total Depth <b>7535</b> <b>7440</b>	16 Plug Back T D <b>7535</b> <b>7440</b>	17. If Multiple Compl How Many Zones?	18 Intervals Drilled By	Rotary Tools Cable Tools			
19 Producing Interval(s), of this completion - Top, Bottom, Name 6346-6588' TUBB, 6710-6822' DRINKARD				20 Was Directional Survey Made YES			
21 Type Electric and Other Logs Run CNL/GR/CCL, RAL/GR/CCL, TEMP			22 Was Well Cored NO				
<b>23. CASING RECORD (Report all strings set in well)</b>							
CASING SIZE	WEIGHT LB/FT	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED		
11.75	42#	540'	14.75	310 SX	42 SX		
8.625	32#	2835'	11	790 SX	94 SX		
5.5	17#	7535'	7.875	1260 SX	0 SX		
24. LINER RECORD			25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET
					2 7/8"	EOT @6293	
26 Perforation record (interval, size, and number)				27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.			
6710-15,6736-53,6756-62,6768-72,6795-6800,6806-11,6815-22				DEPTH INTERVAL			
6346-56, 6402-08,6415-22,6458-66,6482-90,6503-10,6520-22,6535-6551, 6558-61,6564-66,6569-77,6583-88				AMOUNT AND KIND MATERIAL USED			
				6710-6822 SPOT 120 GALS 20% HCL			
				6346-6588 SPOT 250 GALS 15% NEFE PUMP 3600 GALS 15% NEFE			
				6346-6588 FRAC W/72,000 GALS WF150			
<b>28 PRODUCTION</b>							
Date First Production 12-24-07		Production Method (Flowing, gas lift, pumping - Size and type pump) FLOWING			Well Status (Prod or Shut-in) PROD		
Date of Test 01-02-08	Hours Tested 24 HRS	Choke Size	Prod'n For Test Period	Oil - Bbl 0 7	Gas - MCF 560	Water - Bbl 18	Gas - Oil Ratio 800000
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl	Gas - MCF	Water - Bbl	Oil Gravity - API - (Corr.)	
29. Disposition of Gas (Sold, used for fuel, vented, etc)						Test Witnessed By	
30 List Attachments							
NOTARIZED DEVIATIONS							
31 I hereby certify that the information shown on both sides of this form as true and complete to the best of my knowledge and belief							

Signature *Denise Pinkerton*

Printed Name Denise Pinkerton Title Regulatory Specialist

Date 01-15-2008

E-mail Address leakejd@chevron.com

## INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

### INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy		T. Ojo Alamo	T. Penn. "B"
T. Salt	1490	T. Kirtland-Fruitland	T. Penn. "C"
B. Salt		T. Pictured Cliffs	T. Penn. "D"
T. Yates	2674	T. Cliff House	T. Leadville
T. 7 Rivers	2934	T. Menefee	T. Madison
T. Queen	3478	T. Point Lookout	T. Elbert
T. Grayburg	3765	T. Mancos	T. McCracken
T. San Andres	4130	T. Gallup	T. Ignacio Otzte
T. Glorieta	5231	Base Greenhorn	T. Granite
T. Paddock	5285	T. Dakota	T.
T. Blinbry	5711	T. Morrison	T.
T. Tubb	6300	T. Todilto	T.
T. Drinkard	6650	T. Entrada	T.
T. Abo	6954	T. Wingate	T.
T. Wolfcamp		T. Chinle	T.
T. Penn		T. Permian	T.
T. Cisco (Bough C)		T. Penn "A"	T.

### OIL OR GAS SANDS OR ZONES

No. 1, from.....to..... No. 3, from.....to.....  
No. 2, from.....to..... No. 4, from.....to.....

### IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....  
No. 2, from.....to.....feet.....  
No. 3, from.....to.....feet.....

### LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology	From	To	Thickness In Feet	Lithology
------	----	----------------------	-----------	------	----	----------------------	-----------

# INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true verticle depths shall be reported. For multiple completions, Items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

## INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

### Southeastern New Mexico

T. Anhy		T. Canyon	
T. Salt	1490	T. Strawn	
B. Salt		T. Atoka	
T. Yates	2674	T. Miss	
T. 7 Rivers	2934	T. Devonian	
T. Queen	3478	T. Silurian	
T. Grayburg	3765	T. Montoya	
T. San Andres	4130	T. Simpson	
T. Glorieta	5231	T. McKee	
T. Paddock	5285	T. Ellenburger	
T. Blinbry	5711	T. Gr. Wash	
T. Tubb	6300	T. Delaware Sand	
T. Drinkard	6650	T. Bone Springs	
T. Abo	6954	T.	
T. Wolfcamp		T.	
T. Penn		T.	
T. Cisco (Bough C)		T.	

### Northwestern New Mexico

T. Ojo Alamo	T. Penn "B"
T. Kirtland-Fruitland	T. Penn "C"
T. Pictured Cliffs	T. Penn "D"
T. Cliff House	T. Leadville
T. Menefee	T. Madison
T. Point Lookout	T. Elbert
T. Mancos	T. McCracken
T. Gallup	T. Ignacio Otzte
T. Base Greenhorn	T. Granite
T. Dakota	T.
T. Morrison	T.
T. Todilto	T.
T. Entrada	T.
T. Wingate	T.
T. Chinle	T.
T. Permian	T.
T. Penn "A"	T.

## OIL OR GAS SANDS OR ZONES

No. 1, from \_\_\_\_\_ to \_\_\_\_\_  
 No. 2, from \_\_\_\_\_ to \_\_\_\_\_

No. 3, from \_\_\_\_\_ to \_\_\_\_\_  
 No. 4, from \_\_\_\_\_ to \_\_\_\_\_

## IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in the hole.

No. 1, from \_\_\_\_\_ to \_\_\_\_\_ feet  
 No. 2, from \_\_\_\_\_ to \_\_\_\_\_ feet  
 No. 3, from \_\_\_\_\_ to \_\_\_\_\_ feet

## LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness in Feet	Lithology	From	To	Thickness in Feet	Lithology
1490	2673		SALT				
2674	2933		DOLOMITE, SHALE, ANHY				
2934	3477		DOLOMITE, ANHY, SHALE				
3478	3764		ANHYDRITE, DOLOMITE				
3765	4129		DOLOMITE, ANHYDRITE				
4130	5230		DOLOMITE, LIMESTONE				
5231	5284		DOLOMITE, LIMESTONE				
5285	5710		DOLOMITE, LIME, SHALE				
5711	6299		DOLOMITE, SAND				
6300	6649		DOLOMITE, SAND, SHALE				
6650	6953		DOLOMITE, LIMESTONE				
6954	TD		LIMESTONE, DOLO, SHALE				