

District I
1625 N French Dr, Hobbs, NM 88240
District II
1301 W Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S St Francis Dr, Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Form C-144
June 1, 2004

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

RECEIVED

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

JAN 22 2008

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a general plan? Yes ☒ No ☐
Type of action. Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

JAN 16 2008

OCD-ARTESIA

Operator **Ram Energy, Inc.** Telephone: 918-632-0650 e-mail address **dgoins@ramenergy.com**
Address **5100 East Skelly Drive, Suite 650, Tulsa Oklahoma, 74135-6549**
Facility or well name **Fox B State #4** API #: **30-041-20928** U/L or Qtr/Qtr **E** Sec **36** T **8S** R **36E**
County **Roosevelt** Latitude **33° 34' 45.9" N** Longitude **103° 13' 02.8" W** NAD 1927 ☐ 1983 ☒
Surface Owner: Federal ☐ State ☐ Private ☒ Indian ☐

Pit	Below-grade tank
Type: Drilling <input checked="" type="checkbox"/> Production <input type="checkbox"/> Disposal <input type="checkbox"/> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input checked="" type="checkbox"/> Unlined <input type="checkbox"/> Liner type Synthetic <input checked="" type="checkbox"/> Thickness 12 mil Clay <input type="checkbox"/> Pit Volume 1,200 bbl	Volume: _____ bbl Type of fluid: _____ Construction material: _____ Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not _____
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water) 200'	Less than 50 feet (20 points) 50 feet or more, but less than 100 feet (10 points) 0 100 feet or more (0 points)
Wellhead protection area (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes (20 points) No (0 points) 0
Distance to surface water (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet (20 points) 200 feet or more, but less than 1000 feet (10 points) 1000 feet or more (0 points) 0
Ranking Score (Total Points) 0	

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks (2) Indicate disposal location. (check the onsite box if you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility _____ (3) Attach a general description of remedial action taken including remediation start date and end date (4) Groundwater encountered No ☐ Yes ☐ If yes, show depth below ground surface _____ ft and attach sample results (5) Attach soil sample results and a diagram of sample locations and excavations

Additional Comments:
The drill cuttings and plastic will be placed in a plastic 20 mil lined burial trench located next to the reserve pit, and closure was approved by Larry Johnson on 12-14-07
The trench was then covered with plastic and backfilled with a minimum of 3' of soil
The reserve pit area will then be backfilled and re-contoured
No second trench was used, all material that was removed was placed in the lined burial trench, due to elevated chloride left in the SE section of pit, a 20 mil plastic liner was placed over this area as a cap, bedded with sand and backfilled

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date 1-4-2008

Printed Name/Title **Gary Miller, Agent**

Signature 

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations

Approval

Printed Name/Title **CHRIS WILLIAMS / DIST. SURV.**

Signature 

Date: **1/25/08**

Pit Closure Sampling Report

3278

Ram Eshwary

Fox B State #4

30041209280

号

2

200'

Orientation of pit **N S E W**

All pit sample depths are *below pit bottom* (BPB)


DNR- Did not run at lab.
BGS- Below Ground Surface
BPB- Below Pit Bottom

JAN 22 2008

HOBBS OCD

Clean out NW $\frac{1}{4}$ SE corner to ~~250~~ 250' / 01
Rock layer, Cap with 20 mil, bedded w/ sand
& Backfill. ok'd by Larry Johnson on
12-14-07

Highlander Environmental Corp.
Pit Sample Location Plat



x _____ Indicates Sample Location
(Name by quarter i.e. NW, NE etc)



Draw in North Arrow

Depth of pit in feet 8

• Wellhead

Well Pad

Client Ram Energy
Well Name Fox B State #4
API# 3004120928

RECEIVED

JAN 22 2008

HOBBS OCD

RECEIVED

JAN 22 2008

Summary Report

HOBBS OCD

Gary Miller
Highlander Environmental Services
1910 N. Big Spring Street
Midland, TX, 79705

Report Date: December 20, 2007

Work Order: 7121720



Project Location: Roosevelt Co, NM.
Project Name: Ram/Fox B State #4
Project Number: 3278

Sample	Description	Matrix	Date Taken	Time Taken	Date Received
145537	NE- 2'	soil	2007-12-13	00:00	2007-12-17
145538	NW- 5'	soil	2007-12-13	00:00	2007-12-17
145539	SE- 15'	soil	2007-12-13	00:00	2007-12-17
145540	SW- 2'	soil	2007-12-13	00:00	2007-12-17
145541	CENTER- 2'	soil	2007-12-13	00:00	2007-12-17

Sample: 145537 - NE- 2'

Param	Flag	Result	Units	RL
Chloride		<250	mg/Kg	5.00

Sample: 145538 - NW- 5'

Param	Flag	Result	Units	RL
Chloride		<250	mg/Kg	5.00

Sample: 145539 - SE- 15'

Param	Flag	Result	Units	RL
Chloride		1230	mg/Kg	5.00

Sample: 145540 - SW- 2'

Param	Flag	Result	Units	RL
Chloride		<250	mg/Kg	5.00

Sample: 145541 - CENTER- 2'

TraceAnalysis, Inc. • 6701 Aberdeen Ave., Suite 9 • Lubbock, TX 79424-1515 • (806) 794-1296
This is only a summary. Please, refer to the complete report package for quality control data.

Report Date: December 20, 2007
3278

Work Order: 7121720
Ram/Fox B State #4

Page Number: 2 of 2
Roosevelt Co, NM.

Param	Flag	Result	Units	RL
Chloride		<250	mg/Kg	5.00

RECEIVED
JAN 22 2008
HOBBS OCD