

District I  
1625 N French Dr, Hobbs, NM 88240  
District II  
1301 W Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S St Francis Dr, Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Form C-144  
June 1, 2004

Oil Conservation Division

1220 South St. Francis Dr.

Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.  
For downstream facilities, submit to Santa Fe office

RECEIVED

JAN 22 2008

S

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

JAN 16 2008

OCD-ARTESIA

Operator **Ram Energy, Inc.** Telephone: 918-632-0650 e-mail address: dgoins@ramenergy.com  
Address **5100 East Skelly Drive, Suite 650, Tulsa Oklahoma, 74135-6549**  
Facility or well name **Fox B State #6** API #: **30-041-20930** U/L or Qtr/Qtr **F** Sec **36** T **8S** R **36E**  
County **Roosevelt** Latitude **33° 34' 43.2" N** Longitude **103° 12' 39.6" W** NAD 1927 ☐ 1983 ☒  
Surface Owner: Federal ☐ State ☒ Private ☐ Indian ☐

**Pit**

Type Drilling ☒ Production ☐ Disposal ☐

Workover ☐ Emergency ☐

Lined ☒ Unlined ☐

Liner type Synthetic ☒ Thickness **12** mil Clay ☐

Pit Volume **1,200** bbl

**Below-grade tank**

Volume: \_\_\_\_\_ bbl Type of fluid \_\_\_\_\_

Construction material: \_\_\_\_\_

Double-walled, with leak detection? Yes ☐ If not, explain why not. \_\_\_\_\_

Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water) **200'**

Less than 50 feet

(20 points)

50 feet or more, but less than 100 feet

(10 points)

**0**

100 feet or more

( 0 points)

Wellhead protection area (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)

Yes

(20 points)

No

( 0 points)

**0**

Distance to surface water (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)

Less than 200 feet

(20 points)

200 feet or more, but less than 1000 feet

(10 points)

1000 feet or more

( 0 points)

**0**

**Ranking Score (Total Points)**

**0**

**If this is a pit closure:** (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location (check the onsite box if you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility \_\_\_\_\_. (3) Attach a general description of remedial action taken including remediation start date and end date (4) Groundwater encountered: No ☐ Yes ☐ If yes, show depth below ground surface \_\_\_\_\_ ft. and attach sample results (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments.

The drill cuttings and plastic will be placed in a plastic 20 mil lined burial trench located next to the reserve pit, and closure was approved by Larry Johnson on 12-14-07

The trench was then covered with plastic and backfilled with a minimum of 3' of soil.

The reserve pit area will then be backfilled and re-contoured.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date 1-4-2008

Printed Name/Title **Gary Miller, Agent**

Signature \_\_\_\_\_

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval

Printed Name/Title **CHARLES WILLIAMS/DIST. SUPERVISOR**

Signature \_\_\_\_\_

Date **1/28/08**

## Pit Closure Sampling Report

## Groundwater

200'

Orientation of pit N S E W

All pit sample depths are *below pit bottom* (BPB)

[illegible]

BPB- Below Pit Bottom

RECEIVED

JAN 22 2008

# HOBBS OCD

Ok'd To Place by Larry Johnson on  
12-18-07

Highlander Environmental Corp.  
Pit Sample Location Plat

Pit wall in feet \_\_\_\_\_


Pit wall in feet \_\_\_\_\_

x NW NE x

x Center

x SW SE x

x \_\_\_\_\_ Indicates Sample Location  
(Name by quarter i.e. NW, NE etc)

 Draw in North Arrow

Depth of pit in feet 3'

• Wellhead

Well Pad

Client Ram Energy  
Well Name Fox B State # 6  
API# 300412093

RECEIVED  
JAN 22 2008  
HOBBS OCD

RECEIVED

JAN 22 2008

## Summary Report

HOBBS OCD

Gary Miller  
Highlander Environmental Services  
1910 N. Big Spring Street  
Midland, TX, 79705

Report Date: December 20, 2007

Work Order: 7121727



Project Location: Roosevelt Co, NM.  
Project Name: Ram/Fox B State #6  
Project Number: 3279

Sample	Description	Matrix	Date Taken	Time Taken	Date Received
145572	NE- 2'	soil	2007-12-14	00:00	2007-12-17
145573	NW- 2'	soil	2007-12-14	00:00	2007-12-17
145574	SE- 2'	soil	2007-12-14	00:00	2007-12-17
145575	SW- 2'	soil	2007-12-14	00:00	2007-12-17
145576	CENTER- 2'	soil	2007-12-14	00:00	2007-12-17

### Sample: 145572 - NE- 2'

Param	Flag	Result	Units	RL
Chloride		<250	mg/Kg	5.00

### Sample: 145573 - NW- 2'

Param	Flag	Result	Units	RL
Chloride		<250	mg/Kg	5.00

### Sample: 145574 - SE- 2'

Param	Flag	Result	Units	RL
Chloride		<250	mg/Kg	5.00

### Sample: 145575 - SW- 2'

Param	Flag	Result	Units	RL
Chloride		<250	mg/Kg	5.00

### Sample: 145576 - CENTER- 2'

Report Date: December 20, 2007  
3279

Work Order: 7121727  
Ram/Fox B State #6

Page Number: 2 of 2  
Roosevelt Co, NM.

Param	Flag	Result	Units	RL
Chloride		<250	mg/Kg	5.00

**RECEIVED**

JAN 22 2008

**HOBBS OCD**