District I 1625 N French Dr , Hobbs, NM 88240 District II
1301 W Grand Avenue, Artesia, NM 88210
District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S St Francis Dr , Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources**

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505


Form C-144

June 1, 2004

Pi	t or Below-Grade Tank	Registration	or Closure
ls p	oit or below-grade tank covered by	a "general plan"	Yes 🗌 No 🖂

Type of action. Registration of a pit of	or below-grade lank 🔟 Closure of a pit of below-grad	зе тапк 🗀		
Address 550 West Texas Ave. Suite 1300 Midland Texas 79701		address: PEdwards@conchoresources com		
Facility or well name BC Federal #16 API#: 30 - 025 - 38724 U/L or Qtr/Qtr B Sec 19 T-17-S R-32-E				
	•	NAD: 1927 X 1983 □		
County Lea Latitude 32 826393N Longitude 103 802067W NAD 1927 X 1983 Surface Owner Federal State Private Indian				
Pit	Below-grade tank			
Type, Drilling Production Disposal	Volume:bbl Type of fluid			
Workover ☐ Emergency ☐	Construction material:			
	Double-walled, with leak detection? Yes If not, explain why not			
Lined Unlined	Double-waited, with leak detection? Yes [] It not, explain why not			
Liner type Synthetic Thickness 12 mil Clay				
Pit Volume 25,000 bbl				
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)		
high water elevation of ground water) 150'	50 feet or more, but less than 100 feet	(10 points) 0		
	100 feet or more	(0 points)		
Wellhead protection area. (Less than 200 feet from a private domestic	Yes	(20 points)		
water source, or less than 1000 feet from all other water sources.)	No	(0 points) 0		
valet source, (it less than 1000 feet from an other water sources.)	, , , , , , , , , , , , , , , , , , ,	(20 :)		
Distance to surface water (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)		
irrigation canals, ditches, and perennial and ephemeral watercourses)	200 feet or more, but less than 1000 feet	(10 points)		
,	1000 feet or more	(0 points) 0		
	Ranking Score (Total Points)	0 ,		
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks (2) Indicate disposal location (check the onsite box if				
your are burying in place) onsite offsite If offsite, name of facility	, , , , , , , , , , , , , , , , , , , ,	•		
remediation start date and end date (4) Groundwater encountered. No 🗌				
		it and attach sample results		
(5) Attach soil sample results and a diagram of sample locations and excava	tions			
Additional Comments				
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines X, a general permit □, or an (attached) alternative OCD-approved plan □.				
and the state of closed according to the och guidelines it, a general permit , or an (attaching) after native Och-approved plan .				
Date 10-12-07				
Printed Name/Little Gary Miller, Agent Signature				
Your certification and NMOCD approval of this application/closure does not relieve the operator of hability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.				
Approval				
Printed Name/Title CHRIS WILLIAMS/DIST. 540V Signature Chin Uselliams Date 1/30/08				

DRILLING LOCATION H2S SAFETY EQUIPMENT Exhibit # 8



- H2S Monitors with alarms at the bell nipple
- ☐ Wind Direction Indicators
- Safe Briefing areas with caution signs and breathing equipment min 150 feet from

