1 DISUICE 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe

Form C-144

June 1, 2004

office

Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes \(\subseteq \) No \(\subseteq \)

Type of action: Registration of a pit of	or below-grade tank 🔲 Closure of a pit or below-gra	ade tank 🛛	
Operator: _EverQuest Energy CorporationTelephone:432,686-9790e-mail address:EverQuest@nts-online.net			
Address 10 Desta Drive, Suite 300-E, Midland, Texas 79705			
Facility or well name:Schooner B #3API #:	,	ec 17 T 16S R 32E	
County: Lea Latitude		1.789272 W NAD: 1927 ⊠ 1983 □	
Surface Owner: Federal State Private Indian		ot, explain why not EC 2007 on Heceived to Hobbs (20 points) OCD	
Pit	Below-grade tank		
	Volume:bbl Type of fluid:	151617187920	
Workover ☐ Emergency ☐	Construction materials	31	
Lined 🛭 Unlined 🗌	Double-walled, with leak detection? Yes If no	or explain why not	
Liner type: Synthetic ⊠ Thickness12_mil Clay □	Double Walled, Will leak detection: Tes E il lie	DEC 2007 33	
Pit Volume _300_bbl		o neceived \$	
11t Volume300001	Less than 50 feet - NO	(20 maints)	
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet - NO	(10 points) (CD)	
high water elevation of ground water.)	· ·	1 \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	
	100 feet or more - YES	(0 points) 2 0 points 61	
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)	
water source, or less than 1000 feet from all other water sources.)	No	(0 points) 0 points	
	Less than 200 feet - NO	(20 points)	
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet - NO	(10 points)	
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more - YES		
	1000 feet of more - 1 ES	(0 points) 0 points	
	Ranking Score (Total Points)	0 points	
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location. (check the onsite box if			
your are burying in place) onsite 🖾 offsite 🗌 If offsite, name of facility			
remediation start date and end date. (4) Groundwater encountered: No 🛛 Yes 🔲 If yes, show depth below ground surfaceft. and attach sample results.			
(5) Attach soil sample results and a diagram of sample locations and excavations.			
Additional Comments:			
We wish to close this 110' x 75' x 12-mil lined drilling reserve pit as soon as possible. We propose to cap and encapsulate in-situ since our inspection indicates the pit			
liner has maintained its integrity. The reserve pit contents will be stiffened sufficiently to provide physical stability and support for the pit cover; folding the edges of			
the liner over the stiffened contents and capping with a 20-mil plastic liner; and covering the cap with a minimum of 3 feet of clean soil that is capable of supporting			
native plant growth. The plastic cap will overlap the underlying pit by at least 3 feet in all directions. Once capping is complete the surface will be contoured to			
prevent erosion and ponding of rainwater from occurring over the pit site.			
I hereby certify that the information above is true and complete to the best has been/will be constructed or closed according to NMOCD guideline	of my knowledge and belief I further certify that	the above-described pit or below-grade tank	
has been win be constructed or closed according to Partoco guidenia	es , a general permit , or an (attached) aftern	rative OCD-approved plan [].	
Date:December 17, 2007			
Printed Name/TitleTerry M. Duffey - President Your certification and NMOCD approval of this application/closure does in	Signature Mouthey		
Your certification and NMOCD approval of this application/closure does i	not relieve the operator of liability should the contents	s of the pit or tank contaminate ground water or	
otherwise endanger public health or the environment. Nor does it relieve t regulations.	he operator of its responsibility for compliance with a	any other federal, state, or local laws and/or	
100000000			
Approval:	Coluse	· ·	
	Signature FAN (IDOALS ATTAINS)	0111=== Detail 1-0-02	
Printed Name/Title SignatureENVIRONMENTAL ENGINEERDate: (208 LST AS RISK BASED CLOSURE)			
1 - RAKED CLAZAR			
	UST AS KIS	ok namen made	

New Mexico Office of the State Engineer POD Reports and Downloads

POD Reports and Downloads		
Township: 16S Range: 32E	Sections: 9	
NAD27 X: Y:	Zone: Search Radius:	
County: Basin:	Number: Suffix:	
Owner Name: (First) (Las	t) Non-Domestic C Domestic All	
POD / Surface Data Report	Avg Depth to Water Report Water Column Report	
<u>ĈĈlear Form</u>	iWATERS Meñus Helip	
AVERAGE DEPTH OF WATER REPORT 12	2/07/2007	
Bsn Tws Rng Sec Zone X Y L 16S 32E 09	(Depth Water in Feet) Wells Min Max Avg 1 248 248 248	
Record Count: 1		
New Mexico Office of the State Engineer	Page 1 of	
	Office of the State Engineer eports and Downloads	
Township: 16S Range: 32E	Sections: 19	
NAD27 X: Y:	Zone: Search Radius:	
County: Basin:	Number: Suffix:	
Owner Name: (First) (Last	Non-Domestic C Domestic All	
POD / Surface Data Report A	vg Depth to Water Report Water Column Report	
Clear Form	iWATERS Menu Help	
AVERAGE DEPTH OF WATER REPORT 12	/07/2007	

Bsn Tws Rng Sec Zone X L 168 302 (Depth Water in Feet)
Y Wells Min Max Avg
1 220 220 220

New Mexico Office of the State Engineer POD Reports and Downloads

Township: 16S Range: 32E Sections: 21		
NAD27 X: Y: Zone: Search Radius:		
County: Basin: Number: Suffix:		
Owner Name: (First) (Last) C Non-Domestic C Domestic C All		
POD / Surface Data Report Avg Depth to Water Report Water Column Report		
Clear Form Clear Form Help		

AVERAGE DEPTH OF WATER REPORT 12/07/2007

| Company | Comp

Record Count: 1

EverQuest Energy Corporation Schooner B State #3

Current Location Configuration - Not to Scale



