Submit To Appropria State Lease - 6 copies		et Office	A SERVICE AS A	THE R	State of New N	Лехі	co								C-105
Submit To Appropriate District Office State of New Mexico Fee Lease - 5 copies District 1  State of New Mexico Form C-105 Revised June 10, 2003 WELL API NO.							10, 2003								
1625 N. French Dr., Hobbs, NM 88240							WELL API NO. 30-005-00878								
District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Rd. Aztec, NM 87410 1000 Rio Brazos Rd. Aztec, NM 87410							5. Indicate Type of Lease								
1000 Rio Brazos Rd.,	District III 1000 Rio Brazos Rd., Aztec, NM 87410 1220 South St. Francis Dr.						-	STATE STATE FEE							
District IV 1220 S. St. Francis Dr., Santa Fer, NM 87505 State Oil & Gas Lease No. 303735															
WELL C	WELL COMPLETION OF RECOMPLETION REPORT AND LOG														
la. Type of Well: OIL WE	1a. Type of Well:       7. Lease Name or Unit Agreement Name         OIL WELL ☐ GAS WELL ☐ DRY ☒ OTHER Injection       7. Lease Name or Unit Agreement Name														
	b. Type of Completion:														
NEW   V	NEW □ WORK □ DEEPEN □ PLUG □ DIFF														
WELL OVER BACK RESVR. \(\times\) OTHER RE-Activate  2. Name of Operator  CELERO ENERGY II, LP  8. Well No.  46															
					<u> </u>										
3. Address of Oper 400 W. ILLINOIS		1601; MIDLA	ND, TX 7970	1						9. Pool name o			CK QUE	EEN	
4. Well Location															
Unit Letter	_L	:198	80' Feet Fr	om The	SOUTH	l	Line a	nd660'_		Feet	From	The _V	VEST		Line
Section 10. Date Spudded		6	Towns		mpl. (Ready to Prod.)	Range		32E	/DE 6	NMPM RKB, RT, GF		aves	14 Elas	County Casinghead	
	<u> </u>						4310	)' KB	·						· · · · · · · · · · · · · · · · · · ·
15. Total Depth 3063'	-	16. Plug Back 3058'		Zo	Multiple Compl. How ones?	Many	′	18. Intervi Drilled By		Rotary Tools			Cable 7		
19. Producing Inter	val(s), o	of this complet	tion - Top, Bo	tom, Na	ame						20. W	as Dire	ectional Su	urvey Made	
21. Type Electric a	nd Othe	r Logs Run								22. Was Wel	l Core	d			
23.				CA	SING RECOR	<b>W</b> (			trin						
CASING SIZI	E	WEIGHT 24			DEPTH SET HOLE SIZE  205°				CEMENTIN 100		CORD	A	MOUNT PUL	LED	
5 1/2"		14	<del></del>	3022'					125sx		-				
24.				LIN	ER RECORD				25.		HIDIN	IC DE	L CORD		-
SIZE	TOP		ВОТТОМ	LIIV	SACKS CEMENT	SCF	REEN	·	SIZ			PTH S		PACKER S	ET
4"	Surf	ace	3039'		115 sx				23	/8"	28	45'		2845'	
	L		<u></u>			<u> </u>				····					
26. Perforation re Queen Open Hole								D, SHOT, VTERVAL		ACTURE, CE			<u> </u>		
-	3028-	-3041' (4 SPF	(01/2008)				28-30	• • • • • • • • • • • • • • • • • • • •						1000# Rocl	salt .
28					PRO	)DU	CT	ION							
Date First Production Production Method (Flowing, gas lift, pumping - Size and type pump) Well Status (Prod. or Shut-in)															
Date of Test	Hours	Tested	Choke Size		Prod'n For	Oil	- Bbl		Gas	- MCF	Wa	ter - B	bl.	Gas - Oil Ra	itio
					Test Period							<b></b>			
Flow Tubing Press.	Casın	g Pressure	Calculated Hour Rate	24-	Oil - Bbl.	ı	Gas -	MCF	ı	/ater - Bbl.		Oil G	ravity - A	.PI - (Corr.)	
29. Disposition of 0	29. Disposition of Gas (Sold, used for fuel, vented, etc.)  Test Witnessed By														
30. List Attachments															
31, I hereby certij	fy that i	the informati	on shown on	both s	ides of this form as	true a	ind co	mplete to	the l	est of my kno	wled	ge ana	belief	.,	
Signature		1.11.	•	]	Printed Name <b>HAYL</b> l					OPERATIO			v	te 2/15/09	
F-mail Address	Juri	<i>℃ M</i> ias@celero	energy.com			0,			-		10		Da	MI 10/00	

## **INSTRUCTIONS**

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southe	astern New Mexico	Northwe	Northwestern New Mexico				
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn. "B"				
T. Salt	T. Strawn	T. Kirtland-Fruitland	T. Penn. "C"				
B. Salt	T. Atoka	T. Pictured Cliffs	T. Penn. "D"				
T. Yates	T. Miss	T. Cliff House	T. Leadville				
T. 7 Rivers	T. Devonian	T. Menefee	T. Madison				
T. Queen3022'	T. Silurian	T. Point Lookout	T. Elbert				
T. Grayburg	T. Montoya	T. Mancos	T. McCracken				
T. San Andres	T. Simpson	T. Gallup	T. Ignacio Otzte				
T. Glorieta	T. McKee	Base Greenhorn	T. Granite				
T. Paddock	T. Ellenburger	T. Dakota	T				
T. Blinebry	T. Gr. Wash	T. Morrison	T				
T.Tubb	T. Delaware Sand	T.Todilto	T				
T. Drinkard	T. Bone Springs	T. Entrada	T.				
T. Abo	T.	T. Wingate	T.				
T. Wolfcamp	T.	T. Chinle	T.				
T. Penn	Т.	T. Permian	T.				
T. Cisco (Bough C)	T.	T. Penn "A"	T.				
			OIL OR GAS				

			SANDS	OR ZONES
No. 1, from	to	No. 3, from	to	
		No. 4, from		
		ANT WATER SANDS		
Include data on rate of water	inflow and elevation to which	ch water rose in hole.		
No. 1, from	to	feet	• • • • • • • • • • • • • • • • • • • •	•••••
No. 2, from	to	feet	• • • • • • • • • • • • • • • • • • • •	
		feet		
L	ITHOLOGY RECC	RD (Attach additional sheet i	f necessary)	

From	То	Thickness In Feet	Lithology		From	То	Thickness In Feet	Lithology
				İ				
		:						

## INJECTION WELL DATA SHEET

OPERATOR: Celei	o Energy II, LP				
WELL NAME & NU	MBER: Rock Queen Unit #46				
WELL LOCATION:	1980' FSL & 660' FWL	L	26	T13S	R31E
	FOOTAGE LOCATION	UNIT LETTER	SECTION	TOWNSHIP	RANGE
	WELLBORE SCHEMATIC (See Attached)		WELL CONST Surface	CRUCTION DATA Casing	
		Hole Size: 11"		Casing Size: 8-5/8'	' 24#
		Cemented with: 100 sx.		or	ft <sup>3</sup>
		Top of Cement: Surface		Method Determined	l: Calculated
			Intermedia	te Casing	
		Hole Size:		Casing Size:	
		Cemented with:		or	ft <sup>3</sup>
	-	Top of Cement:		Method Determined	1:
			Productio	n Casing	
		Hole Size: 7-7/8"		Casing Size: 5-1/2'	' 14#
		Cemented with: 125sx.		or	ft <sup>3</sup>
		Top of Cement: 2171'		Method Determined	l: Calculated
		Total Depth: 3035'	***************************************	<u> </u>	
			Injection	Interval	
			3028 fee	t to 3041' (Perforated	i)

(Perforated or Open Hole; indicate which)

## **INJECTION WELL DATA SHEET**

Tub	oing Size:	2-3/8"/ 4.7#/ J-55	Lining Material: Internally Plastic Coated
Typ	e of Packe	er: Arrowset 1X	
Pac	ker Setting	g Depth: 2845'	
Oth	er Type of	f Tubing/Casing Seal (if applic	able):
		<u> </u>	- Additional Data
1.	Is this a n	new well drilled for injection?	YesXNo
	If no, for	what purpose was the well ori	ginally drilled? Primary depletion oil producer
2.	Name of	the Injection Formation: Qued	en ·
3.	Name of	Field or Pool (if applicable):	Caprock
4.	Has the wintervals	vell ever been perforated in any and give plugging detail, i.e. s	y other zone(s)? List all such perforated acks of cement or plug(s) used. No
5.	Give the injection:		gas zones underlying or overlying the proposed
	-		