District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes \(\subseteq \) No \(\subseteq \)
of action: Registration of a pit or below-grade tank \(\subseteq \) Closure of a pit or below-grade tank \(\subseteq \)

Type of action. Registration of a pice		
Operator: Momentum Energy Corp. Telephone: 432-682-0595 c-mail address: shane@etechenv.com		
Address: 200 N. Loraine, Suite 610, Midland, Texas 79702		
Facility or well name: Momentum 36 State #001 API#: 30-025-37517 U/L or Qtr/Qtr K Sec 36 T 25S R 35E		
County: Lea Latitude 32 05 01.7" Longitude 103 19 22.1" NAD: 1927 1983		
Surface Owner: Federal 🔀 State 🗀 Private 🛄 Indian 🗀		
Pit	Below-grade tank	
Type: Drilling 🛛 Production 🗖 Disposal 🗍	Volume:bbl Type of fluid:	
Workover ☐ Emergency ☐	Construction material:	
Lined 🗵 Unlined 🗌	Double-walled, with leak detection? Yes If not, explain why not.	
Liner type: Synthetic A Thickness 12 mil Clay		
Pit Volume 2500 bbl		
	Less than 50 feet	(20 points)
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)
	100 feet or more	(0 points)
	Yes	(20 points)
Wellhead protection area: (Less than 200 feet from a private domestic	No	(0 points)
water source, or less than 1000 feet from all other water sources.)		
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)
Inigation value, citerio, and provides and spirotes where the	1000 feet or more	(0 points)
	Ranking Score (Total Points)	0 points ranking
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if		
your are burying in place) onsite \(\bigsize \) offsite \(\bigsize \) If offsite, name of facility \(\bigsize \). (3) Attach a general description of remedial action taken including		
remediation start date and end date. (4) Groundwater encountered: No 🖾 Yes 🔲 If yes, show depth below ground surfaceft. and attach sample results.		
(5) Attach soil sample results and a diagram of sample locations and excavations.		
Additional Comments: Drill cuttings will be stablized inside the existing pit area and buried in place. This was drilled with 9.5 pound mud but the drilling did penetrate a salt formation. A 20 mil liner and 3		
feet of soil will be placed over the stablized cuttings.		
		-
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank		
has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .		
A		
Date: 03/11/2008	Share Tuff-	
Printed Name/Title Shane Estep / Consultant Signature /		
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.		
19 Jahrson		
Approval:		
Approval: Printed Name/Title Signature ENVIRONMENTAL ENGINEER Date: 3.13.08		