

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 87240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
May 27, 2004

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-11989
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH
PROPOSALS)

1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>	7. Lease Name or Unit Agreement Name: STATE COM "Y"
2. Name of Operator CIMAREX ENERGY CO. OF COLORADO ATTN: ZENO FARRIS	8. Well Number 1
3. Address of Operator P.O. BOX 140907, IRVING, TEXAS 75014-0907	9. OGRID Number 162683
4. Well Location Unit Letter H : 1980 feet from the NORTH line and 1270 feet from the EAST line Section 16 Township 26S Range 37E NMPM County LEA	10. Pool name or Wildcat RHODES YATES-SEVEN RIVERS
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 2,994'	
Pit or Below-grade Tank Application <input type="checkbox"/> or Closure <input checked="" type="checkbox"/> Pit type STEEL Depth to Groundwater 175' Distance from nearest fresh water well * Distance from nearest surface water * Pit Liner Thickness: mil Below-Grade Tank: Volume bbls; Construction Material * NONE WITHIN 1,000'	

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐
CASING TEST AND CEMENT JOB ☐
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

COMPLY WITH ALL COMPANY & GOVERNMENT ENVIRONMENT & SAFETY REGULATIONS. ANYONE ON JOB LOCATION HAS THE AUTHORITY TO SHUT DOWN UNSAFE WORK.

- 1) CUT & PULL 4-1/2" TIEBACK STRING @ 2,770'.
- 2) SET 7" CIBP @ 2,750'; MIX & PUMP A 25 SX. CMT. PLUG ON TOP OF CIBP @ 2,750'; CIRC. WELL W/ PXA MUD.
- 3) ATTEMPT TO PERF. & SQZ. A 60 SX. CMT. PLUG @ 2,475' (B/SALT); WOC & TAG TOP OF CMT. PLUG.
- 4) ATTEMPT TO PERF. & SQZ. A 60 SX. CMT. PLUG @ 1,195' (T/SALT); WOC & TAG TOP OF CMT. PLUG.
- 5) ATTEMPT TO PERF. & SQZ. A 100 SX. CMT. PLUG @ 255'-3'.
- 6) DIG OUT & CUT OFF WELLHEAD 3' B.G.L.; WELD STEEL PLATE ON CASINGS & INSTALL DRY HOLE MARKER.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐ or an (attached) alternative OCD-approved plan ☐

SIGNATURE David A. Eyler TITLE AGENT DATE 03/04/08

Type or print name DAVID A. EYLER

E-mail address: DEYLER@MILAGRO-RES.COM

Telephone No. (432) 687-3033

For State Use Only

APPROVED BY [Signature] TITLE Geologist DATE MAR 28 2008

Conditions of Approval, if any: THE OIL CONSERVATION DIVISION MUST BE NOTIFIED 24 HOURS PRIOR TO THE BEGINNING OF PLUGGING OPERATIONS

STATE Y NO. 1

FILE: STATEY1.DRW
ALB 8/23/94

1980' FNL & 1270' FEL
SEC. 16, T-26-S, R-37-E
RHODES FIELD
LEA COUNTY, NM
WI=100%, NI=87.5%

CURRENT WELL COMPLETION

WELL HISTORY:
COMPL: 2/5/40
A/ OPEN HOLE W/ 1000 GALS
15% HCL

6/22/51:
MEAS. AOF OF 4.7 MMCFPD

8/26/73:
PERF'D 7" CASING
RAN 4 1/2" CASING -
CONVERTED TO GAS INJECTION
FOR RHODES GSU

TUBING:
2 3/8", 4.7# J-55
8RD EUE
EOT @ 3042'

LYNES CASING PACKER
MODEL 301-03-2503
HYDRAULIC SET
SET @ 2779'

13", 40#/FT.
CMT. W/ 180 SX
203'

9 5/8", 36#/FT.
CMT W/ 450 SX
1098'

7", 24#
CMT W/ 125 SX
TOC UNKNOWN

TIE BACK STRING:
4 1/2", 10.5# K-55 8RD
SET FROM SURF. TO 2779'

(4010#)

YATES PERFS: 2806-08, 2810-14,
2816-32, 2910-26
(# HOLES UNKNOWN)

2944'

OPEN HOLE 2944'-3140'
6 1/8" HOLE

TD: 3140'

28.