

Submit 3 Copies To Appropriate District
Office
District I
1625 N French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
May 27, 2004

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS)		WELL API NO. 30-025-38090 ✓
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator Yates Petroleum Corporation ✓		6. State Oil & Gas Lease No. V-5491
3. Address of Operator 105 S. 4 th Street, Artesia, NM 88210		7. Lease Name or Unit Agreement Name Willie State Unit ✓
4. Well Location Unit Letter <u>K</u> : <u>1980</u> feet from the <u>South</u> line and <u>1980</u> feet from the <u>West</u> line Section <u>25</u> Township <u>11S</u> Range <u>34E</u> NMPM <u>Lea</u> County		8. Well Number 6 ✓
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4146' GR		9. OGRID Number 025575 ✓
Pit or Below-grade Tank Application <input type="checkbox"/> or Closure <input type="checkbox"/>		10. Pool name or Wildcat Eight Mile Draw; Atoka (Gas) ✓ Eight Mile Draw; Morrow (Gas)
Pit type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____		
Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____		

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P & A ☐
CASING/CEMENT JOB ☐

OTHER: Recompletion Operations ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

2-28-08 Perforated Atoka (6 JSPF) 11887-11895' w/54 .25" holes.

2-7/8" tubing @ 11824'

Well is completed in Eight Mile Draw; Morrow and Eight Mile Draw; Atoka (DHC-3990)

RECEIVED

MAR 04 2008

HOBBS OCD


I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE Stormi Davis TITLE Regulatory Compliance Technician DATE 3-3-08

Type or print name Stormi Davis E-mail address: stormid@ypcnm.com Telephone No. 575-748-1471

For State Use Only

APPROVED BY: Chris Williams OC DISTRICT SUPERVISOR/GENERAL MANAGER DATE APR 04 2008
Conditions of Approval (if any):

Submit To Appropriate District Office State Lease - 6 copies Fee Lease - 5 copies District I 1625 N French Dr., Hobbs, NM 88240 District II 1301 W Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources <div style="font-size: 2em; opacity: 0.5; position: absolute; top: 50px; left: 50px;">RECEIVED</div> Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 <div style="font-size: 1.5em; opacity: 0.5; position: absolute; top: 100px; left: 50px;">MAR 04 2008</div> <div style="font-size: 1.5em; opacity: 0.5; position: absolute; top: 130px; left: 50px;">HOBBS OGD</div>		Form C-105 Revised June 10, 2003	
		WELL API NO. 30-025-38090		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>	
		State Oil & Gas Lease No. V-5491			
WELL COMPLETION OR RECOMPLETION REPORT AND LOG					
1a. Type of Well: OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> DRY <input type="checkbox"/> OTHER <input type="checkbox"/>				7. Lease Name or Unit Agreement Name	
b. Type of Completion: NEW <input type="checkbox"/> WORK <input type="checkbox"/> DEEPEN <input type="checkbox"/> PLUG <input checked="" type="checkbox"/> DIFF. <input type="checkbox"/> WELL OVER BACK RESVR.				DHC-3990 Willie State Unit	
2. Name of Operator Yates Petroleum Corporation				8. Well No. 6	
3. Address of Operator 105 South Fourth Street, Artesia, NM 88210 (505) 748-1471				9. Pool name or Wildcat Eight Mile Draw; Atoka (Gas)	
4. Well Location Unit Letter <u>K</u> : <u>1980</u> Feet From The <u>South</u> Line and <u>1980</u> Feet From The <u>West</u> Line Section <u>25</u> Township <u>11S</u> Range <u>34E</u> NMPM <u>Lea</u> County					
10 Date Spudded 2-28-08 RC	11. Date T.D. Reached 3-25-07	12. Date Compl. (Ready to Prod) 2-28-08	13 Elevations (DF& RKB, RT, GR, etc.) 4146' GR, 4164' KB	14 Elev. Casinghead	
15. Total Depth 12345'	16. Plug Back T.D. 12303'	17. If Multiple Compl. How Many Zones? 2	18. Intervals Drilled By	Rotary Tools 58-12345'	Cable Tools
19 Producing Interval(s), of this completion - Top, Bottom, Name 11887-11895' Atoka				20. Was Directional Survey Made No	
21. Type Electric and Other Logs Run			22. Was Well Cored No		
23. CASING RECORD (Report all strings set in well)					
CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
20"	Conductor	58'	26"	10 sx Redi-mix	
13-3/8"	48#	433'	17-1/2"	400 sx (circ)	
9-5/8"	36#, 40#	4273'	12-1/4"	1438 sx (circ)	
5-1/2"	17#	12345'	8-3/4"	2608 sx TOC-3773' calc	
24. LINER RECORD			25. TUBING RECORD		
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE
					2-7/8"
					11824'
					11824'
26. Perforation record (interval, size, and number) 12159-12174' and 12191-12202' for total of 156 .40" holes 11887-11895' w/54 .25" holes			27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. DEPTH INTERVAL 12159-12202' AMOUNT AND KIND MATERIAL USED Frac w/45000g CMHPG wtr frac w/45000# 20/40 Ultraprop		
28. PRODUCTION					
Date First Production 2-28-08		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing		Well Status (Prod. or Shut-in) Producing	
Date of Test 2-29-08	Hours Tested 24	Choke Size 15/64"	Prod'n For Test Period	Oil - Bbl 0	Gas - MCF 15
				Water - Bbl. 0	Gas - Oil Ratio
Flow Tubing Press. 200#	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl. 0	Gas - MCF 15	Water - Bbl. 0
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold				Test Witnessed By Martel Ramirez	
30. List Attachments					
31. I hereby certify that the information shown on both sides of this form as true and complete to the best of my knowledge and belief					
Signature: 		Printed Name: Stormi Davis		Title: Regulatory Compliance Technician Date: 3-3-08	
E-mail Address: stormid@ypcnm.com					

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico			Northwestern New Mexico	
T. Anhy	T. Canyon		T. Ojo Alamo	T. Penn. "B"
T. Salt	T. Strawn	11106'	T. Kirtland-Fruitland	T. Penn. "C"
B. Salt	T. Atoka Shale	11596'	T. Pictured Cliffs	T. Penn. "D"
T. Yates	2834'	T. L. Miss Lm	T. Cliff House	T. Leadville
T. 7 Rivers	T. Devonian		T. Menefee	T. Madison
T. Queen	T. Silurian		T. Point Lookout	T. Elbert
T. Grayburg	T. Montoya		T. Mancos	T. McCracken
T. San Andres	4140'	T. Simpson	T. Gallup	T. Ignacio Oztzte
T. Glorieta	5588'	T. McKee	Base Greenhorn	T. Granite
T. Paddock	T. Ellenburger		T. Dakota	T
T. Blinebry	T. Gr. Wash		T. Morrison	T
T. Tubb	7034'	T. Delaware Sand	T. Todilto	T
T. Drinkard	T. Bone Springs		T. Entrada	T
T. Abo	7806'	T. Rustler	2183	T. Wingate
T. Wolfcamp	9158'	T. Morrow	11990'	T. Chinle
T. Upper Penn	9928'	T. Austin	12203'	T. Permian
T. Cisco (Bough C)	T. Chester Lm	12264'	T. Penn "A"	T

OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....

No. 3, from.....to.....

No. 2, from.....to.....

No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....

No. 2, from.....to.....feet.....

No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology

From	To	Thickness In Feet	Lithology

REFERENCE SHEET FOR
UNDESIGNATED WELLS

	Fm	Pm	N	Pc
07-11 C	XX	XX		XX

paragraph

1. Date		4/1/2008
2. Type of Well.		
Oil:		Gas: XX
3. County: LEA		

4. Operator		YATES PETROLEUM CORP		API NUMBER		30 - 025 - 38090			
5. Address of Operator		105 SOUTH 4TH ST ARTESIA, NM 88210							
6. Lease name or Unit Agreement Name		WILLIE STATE UNIT				7. Well Number # - 6			
8. Well Location									
Unit Letter	K	1980	feet from the	S	line and	1980	feet from the	W	line
Section	25	Township	11S	Range	34E				
9. Completion Date		2/28/2008		11. Perfs		Top		Bottom	
						11887		11895	
10. Name of Producing Formation(s)		ATOKA		12. Open Hole Casing shoe		Bottom		PBD	
								12303	
13. C-123 Filed		Date		15. Name of Pool Requested or temporary Wildcat designation		Pool ID num			
Y		N XX		EIGHT MILE DRAW;ATOKA (GAS)		96997			
16. Remarks		EXTEND S/2 DEDICATED							

TO BE COMPLETED BY DISTRICT GEOLOGIST		
17. Action taken	18. Pool Name	Pool ID num
EXTEND	EIGHT MILE DRAW;ATOKA (GAS)	96997
<p>T 11 S, R 34 E</p> <p>SEC 25: S/2</p>		

19. Advertised for HEARING		20. Case Number	
21. Name of pool for which was advertised		Pool ID num	
EIGHT MILE DRAW;ATOKA (GAS)		96997	
22. Placed in Pool		23. By order number	
		R-	