District 1
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

Form C-144 June 1, 2004

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes \(\subseteq \) No \(\subseteq \)

Type of action: Registration of a pit or below-grade tank \(\subseteq \) Closure of a pit or below-grade tank \(\supseteq \)

		6. 1. 0. 1.
Operator: Cimarex Energy Co. Telephone: 972-401-3111 e-mail address: zfarris@cimarex.com		
Address: PO Box 140907; Irving, TX 75014-0907		
Facility or well name. Caudill East 9 Fee No. 1 API #: 30-025- U/L or Qtr/Qtr J Sec 9 T 15S R 36E		
County: Lea Latitude 33°01'51.48" N Longitude 103°18'25.76" W NAD: 1927 ☐ 1983 ☑		
Surface Owner: Federal State Private Indian		
<u>Pit</u>	Below-grade tank	
Type: Drilling \(\subseteq \text{Production} \) Disposal \(\subseteq \)	Volume:bbl Type of fluid	
Workover ☐ Emergency ☐ Lined ☐ Unlined ☐	Double-walled, with leak detection? Yes If not, explain why not.	
Liner type: Synthetic Thicknessmil Clay	Double-waned, with reak detection? Tes [] It not, explain why not.	
Pit Volumebbl Closed Loop System, cuttings buried - g	get landowner release! (W)	
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.) 72'	Less than 50 feet	(20 points)
	50 feet or more, but less than 100 feet	(10 points)
	100 feet or more	(0 points)
Wallhard and discount of an day 200 Car Farmanian day discount	Yes	(20 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	No	(0 points)
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)
	200 feet or more, but less than 1000 feet	(10 points)
	1000 feet or more	(0 points)
	Rauking Score (Total Points)	10
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if		
your are burying in place) onsite 🗌 offsite 🗎 If offsite, name of facility (3) Attach a general description of remedial action taken including remediation start		
date and end date (4) Groundwater encountered: No 🗌 Yes 📋 If yes, show depth below ground surfaceft. and attach sample results.		
(5) Attach soil sample results and a diagram of sample locations and excavations.		
Additional Comments:		
Fresh water will be protected by drilling to 600' with fresh water, setting 13-3/8" 48# H-40 STC casing to 600' and cementing to surface		
with 510 sx cement.		
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .		
Date: 04.03.08		
Printed Name/Title Zeno Farris - Mgr Operations Admin Signature Zono Four,		
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.		
Approval:		
Approval: Printed Name/Title CHRIS WILLIAMS / DIST, SUND Signature hus Williams Date: 4/4/08		