

Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
May 27, 2004

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO.
30-025-21479

5. Indicate Type of Lease
STATE ☐ FEE X ☐

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name
JF Black

8. Well Number #7

9. OGRID Number-State of New Mexico

10. Pool name or Wildcat

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☐ Other WIW

2. Name of Operator

State of New Mexico formerly Pronghorn MGMT

3. Address of Operator

1625 N. French Dr. Hobbs, NM 88240

4. Well Location

Unit Letter C : 2626 feet from the W line and 1340 feet from the N line

Section 21 Township 24S Range 37E NMPM County Lea

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

Pit or Below-grade Tank Application ☐ or Closure ☐

Pit type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____

Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON X ☒

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ P AND A ☐

CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

VD=3660' 7" 20# casing set at 250' w/250 sxs of cement. TOC circulated
2-7/8" 6.5# set at 3660' w/325 sxs of cement. TOC at 2400'
Perfs at 3397'-3555'
TOS at 1105' BOS at 2540'

- 1) Set plug at 3600' 10sxs approx 400'. TAG
- 2) Cut 2-7/8" casing at 2300' and pull
- 3) Set plug at 2300' 25sxs or 100' whichever greater. TAG
- 4) Set plug at 1100' 25sxs or 100' whichever is greater. TAG
- 5) Set plug at 250' 25sxs or 100' whichever is greater. TAG
- 6) Set surface plug 10sxs or 60' whichever is greater.

Place mud laden fluid between each plug w/12.5 lb/gal salt gel.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE _____ TITLE _____ DATE _____

Type or print name

E-mail address:

Telephone No.

For State Use Only

APPROVED BY: Chris Williams TITLE _____

DATE 4/10/2008

Conditions of Approval (if any).