

Submit 3 Copies To Appropriate District Office
District I
1625 N French Dr., Hobbs, NM 88240
District II
1301 W Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S St Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources.

Form C-103
May 27, 2004

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-005-20687
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Tom 36 State
8. Well Number #002
9. OGRID Number 21566
10. Pool name or Wildcat SWD; San Andres

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other SWD
2. Name of Operator John R. Stearns dba Stearns
3. Address of Operator Box 988 Crossroads, NM 88114
4. Well Location Unit Letter H : 1980 feet from the North line and 660 feet from the East line Section 36 Township 7S Range 31E NMPM Chaves County
11. Elevation (Show whether DR, RKB, RT, GR, etc.)

Pit or Below-grade Tank Application <input type="checkbox"/> or Closure <input type="checkbox"/>
Pit type Steel Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____
Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram or recompletion.

Well fluids will be circulated to steel pit

8 5/8" 24# CSA 1654ft. Cmt w/750 sx cmt. Cmt Circulated

5 1/2" 15.5# CSA 4305ft. Cmt w/ 400 sx cmt. Estimated TOC 2172ft w/ 70% fill

Perfs 4197-4217ft

TS - 1779ft

Notify NMOCD District 1 (575-393-6161) prior to commence PA operations

BS - 2168ft

Run tbg open ended to 4200ft, Spot 35sx cmt plug, Ptbg, WOC, Tag cement plug

Spot 25sx cement plug at 2218ft - Base of salt plug

Perf 1829ft, Squeeze w/ 75sx cmt, WOC, Tag cmt plug (Top of Salt and Surface casing shoe plug)

Perf 350ft, Circulate cmt to surface

Cut of wellhead and install OCD regulation PA marker

Cut SU anchors, Clean and level location

***** 9.5# gelled brine between all plugs

THE OIL CONSERVATION DIVISION MUST
BE NOTIFIED 24 HOURS PRIOR TO THE
BEGINNING OF PLUGGING OPERATIONS

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE Billy E. Prichard TITLE Agent DATE _____

Type or print name **Billy E. Prichard**
For State Use Only

shabillron01@warppdriveonline.com

E-mail address:

Telephone No. 575-390-9100

APPROVED BY [Signature] TITLE Geologist


Conditions of Approval (if any):

APR 10 2008
DATE

Stearns

API # 30-005-20687

Tom 36 State # 002 UL "H", Sec 36, T7S,R31E Chaves County,NM



Before PA


BEP

Drawing not to scale

Stearns

API # 30-005-20687

Tom 36 State # 002 UL "H", Sec 36, T7S,R31E Chaves County, NM



After PA

BEP

Drawing not to scale

Pueblo West LLC
Oilfield Consulting Service

April 6, 2008

New Mexico Oil Conservation Division
District 1
1625 N. French Drive
Hobbs, NM 88240

RECEIVED
APR 07 2008
HOBBS OCL

Re: Certified Mail 7006 2150 0002 8216 7133

Please find enclosed NMOCD forms C103 purposed plugging procedures and before and after well bore diagrams for the following wells for John R. Stearns dba Stearns

Tom 36 State # 002, API # 30-005-20687
State 32 # 001, API # 30-005-20651

Sincerely,



Billy (Bill) E. Prichard
Agent for Stearns

RECEIVED
APR 08 2008
HOBBS OCD

1611 SE 5th Street
Seminole, TX 79360
Phone: 432-955-0680
Cell: 575-390-9100
E-mail: shabillron01@warpdriveonline.com