Office Option Appropriate District	State of New Me	XICO	Form C-10	
District I	Energy, Minerals and Natur	ral Resources	May 27, 20	04
1625 N French Dr , Hobbs, NM 88240			WELL API NO.	
District II 1301 W Grand Ave , Artesia, NM 88210	OIL CONSERVATION	DIVISION	30-025-20262	
District III	1220 South St. Fran		5. Indicate Type of Lease	
1000 Rio Brazos Rd . Aztec, NM 87410	Santa Fe, NM 87		STATE FEE S	
District IV	Sama re, Nivi 67	303	6. State Oil & Gas Lease No.	
1220 S St Francis Dr , Santa Fe, NM 87505			FEE	
	ES AND REPORTS ON WELLS		7. Lease Name or Unit Agreement Name	
(DO NOT USE THIS FORM FOR PROPOSA				
DIFFERENT RESERVOIR USE "APPLICA	TION FOR PERMIT" (FORM C-101) FC	R SUCH	Blinebry Oil Com No.1	
PROPOSALS) 1. Type of Well: Oil Well G	as Well Other		8. Well Number	
1. Type of Well. Oil Well 🖂 O	as well Other		1	
2. Name of Operator			9. OGRID Number	
ExxonMobil Corporation Attn: T	iffany Stebbins		7673	
3. Address of Operator			10. Pool name or Wildcat	
Po Box 4358 CORP-MI-P053 Hous	ton, Texas 77210-4358		Oil Center Blinebry	
4. Well Location				
Unit Letter C: 330	feet from the North	line and 2310	feet from the West / line	
	wnship 21S Range 36E	NMPM	·	
	11. Elevation (Show whether DR,			ide san
	3583'	RRD, RT, OR, etc		Maria de la composición dela composición de la composición dela composición de la co
Pit or Below-grade Tank Application □ or 0			200 100 100 100 100 100 100 100 100 100	***
Pit type Steel Depth to Groundwate		rotor wall Di	otanaa fram naavaat ausfaaa watan	
Pit Liner Thickness: mil	Below-Grade Tank: Volume	bbls; C	onstruction Material	
12. Check Ar	propriate Box to Indicate N	ature of Notice.	Report or Other Data	
	•		•	
NOTICE OF INT		SUE	SSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK 🗌	ORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒ REMEDIAL WORK ☐ ALTERING CASING]
TEMPORARILY ABANDON	CHANGE PLANS	COMMENCE DR	RILLING OPNS. P AND A	
PULL OR ALTER CASING	MULTIPLE COMPL	CASING/CEMEN	IT JOB	
	_			
OTHER:		OTHER:]
			nd give pertinent dates, including estimated d	
	c). SEE RULE 1103. For Multip	le Completions: A	ttach wellbore diagram of proposed complet	ion
or recompletion.				
1. MIRU plugging unit.			RECEIVED	
2. POH with rods.				
3. NU BOP				
4. POH with tubing.5. Set CIBP @ 5,758'.			ADD O goog	
<u> </u>			APR 0 8 2008	
6. TIH with tubing.7. Circulate well with plugging	mud	l	LINDOCOOR	
8. Spot 25 sks of C cement on to			MUDDO UKLD	
9. PUH to 2,700'. Spot 25 sks o		10		
10. Perforate 4 ½" @ 1,400'.	1 C comon 2,700 2,100 . Tug pi	* 5·		
11. TIH with packer and squeeze	55 sks 1.400'-1.200'. Tag plug.			
12. Perforate 4 ½" @ 400'.				
13. Circulate 80 sks of cement do	own 4 ½" up annulus to surface.	1-5	Surface day to	
14. Cut off wellhead and anchors				
			ge and belief. I further certify that any pit or belo	
grade tank has been/will be constructed or cle	osed according to NMOCD guidelines], a general permit [or an (attached) alternative OCD-approved plan [].
CICNA TIPE				
SIGNATURE	TITLE	Agent	DATE 4-8-08	
T total	r 1 11 11 01	m 1	1 37 400	
Type or print name Jack Shelton	E-mail address: jshelton@keyer	ergy.com Tele	phone No .432-523-5155	
For State Use Only			Anna	3.03 C
APPROVED BY: Chin US	OC DISTRICT	SUPERVISOR/G	ENERAL MANAGER DATE DATE	200
Conditions of Approval (if any):			DATE	
	HE OIL CONSERVATION DIVISION	MUST		
i B	E NOTIFIED 24 HOURS PRIOR TO	THE		
, BI	EGINNING OF PLUGGING OPERAT	IONS	}	
	* *			

Proposed Well Diagram ExxonMobil

RKB@ DF @ 3390' GL @ 9 7/8" Hole Perf @ 400'. Circ 110 to suface 7 5/8 24# Set @ 1,347' Cmt'd w/ 450 sks cmt circ Perf @ 1,400'. Sqz 55 sks 1,400'-1,200' Tag Top Salt & Shoe plug. TOC 2,400' 25 sks 2,7700'-2,400' Tag **Bttm Salt** 6 3/4" Hole CIBP @ 5,758'. Cap w/ 25 sks cmt. 5,808'-5,905', 5,906'-5,990' Perfs 6,000'-6,098', 6,106'-6,110' Perfs TOF @ 6,097' 4-1/2" 9.5 & 11.6# Set @ 6,180' Cmt'd w/ 500 sks TS TOC 2,400' PBTD: 6,158' TID: 6,180'

_ease & Well No. :	Blinebry Oil Com No. 1					
egal Description ·	C 330' FN	C 330' FNL & 2,310' FWL Sec 10, T 21S, R 368				
County:	Lea	State Ne	New Mexico			
ield .						
Date Spudded :	7/26/1963	Completed.	9/2/1963			
API Number :	30-025-2026	52				
Statue:						

Date 8-Apr-08

Abbreviated Well History

Current Well Diagram ExxonMobil

RKB @ ____ DF @ ___ GL @ __3390' Date: 17-Mar-08

9 7/8" Hole

7 5/8 24# Set @ 1,347' Cmt'd w/ 450 sks cmt circ

TOC 2,400'

6 3/4" Hole

5,808'-5,905', 5,906'-5,990' Perfs

6,000'-6,098', 6,106'-6,110' Perfs TOF @ 6,097'.

4-1/2" 9.5 & 11.6# Set @ 6,180' Cmt'd w/ 500 sks TS TOC 2,400'

PBTD: 6,158' TID: 6,180'

Lease & Well No	Blinebry Oil Com No. 1					
Legal Description :	C 330' FN	C 330' FNL & 2,310' FWL Sec 10, T 21S, R 36E				
County:	Lea	State _	New Mexico			
Field :						
Date Spudded .	7/26/1963	Comp	Completed:			
API Number	30-025-2026	52				
Status:						

Abbreviated Well History