

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
May 27, 2004

RECEIVED

HOBBS OCD

CONSERVATION DIVISION

1220 South St. Francis Dr.
Santa Fe, NM 87505

MAR 19 2008

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH
PROPOSALS)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator

READ & STEVENS, INC.

3. Address of Operator

P. O. BOX 1518, ROSWELL, NM 88202-1518

4. Well Location

Unit Letter: J: 1980 feet from the South line and 1980 feet from the East line

Section 7

Township 19S

Range 35E

NMPM

County : Lea

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

3866.2' GR - 3879' RKB

Pit or Below-grade Tank Application ☐ or Closure ☐

Pit type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____

Pit Liner Thickness:

mil

Below-Grade Tank: Volume

bbls;

Construction Material

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐

PLUG AND ABANDON ☐

TEMPORARILY ABANDON ☐

CHANGE PLANS ☐

PULL OR ALTER CASING ☐

MULTIPLE COMPL ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☒

ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐

P AND A ☐

CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

MIRUSU. Isolate hole in csg between 8483' and 8514'. Cmt squeeze by pumping 75 sxs H cmt neat lead followed by 25 sxs H cmt tail containing 2% CaCl. WOC. Tag cmt at 8470'. Drill cmt. PU & RIH w/BPMA, perf'd tbg sub, tbg, TAC. NDBOP. Set TAC @ 10,017'. EOT @ 10,159'. Seating nipple @ 10,145'. NUWH. PU & RIH w/pump & rods. Hung on w/good pump action. RDMOSU. Left unit pumping to tank battery. MIRUSU. Unseat pump. POH w/rods, pump. NDWH. Rls TAC. NUBOP. POH w/tbg. RIH w/pkr & tbg. Set pkr at 10,077'. RU acid crew. Acidize well by pumping 1,000 gal 15% NeFe acid containing 10% paraffin solvent. Spaced 30 BS evenly throughout job. Flushed w/45 bbls 2% KCl wtr. RIH w/swab. RD swab. Rls pkr. POH w/tbg laying dwn pkr. RIH w/BPMA, Perf'd sub, tbg, TAC. NDBOP. NUWH. Set TAC. RIH w/pump & rods. Seat and space pump. Hang well on. RDMOSU. Left unit pumping to battery.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE

TITLE: OPERATIONS MANANGER DATE: 03/18/2008

Type or print name John C. Maxey

E-mail address: jcm@read-stevens.com

Telephone No. 575-622-3770 x 224

For State Use Only

APPROVED BY:

Chris Williams

OC DISTRICT SUPERVISOR/GENERAL MANAGER

DATE

APR 25 2008

Conditions of Approval (if any):