1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes No

No

Type of action: Registration of a pit or below-grade tank [] Closure of a pit or below-grade tank		
Operator: CANO PETRO OF NM. Telephone: 817-698-0900 e-mail address:		
Address: 801 CHERRY STREET, Unit #25 Suite 3200, FORT WORTH, Tx. 76/02		
Facility or well name: CSAU # 572 API #: 2	30-05 - 28015 U/L or Qtr/Qtr NW	Sec 14 T 88 R 30E
County: CHAVES Latitude	Longitude	NAD: 1927 🔲 1983 🗌
Surface Owner: Federal ☐ State ☐ Private ☒ Indian ☐		BECEMEN
<u>Pit</u>	Below-grade tank	
Type: Drilling Production Disposal	Volume:bbl Type of fluid:	
Workover ☐ Emergency ☐	Construction material:	APR 2.5.2008
Lined 🛛 Unlined 🗌	Double-walled, with leak detection? Yes 🔲 If not,	explain why not
Liner type: Synthetic ☑ Thickness 12 mil Clay □		
Pit Volume Zoso bbl		
	Less than 50 feet	(20 points)
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)
high water elevation of ground water.)	100 feet or more	(0.11)
	Too leet of more	(0 points)
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)
water source, or less than 1000 feet from all other water sources.)	No)	(0 points)
	Less than 200 feet	(20 points)
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points)
	Ranking Score (Total Points)	0
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if		
your are burying in place) onsite 🗵 offsite 🗌 If offsite, name of facility		
remediation start date and end date. (4) Groundwater encountered: No 🗹 Yes 🗌 If yes, show depth below ground surfaceft. and attach sample results.		
(5) Attach soil sample results and a diagram of sample locations and excavations.		
Additional Comments: CANO PETRO PROPOSES TO CLOSE THE DRILLING PIT 45 FOLLOWS: REMOVE ALL		
FLUIDS FROM PIT. A DEEP TRENCH WILL BE CONSTRUCTED NEXT TO EXISTING RESERVE PIT AND		
LINED WITH 12 MIL. LINER. THE CONTENTS WILL BE ENCAPSULATED AND LINER WILL BE FOUND		
OVER MUD AND CUTTINGS, THEN COVER LINER WITH 20 MIL LINER AS PER N.M.O.C.D,		
PIT CLOSURE GUIDELINES. WILL THEN COVER WITH 3' OF NATIVE SOIL AND CONTOUR PIT TO		
PREVENT EROSION AND PONDING OF RAINWATER	WILL NOTIFY NMOCD. 48hr	s, prior to beginging work
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .		
1- 1/12/10	ρ	
Printed Name/Title GREG LEARY AGENT	Mac Louis	Very Company of the C
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations		
CONDITIONS REQ'D FOR APPROVAL:		
A TOTAL TOTAL	- 1	
Samples (for chloride) are to be obtained from pit floor	Ow 300	_
area in each quadrant and analysis submitted to OCD	Signature FNVIRONMENTAL FNG	NEER Date: 4.28.08
prior to back-filling	EMAILOMAINITAL FIAG	