<u>1915trict 1</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u>	State of New Mexico Energy Minerals and Natural Resources			Form C-144 June 1, 2004	
1301 W. Grand Avenue, Artesia, NM 88210 District III		Conservation Division	For drilling and production facilities, sul	omit to	
1000 Rio Brazos Road, Aztec, NM 87410 District IV		South St. Francis Dr.	For drilling and production facilities, sub appropriate NMOCD District Office. For downstream facilities, submit to Sant	9 Fe	
1220 S. St. Francis Dr., Santa Fe, NM 87505		anta Fe, NM 87505	office	a16	
Pit or Below-Grade Tank Registration or Closure					
Is pit or below-grade tank covered by a "general plan"? Yes X No					
Type of action: Registration of a pit or below-grade tank 🔲 Closure of a pit or below-grade tank 🔀					
Operator: CANO PETRO of NM. Telephone: 817-698-0900 e-mail address:					
Operator: CANO PETRO OF NM. Telephone: 817-698-0900 e-mail address: Address: 801 CHERRY STREET, Unit #25 Suite 3200, FORT WORTH, TX, 76/02					
Facility or well name: $CSAU # 573$ API #: 30-05 -28016 U/L or Qtr/Qtr NE Sec 14 T 85 R 30E					
County: CHAVES			$e_{1} = 1927 \square 1983$		
Surface Owner: Federal 🗌 State 🗋 Private 🕅 Indian		Longhud			
Pit		Below-grade tank	TEGEWE		
$\frac{1}{\underline{\mathbf{Type:}}}$ Drilling X Production Disposal		Volume:bbl Type of fluid:			
Workover 🔲 Emergency 🗌		Construction material: APR 2 5 2008			
Lined 🛛 Unlined 🗌		Double-walled, with leak detection? Yes I If not, explain why not			
Liner type: Synthetic 🕅 Thickness 12 mil Clay 🗖					
Pit Volume 2000 bbl				80	
Depth to ground water (vertical distance from bottom of	nit to seasonal	Less than 50 feet	(20 points)		
high water elevation of ground water.)	pri to sousonur	50 feet or more, but less than 100 feet	(10 points)		
	(100 feet or more	(0 points) O		
Wellhead protection area: (Less than 200 feet from a pr	ivate domestic	Yes	(20 points)		
water source, or less than 1000 feet from all other water		No	(0 points)		
		Less than 200 feet	(20 points)	<u></u>	
Distance to surface water: (horizontal distance to all we		200 feet or more, but less than 1000 feet			
irrigation canals, ditches, and perennial and ephemeral v	vatercourses.)	1000 feet or more	(0 points)		
		Ranking Score (Total Points)	0		
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if					
your are burying in place) onsite 🖾 offsite 🗋 If offsite, name of facility (3) Attach a general description of remedial action taken including					
remediation start date and end date. (4) Groundwater encountered: No 🖉 Yes 🗌 If yes, show depth below ground surfaceft. and attach sample results.					
(5) Attach soil sample results and a diagram of sample locations and excavations. Additional Comments: CANO PETRO DROPOSES TO CLOSE THE DRILLING PIT AS FOLLOWS: REMOVE ALL					
FLUIDS FROM PIT. A DEEP TRENCH WILL BE CONSTRUCTED NEXT TO EXISTING RESERVE PIT AND					
LINED WITH 12 MIL. LINER. THE CONTENTS WILL BE ENCAPSULATED AND LINER WILL BE FOUSE					
OVER MUD AND CUTTINGS, THEN COVER LINER WITH 20 MILLINER AS PER N.M.O.C.D.					
PIT CLOSURE GUIDELINES. WILL THEN COVER WITH 3' OF NATIVE SOIL AND CONTOUR PIT TO					
PREVENT EROSION AND BNOING OF RAINWATER. WILL NOTIFY NMOCD. 48hrs. prior to beginging work					
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .					
1/2/20 1		Λ			
Printed Name/Title GREG LEARY	AGENT	line -	Page		
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.					
A CONDITIONS REQ'D FOR APPROVAL:					
Pr Samples (for chloride) are to be obtain	ed from nit flor		Date: 4.28.0	8	
area in each quadrant and analysis su					
prior to back-filling					
	_				

.