<u>District I</u> 1625 N French Dr., Hobbs, NM 88240 District II
1301 W Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources**

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Pit or Below-Grade	Tank Registration	or Closure


	nk covered by a "general plan"? Yes □ No ☒ or below-grade tank □ Closure of a pit or below-grade tank ☒			
Operator: COG Operating LLC Address Fasken Center Tower II, 550 W. Texas Ave., Suite 1300, Midlar	e 432-685-4332 e-mail address: kcarrıllo@conchoresources com			
Facility or well name J C Federal #11 API # 30-	025-38695 U/L or Qtr/Qtr A Sec 22 T: 17S R 32E			
County Lea Latitude	32 826312 N Longitude: 103 746249 W NAD 1927 ⊠ 1983 □ ,			
Surface Owner Federal ⊠ State ☐ Private ☐ Indian ☐				
<u>Pit</u>	Below-grade tank			
Type Drilling Production Disposal	Volumebbl Type of fluid			
Workover ☐ Emergency ☐	Construction material			
Lined Unlined	Double-walled, with leak detection? Yes If not, explain Why not 7.2003			
Liner type Synthetic M Thickness 12 mil Clay	LIMPOCACE			
Pit Volume 3,000 bbl				
Double to around water (warter) distance from house of the	Less than 50 feet (20 points)			
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet (10 points) 10			
high water elevation of ground water) 68'	100 feet or more - X (0 points) 0			
	Yes (20 points)			
Wellhead protection area (Less than 200 feet from a private domestic	No - X (0 points) 0			
water source, or less than 1000 feet from all other water sources)	(v points)			
Distance to surface water (horizontal distance to all wetlands, playas,	Less than 200 feet (20 points)			
irrigation canals, ditches, and perennial and ephemeral watercourses)	200 feet or more, but less than 1000 feet (10 points)			
	1000 feet or more - X (0 points) 0			
	Ranking Score (Total Points) 10 points			
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's	s relationship to other equipment and tanks (2) Indicate disposal location (check the onsite box if			
your are burying in place) onsite \(\square\) offsite \(\square\) If offsite, name of facility	(3) Attach a general description of remedial action taken including			
	Yes If yes, show depth below ground surface ft and attach sample results			
(5) Attach soil sample results and a diagram of sample locations and excavat				
Closed by trench burial, procedure attached and field sample results e-mail				
All material with chloride levels above 250 mg/Kg were removed and place				
French was capped with 20 mil. liner with excess of 3° on all sides and cov				
Lab and field samples results are attached				
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an intached) alternative OCD-approved plan .				
Date 5-6-2008				
Printed Name/Title Gary Miller- Agent Signature				
Your certification and NMOCD approval of this application/closure does n otherwise endanger public health or the environment. Nor does it relieve the regulations	not relieve the operator of liability should the contents of the pit or tank contaminate ground water or the operator of its responsibility for compliance with any other federal, state, or local laws and/or			
Approval	Dohnson			
Printed Name/Title	Signature ENVIRONMENTAL ENGINEER Date 5.8 CS			

Highlander Environmental Corp.

		Pit Clo	osu <mark>r</mark> e Samplir	ng Report		
Job Number:	3270			-1-08		
Client:	CD9					
Well Name	JC FE	ed. #11		Lea Co.	NM.	
API#	30-025	- 38 695				
Depth of Pit	<u> </u>					
Depth to Groundwater		Orientation of p	The second secon	W		
Glouliuwatei	All pit sample	depths are below p	cation from rese	serve pit N S 🤇	E)W	
	All pit damp.	Jepins are boion p	Field		<u> </u>	T
	Sample	(1 (DDD)	Chloride	Lab Chloride	Soil to be	Soil to be
	Location	Depth (BPB)	Results	Results	excavated	
			(mg/Kg)	(mg/Kg)		
	NE	S.	200	171		
					1	
	<u> </u>					
	NW	<u>S.</u>	150	<100		
		-				
		+			 '	<u> </u>
	SE.	2'	1000	 		ļ
	<u></u>	-	150	\$100	 '	
		1		 	+	<u> </u>
	· · · · · · · · · · · · · · · · · · ·				+	
					1	
!	SW	S,	760	<100	1	
ĺ		'			1	
!					 	
	<u> </u>	<u> </u>	<u> </u>			
	Center	Z'	200	<100		
		 	 		<u> </u>	
,	<u> </u>	1	1 '	1	· [1

BGS- Below Ground Surface

BPB- Below Pit Bottom



Report Date: May 5, 2008 3220

Work Order: 8050132 COG-JC Fed #11

Page Number: 1 of 2 Lea County, NM

Summary Report

Gary Miller

Highlander Environmental Services

1910 N. Big Spring Street Midland, TX, 79705

Report Date: May 5, 2008

Work Order: 8050132

Project Location: Lea County, NM Project Name:

COG-JC Fed #11

Project Number: 3220

			Date	Time	Date
Sample	Description	Matrix	Taken	Taken	Received
$\overline{158521}$	NE 2'	soil	2008-05-01	، 00:00	2008-05-01
158522	NW 2'	soil	2008-05-01	00:00	2008-05-01
158523	SE 2'	soil	2008-05-01	00:00	2008-05-01
158524	SW 2'	soil	2008-05-01	00:00	2008-05-01
158525	Center 2'	soil	2008-05-01	00:00	2008-05-01

Sample: 158521 - NE 2'

Param	Flag	Result	Units	RL
Chloride		171	mg/Kg	2.00

Sample: 158522 - NW 2'

Param	Flag	Result	Units	RL
Chloride		<100	mg/Kg	2.00

Sample: 158523 - SE 2'

Param	Flag	Result	Units	RL
Chloride		<100	mg/Kg	2.00

Sample: 158524 - SW 2'

Param	Flag	Result	Units	RL
Chloride		<100	mg/Kg	2.00

Sample: 158525 - Center 2'

Report Date: May 5, 2008 3220

Work Order: 8050132 COG-JC Fed #11 Page Number: 2 of 2 Lea County, NM

Param	Flag	Result	Units	RL
Chloride		<100	mg/Kg	2.00

District I
1625 N French Dr , Hobbs, NM 88240
District II
1301 W Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S St Francis Dr , Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe office

Form C-144 June 1, 2004

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes \(\subseteq \text{No} \(\subseteq \)

Type of action Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank				
Facility or well nameJC Federal #11 _API #30-025-38		2 T 17S R 32E		
County Lea Latitude 32.82				
Surface Owner Federal State Private Indian				
<u>Pit</u>	Below-grade tank	DEPENDED		
Type Drilling Production Disposal	Volumebbl Type of fluid	RECEIVED		
Workover ☐ Emergency ☐	Construction material			
Lined \(\sum \) Unlined \(\sum \) .	Double-walled, with leak detection? Yes If not	i, explain why APR 0 7 2008		
Liner type Synthetic ☑ Thickness 12 mil Clay ☐ Pit Volume 25,000 bbl		HOBBS OCD		
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)		
high water elevation of ground water) 68'	50 feet or more, but less than 100 feet	(10 points) 10 points		
	100 feet or more	(0 points)		
Wellhead protection area (Less than 200 feet from a private domestic	Yes	(20 points)		
water source, or less than 1000 feet from all other water sources)	No	(0 points)		
Distance to surface water (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)		
irrigation canals, ditches, and perennial and ephemeral watercourses)	200 feet or more, but less than 1000 feet	(10 points)		
-	1000 feet or more	(0 points)		
	Ranking Score (Total Points)	10 points		
If this is a pit closure: (1) Attach a diagram of the facility showing the pit your are burying in place) onsite offsite for If offsite, name of facility remediation start date and end date (4) Groundwater encountered No 15 Attach soil sample results and a diagram of sample locations and excava	Yes If yes, show depth below ground surface	description of remedial action taken including		
	proposes to close the drilling pit as fol	lows:		
1 Remove fluids from pit.				
2. A deep trench pit will be constructed next to t	he existing reserve pit and lined with a	12 mil liner.		
The contents will be encapsulated in this pit a	nd the liner will be folded over the mud	& cuttings.		
3 Cover liner w/20 mil liner w/ excess of 3' on a	Il sides as per option IV.B.3.(b) of Pit ar	nd Below-Grade Tank Guidelines.		
4. Cover w/ a minimum of 3' of native soil.				
Contour pit to prevent erosion & ponding of rainwater.				
I hereby certify that the information above is true and complete to the best of my knowledge and belief I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .				
Date <u>04/02/08</u>				
Printed Name/Title Kanicia Carrillo, Regulatory Analyst Signature				
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.				
Approval.	Platus			
Printed Name/Title	SignatureENVIRONMENTAL ENV	OINTED Date 4.9.08		
	- Signature ENVIRUNIVIENTAL EN	GINEER Date. 4.9.08		