ŭ.					Vê	State ergy Miner	of Nev als and	w Mex Natura	tico al Resou	urces			Form C-101 May 27, 2004	
	1301 W. Gran District III	,	-			Oil Con	servat	ion Di	vision		Submit	to approp	oriate District Office	
	1000 Rio Bra District IV	zos Road, A	Aztec, NM 8	74APR 032	2008	1220 So							MENDED REPORT	
	1220 S. St. Fr	ancis Dr., S	anta Feink	nrrc	: 01	Sant							mit renewal request	
	APPL	ICATI	ON FO		TOD	RILL, RE-	ENTI	E <mark>R, D</mark>	EEPEN	I, PLUGBA	CK,	OR AD	D A ZONE	
				¹ Operator Name						200		umber: 00	00785	
			INC., BO	X 3418, MID	LAND, T					30 - 025 3	3069	PI Number	<u> </u>	
		rty Code			⁹ Property Narr							^o Well No.		
ł		Proposed Pool 1:					IAWK_	AWK 1 1 1º Proposed Pool 2						
L	· · · · · · · · · · · · · · · · · · ·		Unde	sginated Delaw	are	7 0 0		<u> </u>			<u> </u>			
Г		G utin		D		⁷ Surface		T	outh line	Feet from the	East	West line	County	
1	UL or lot no. L	Section 31	Township 21S	Range 33E	Lot I		rom the D11	1	uth	660		West me West	County Lea	
L					1						<u> </u>			
Г	TH LAN	0.0	T. 1	1		om Hole Loc	ation If	T	t From S	Surface Feet from the		/West line	Country	
	UL or lot no.	Section	Township	Range	Lot I	an recu	rom the	Norul/5	outh line	reet from the	East	west line	County	
L						1:4: 1 XV	-11 16	<u> </u>						
Г	¹¹ Work	Type Code		¹² Well Type Co		ditional W	ell Info	ormati		Lease Type Code		¹⁵ Grou	und Level Elevation	
	Re-	entry 🖌		0	I		R	State:		e: /V-3430		3726' DF		
		ultiple NO		¹⁷ Proposed Dep 6300'	oth ¹⁸ Formation Delaware			¹⁹ Contractor TBA			²⁰ Spud Date Upon Approval			
ŀ	Depth to Grou		550'			e from nearest fr	esh water							
ł	<u>Pit:</u> Liner	Synthetic:	mils this	xk Clay 🗌 I	Pit Volume:	bbls	Dri	lling Met	nod:	L				
	Close	d-Loop Sys	tem X						sh Water 2		el/Oil-ba	ased 🗋 🤇	Gas/Aır	
_				21	Propos	ed Casing	and Ce	ement	Program	n				
	Hole S	ize	Cas	ing Size	Casing	, weight/foot		Setting D	epth	Sacks of C	ement		Estimated TOC	
	17.5			3/8"		<u>85#</u>		725		850 s			Surface	
ł	11' 7 7/8		·	<u>8 5/8"</u> 5 1/2"		<u>32#</u> 17#		<u>4800'</u> 9100'		1900 9	14	·	<u>Surface</u> 3370'	
t)	······	N/2		<u></u>		- 7100			57) ///	
	22				-									
	Describe the Re-entry p Dig out ce Drill out v of 5 1/2" c Dress off Run inside RIH down	blowout pro procedur ellar & w vithin 8 asing @ 5 1/2" ca the 5 1/ to PBT	evention pro e: /eld on n 5/8" casi 3300'(+ sing insi- 2" casing D at 630	gram, if any. Us ew wellhead ng 4 sets of /-). de the 8 5/8' g w/4.75" bin 0' (+/-). Perf	e additiona L. Rig. up plugs fro ' casing. t & drill forate &	I sheets if neces completion om: 300-40 out in the 5 test Delawa	sary. 1 unit & 0'; 675 1/2" ca are @ s	c drill o 5-775'; asing –	out surfa 1250-1 the plu		lug fro 00-330 4850' oxima	òm 0-60 00'. Dril	new productive zone. ? Il down to top 00-5800'.	
ſ	²³ I hereby cer best of my kn	tify that the owledge an	e information d belief. I fu	n given above is a notice the second se	true and co at the drill	mplete to the ing pit will be			OIL C	ONSERVA	<u>FION</u>	DIVIS	ION	
	constructed a	ccording t	o NMOCD	guidelines X, a roved plan 🗍.			Appro	ved by:	Jan Harrison and the second se	lat.				
t	Printed name:	Ann E. Ri	tchie	///	00		Title:	PETR	DLFUM	ENGINEER				
ľ	Title: Regulat				C.R.un		Approval Date: MAY 1 3 2008 Expiration Date:							
	E-mail Addres		hie@wtor.ne	et		• ¹ / ₃	1				-			
ſ	Date: 03/28/2	008		s a Phone: 4324	54P638N7	b -0913	Conditions of Approval Attached							
L	· D	ate Uni	en F	le En	way try		- <u>H</u>				<u></u>			

γ,

District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

.

State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-102 Revised October 12, 2005 Submit to Appropriate District Office State Lease - 4 Copies Fee Lease - 3 Copies

AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number			² Pool Code		³ Pool Name				
3	30-025 330	69					Undesignated I	Delaware	
⁴ Property	y Code	a 11 <u>4</u> 1	· • •		• 1	⁶ Well Number			
					Tomaha	wk			001
⁷ OGRID No. ⁸ O						Vame		⁹ Elevation	
0007	85				Amex Energ	y, Inc.			3726'
					¹⁰ Surface I	Location			
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
L	31	21S	33E		2011	South	660	West	Lea
			$-\frac{1}{Bc}$	ottom Ho	le Location I	f Different Fron	n Surface		
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
¹² Dedicated Act 36.3	res ¹³ Joint o	pr Infill 14 Co	onsolidation (Code ¹⁵ Or	der No.				

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

16 Lot 1	¹⁷ OPERATOR CERTIFICATION
	I hereby certify that the information contained herein is true and complete
	the best of my knowledge and belief, and that this organization either own
	working interest or unleased mineral interest in the land including the
	proposed bottom hole location or has a right to drill this well at this location
	pursuant to a contract with an owner of such a mineral or working interes
	or to a voluntary pooling agreement or a compulsory pooling order
	heretoforgentered by the dynsion.
Lot 2	03/28/2008
	Suprative Date
	Supraneae 12ene
	Ann E Ritchie, Regulatory Agent
	Printed Name
	Recompletion/drill out to Delaware
	Recompletion with our to Delawate
r Lot 3	¹⁸ SURVEYOR CERTIFICATION
	<i>I hereby certify that the well location shown on this plat wa</i>
660' x	plotted from field notes of actual surveys made by me or
660' x FWL	under my supervision, and that the same is true and correct
	to the best of my belief.
	· · · · · · · · · · · · · · · · · · ·
	No
Lot 4	Date of Survey
Lot 4	Signature and Seal of Professional Surveyor.
2011' FSL	
	Certificate Number

DISTRICT I P.O. Box 1980, Hobbs, NM 88240

- -

٠

DISTRICT II P.O. Drawer DD, Artesia, NM 86210

DISTRICT III 1000 Rto Brazos Rd., Axtsc, NM 87410

000 Rio Brazos Rd., Aztec, NK 87410

DISTRICT IV PO BOX 2088, SANTA PE, HM 87504-2088

State of New Mexico

· · · · ·

Energy, Minerals and Natural Resources Department

Form C-102 Revised February 10, 1994 Instruction on back Submit to Appropriate District Office State Lease - 4 Copies Fee Lease - 3 Copies

OIL CONSERVATION DIVISION P.O. Box 2088

Santa Fe, New Mexico 87504-2088

Re-entry-Amtex Energy Amtex Energy Amtex Energy

٦

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-025-33069				ool Code		Pool Name UNDES. LEGG BONE SPRINGS					
30-025 Property (<u>- 331</u>	164	378	Well Number							
1734				1							
OGRID No									an l		
17891		<u> </u>	POGO PRODUCING CO. 3714								
			······································		Surface 1			Dent (West View	County		
UL or lot No.	Section 7.4	Township	Range 33 E	Lot Ida 3	Peet from th 2011	se North/South line SOUTH	Peet from the 660	Bast/West line WEST	LEA		
Lor	31	21 S	L		L						
						ifferent From St		East/West line	County		
UL or lot No.	Section	Township	Range	Lot Idn	Feet from U	he North/South line	Feet from the	Rast/ west hine	county		
		or infill Co	nsolidation (ode Or	der No.	l			L		
Dedicated Acre			TSOUGEGOD (
36.30			COLONED 7	DINTE OF	COMPLETIO	N UNTIL ALL INT	ERESTS HAVE BE	EN CONSOLID	ATED		
NO ALLA	MABLE 1	OR A	NON-STAN	DARD UN	IT HAS BE	EN APPROVED BY	THE DIVISION				
				1		1]		
LOT	ן ו ו					1	OPERATO	OR CERTIFICA	TION		
	1					1		y certify the the ir n is true and comp			
						1	11	uledge and betisf.			
						1	1	1 00			
	1					1	Lina	alle	awall		
36.17	AC.	<u> </u>				 	Signature				
LOT	2						Arthur F	R. Brown			
	•					1	Printed Nam	16			
		1			-		Agent				
		l				1		ist 16, 199	5		
		I					Date				
36.24	AC.						SURVEY	OR CERTIFICA	TION		
LOT	з						I hereby certif	y that the well loca	tion shown		
 						1		as plotted from fie made by one or	11		
							supervisor, a	nd that the same i	s true and		
660'	1						Correct to th	te best of my beh	- v-		
	i			1		1		GUST7. 1995			
36.30	AC.					1	Date Survey	ed G. Elus	SJA		
LOT		• 					Professional	Surveyor	×		
2011		1 									
		s 1		1			En	122-7 8-	7-95		
		1 1					W.O. N	um. 95-11-1			
		1					Certificate	TOHN W. WEST	676		
36.37	AC.	1						" ·····GARY ETDSON	SON 3239 12641		
]		

Submit 3 spriate District State o	of New Mexico	Form C-103
Office	is and Natural Resources	May 27, 2004
1625 N. Frenc		WELL API NO.
District II 1301 W. Grand Ave., Artesia, NM 88210 OIL CONSER	RVATION DIVISION	30-025-33069
District III 1220 Sou	th St. Francis Dr.	5. Indicate Type of Lease . STATE X FEE
1000 Rio Brazos Rd., Aztec, NM 87410 District IV Santa	Fe, NM 87505	6. State Oil & Gas Lease No.
1220 S. St. Francis Dr., Santa Fe, NM	·	
87505 SUNDRY NOTICES AND REPORTS	ON WELLS	V - 3430 7. Lease Name or Unit Agreement Name
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DE		7. Lease Name of Our Agreement Name
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FO	ORM C-101) FOR SUCH	Tomahawk Unit
PROPOSALS.) 1. Type of Well: Oil Well X Gas Well Other		8. Well Number 1
2. Name of Operator		9. OGRID Number
Pogo Producing Company		1789.
3. Address of Operator		10. Pool name or Wildcat
P.O. Box 10340, Midland, Te	exas 79701	Bilbrey Delaware East
4. Well Location	in the second	
	$\frac{2011}{5}$ line and <u>66</u>	
	2185 Range 38 E	NMPM N. M. County Lea
推翻,如此就是这些这些这些,这些是我们的问题。"	whether DR, RKB, RT, GR, etc.,	
Pit or Below-grade Task Application or Closure		
Pit type Steel Depth to Groundwater Distance from	OVET nearest fresh water well 000 ' Diss	OVEr tance from nearest surface water 1000
Pit Liner Thickness: mil Below-Grade Tank:		mestruction Material
12. Check Appropriate Box to	Indicate Nature of Notice	Penort or Other Data
12. Chick Appropriate Box to	mutate Manie Of Montes,	Report of Other Data
NOTICE OF INTENTION TO:	SUB	SEQUENT REPORT OF:
PERFORM REMEDIAL WORK D PLUG AND ABANDO		
PULL OR ALTER CASING MULTIPLE COMPL*	CASING/CEMEN	TJOB
محمة بالمعربة والمعربة والمراجعة المراجعة المراجع المعربين من ما يعمون المراجعة المراجع والمعربين والمعربين و محمة المحمولية والمعربية والمالية المحمد ا		
محجا بيغيد ومريد والمرهب الريم الأرمعان وأروامها المتدررين كالا		
OTHER:	OTHER:	
OTHER: 13. Describe proposed or completed operations. (Clear of starting any proposed work). SEE RULE 1103.	OTHER: inly state all pertinent details, an	d give pertinent dates, including estimated date
OTHER: 13. Describe proposed or completed operations. (Clear of starting any proposed work). SEE RULE 1103. or recompletion.	OTHER: rly state all pertinent details, an For Multiple Completions: Al	d give pertinent dates, including estimated date ttach wellbore diagram of proposed completion
OTHER: 13. Describe proposed or completed operations. (Clear of starting any proposed work). SEE RULE 1103. or recompletion. Plug #1- Set CIBP at 8400', c	OTHER: rly state all pertinent details, an For Multiple Completions: An cap w/25 sx Cmt.,	d give pertinent dates, including estimated date ttach wellbore diagram of proposed completion 4/20/06
OTHER: 13. Describe proposed or completed operations. (Clear of starting any proposed work). SEE RULE 1103. or recompletion. Plug #1- Set CIBP at 8400', C Plug #2- Set CIBP at 8000', C	DTHER: rdy state all pertinent details, an For Multiple Completions: At cap w/25 sx Cmt., cap w/ 25 sx Cmt.,	d give pertinent dates, including estimated date ttach wellbore diagram of proposed completion 4/20/06 4/21/06
OTHER: 13. Describe proposed or completed operations. (Clear of starting any proposed work). SEE RULE 1103. or recompletion. Plug #1- Set CIBP at 8400', C Plug #2- Set CIBP at 8000', C Plug #3- Spot 40 sx at 7390'	DTHER: rdy state all pertinent details, an For Multiple Completions: An cap w/25 sx Cmt., cap w/ 25 sx Cmt., Tag 7205'	d give pertinent dates, including estimated date ttach wellbore diagram of proposed completion 4/20/06
OTHER: 13. Describe proposed or completed operations. (Clear of starting any proposed work). SEE RULE 1103. or recompletion. Plug #1- Set CIBP at 8400', C Plug #2- Set CIBP at 8000', C Plug #3- Spot 40 sx at 7390' Plug #4- Spot 25 sx at 6558' Plug #5- Spot 25 sx at 4598',	OTHER: rdy state all pertinent details, an For Multiple Completions: An cap w/25 sx Cmt., cap w/ 25 sx Cmt., Tag 7205' Tag 4635'	d give pertinent dates, including estimated date ttach wellbore diagram of proposed completion 4/20/06 4/21/06 4/21/06
OTHER: 13. Describe proposed or completed operations. (Clear of starting any proposed work). SEE RULE 1103. or recompletion. Plug #1- Set CIBP at 8400', C Plug #2- Set CIBP at 8000', C Plug #3- Spot 40 sx at 7390' Plug #4- Spot 25 sx at 6558' Plug #5- Spot 25 sx at 4598', Cut & Pull 3190' of	OTHER: rdy state all pertinent details, an For Multiple Completions: An cap w/25 sx Cmt., cap w/ 25 sx Cmt., Tag 7205' Tag 4635' 5 1/2" Casing.	d give pertinent dates, including estimated date ttach wellbore diagram of proposed completion 4/20/06 4/21/06 4/22/06 4/22/06 4/22/06
OTHER: 13. Describe proposed or completed operations. (Clear of starting any proposed work). SEE RULE 1103. or recompletion. Plug #1- Set CIBP at 8400', C Plug #2- Set CIBP at 8000', C Plug #3- Spot 40 sx at 7390' Plug #4- Spot 25 sx at 6558' Plug #5- Spot 25 sx at 4598', Cut & Pull 3190' of Plug #6- Spot A@ sx Cmt. 3250	DTHER: rdy state all pertinent details, an For Multiple Completions: An cap w/25 sx Cmt., cap w/ 25 sx Cmt., Tag 7205' Tag 4635' 5 1/2" Casing. D', Tag 3100'	d give pertinent dates, including estimated date ttach wellbore diagram of proposed completion 4/20/06 4/21/06 4/22/06 4/22/06 4/22/06 4/22/06
OTHER: 13. Describe proposed or completed operations. (Clear of starting any proposed work). SEE RULE 1103. or recompletion. Plug #1- Set CIBP at 8400', c Plug #2- Set CIBP at 8000', c Plug #3- Spot 40 sx at 7390' Plug #4- Spot 25 sx at 6558' Plug #5- Spot 25 sx at 4598', Cut & Pull 3190' of Plug #6- Spot 40 sx Cmt. 3250 Plug #7- Spot 35 sx Cmt. 1350	DTHER: rdy state all pertinent details, an For Multiple Completions: An cap w/25 sx Cmt., cap w/ 25 sx Cmt., Tag 7205' . Tag 4635' 5 1/2" Casing. . Tag 3100' . Tag 1198'	d give pertinent dates, including estimated date ttach wellbore diagram of proposed completion 4/20/06 4/21/06 4/22/06 4/22/06 4/22/06 4/22/06
OTHER: 13. Describe proposed or completed operations. (Clear of starting any proposed work). SEE RULE 1103. or recompletion. Plug #1- Set CIBP at 8400', C Plug #2- Set CIBP at 8000', C Plug #3- Spot 40 sx at 7390' Plug #4- Spot 25 sx at 6558' Plug #5- Spot 25 sx at 6558', Cut & Pull 3190' of Plug #6- Spot 40 ex Cmt. 3250 Plug #7- Spot 35 sx Cmt. 1350 Plug #8- Spot 35 sx Cmt. 775'	DTHER: rly state all pertinent details, an For Multiple Completions: An cap w/25 sx Cmt., Tag 7205' Tag 4635' 5 1/2" Casing. 1, Tag 3100' , Tag 1198' , Tag 630'	d give pertinent dates, including estimated date ttach wellbore diagram of proposed completion 4/20/06 4/21/06 4/22/06 4/22/06 4/22/06 4/22/06
OTHER: 13. Describe proposed or completed operations. (Clear of starting any proposed work). SEE RULE 1103. or recompletion. Plug #1- Set CIBP at 8400', C Plug #2- Set CIBP at 8000', C Plug #3- Spot 40 sx at 7390' Plug #4- Spot 25 sx at 6558' Plug #5- Spot 25 sx at 6558' Plug #5- Spot 25 sx at 4598', Cut & Pull 3190' of Plug #6- Spot 40 sx Cmt. 3250 Plug #7- Spot 35 sx Cmt. 1350 Plug #8- Spot 35 sx Cmt. 775' Plug #9- Spot 35 sx Cmt. 400' Cut off Well Head In	DTHER: rdy state all pertinent details, an For Multiple Completions: An cap w/25 sx Cmt., Tag 7205' Tag 4635' 5 1/2" Casing. 1, Tag 3100' , Tag 630' , Tag 285' stall Dry Marker,	d give pertinent dates, including estimated date ttach wellbore diagram of proposed completion 4/20/06 4/21/06 4/22/06 4/22/06 4/22/06 4/22/06
OTHER: 13. Describe proposed or completed operations. (Clear of starting any proposed work). SEE RULE 1103. or recompletion. Plug #1- Set CIBP at 8400', C Plug #2- Set CIBP at 8000', C Plug #3- Spot 40 sx at 7390' Plug #4- Spot 25 sx at 6558' Plug #5- Spot 25 sx at 6558' Plug #5- Spot 25 sx at 4598', Cut & Pull 3190' of Plug #6- Spot 40 sx Cmt. 3250 Plug #7- Spot 35 sx Cmt. 1350 Plug #8- Spot 35 sx Cmt. 775' Plug #9- Spot 35 sx Cmt. 400'	DTHER: rdy state all pertinent details, an For Multiple Completions: An cap w/25 sx Cmt., Tag 7205' Tag 4635' 5 1/2" Casing. 1, Tag 3100' , Tag 630' , Tag 285' stall Dry Marker,	d give pertinent dates, including estimated date ttach wellbore diagram of proposed completion 4/20/06 4/21/06 4/22/06 4/22/06 4/22/06 4/22/06
OTHER: 13. Describe proposed or completed operations. (Clear of starting any proposed work). SEE RULE 1103. or recompletion. Plug #1- Set CIBP at 8400', C Plug #2- Set CIBP at 8000', C Plug #3- Spot 40 sx at 7390' Plug #4- Spot 25 sx at 6558' Plug #5- Spot 25 sx at 6558' Plug #5- Spot 25 sx at 4598', Cut & Pull 3190' of Plug #6- Spot 40 ex Cmt. 3250 Plug #7- Spot 35 sx Cmt. 1350 Plug #8- Spot 35 sx Cmt. 775' Plug #9- Spot 35 sx Cmt. 400' Cut off Well Head In 20 sx Cement 60' to	DTHER: rly state all pertinent details, an For Multiple Completions: An cap w/25 sx Cmt., Tag 7205' Tag 4635' 5 1/2" Casing. 1, Tag 3100' 7 Tag 630' , Tag 285' stall Dry Marker, Surface.	d give pertinent dates, including estimated date ttach wellbore diagram of proposed completion 4/20/06 4/21/06 4/22/06 4/22/06 4/22/06 4/22/06 4/22/06 4/22/06 4/22/06 4/22/06 4/22/06 4/22/06 4/22/06
OTHER: 13. Describe proposed or completed operations. (Clear of starting any proposed work). SEE RULE 1103. or recompletion. Plug #1- Set CIBP at 8400', C Plug #2- Set CIBP at 8000', C Plug #3- Spot 40 sx at 7390' Plug #4- Spot 25 sx at 6558' Plug #5- Spot 25 sx at 4598', Cut & Pull 3190' of Plug #6- Spot 40 sx Cmt. 3250 Plug #7- Spot 35 sx Cmt. 1350 Plug #8- Spot 35 sx Cmt. 775' Plug #9- Spot 35 sx Cmt. 400' Cut off Well Head Im 20 sx Cement 60' to	DTHER: rly state all pertinent details, an For Multiple Completions: An cap w/25 sx Cmt., tag w/25 sx Cmt., Tag 7205' Tag 4635' 5 1/2" Casing. 1, Tag 3100' 1, Tag 3100' 1, Tag 630' 1, Tag 285' 1, Tag 310' 1, Tag 285' 1, Tag 310' 1, Tag 310' 1, Tag 310' 1, Tag 310' 1, Tag 310' 1, Tag 31' 1, Tag 31' 1	d give pertinent dates, including estimated date ttach wellbore diagram of proposed completion 4/20/06 4/21/06 4/21/06 4/22/06 4/22/06 4/22/06 4/22/06 4/22/06 4/22/06 4/26/06 4/28/06
OTHER: 13. Describe proposed or completed operations. (Clear of starting any proposed work). SEE RULE 1103. or recompletion. Plug #1- Set CIBP at 8400', C Plug #2- Set CIBP at 8000', C Plug #3- Spot 40 sx at 7390' Plug #4- Spot 25 sx at 6558' Plug #5- Spot 25 sx at 6558' Plug #5- Spot 25 sx at 4598', Cut & Pull 3190' of Plug #6- Spot 40 sx Cmt. 3250 Plug #7- Spot 35 sx Cmt. 1350 Plug #8- Spot 35 sx Cmt. 775' Plug #9- Spot 35 sx Cmt. 400' Cut off Well Head Im 20 sx Cement 60' to	DTHER: rly state all pertinent details, an For Multiple Completions: An cap w/25 sx Cmt., Tag 7205' Tag 4635' 5 1/2" Casing. 1, Tag 3100' 7 Tag 630' , Tag 285' stall Dry Marker, Surface.	d give pertinent dates, including estimated date trach wellbore diagram of proposed completion 4/20/06 4/21/06 4/21/06 4/22/06 4/22/06 4/22/06 4/22/06 4/22/06 4/22/06 4/26/06 4/28/06 he Well Bore.
OTHER: 13. Describe proposed or completed operations. (Clear of starting any proposed work). SEE RULE 1103. or recompletion. Plug #1- Set CIBP at 8400', C Plug #2- Set CIBP at 8000', C Plug #3- Spot 40 sx at 7390' Plug #4- Spot 25 sx at 6558' Plug #5- Spot 25 sx at 6558', Cut & Pull 3190' of Plug #6- Spot 40 sx Cmt. 3250 Plug #7- Spot 35 sx Cmt. 1350 Plug #8- Spot 35 sx Cmt. 1350 Plug #9- Spot 35 sx Cmt. 400' Cut off Well Head In 20 sx Cement 60' to	DTHER: rly state all pertinent details, an For Multiple Completions: An cap w/25 sx Cmt., Tag 7205' Tag 4635' 5 1/2" Casing. ', Tag 3100' , Tag 3100' , Tag 630' , Tag 285' istall Dry Marker, Surface. Approved as to plugging of to Liability under bond is retain surface restoration is completed	d give pertinent dates, including estimated date trach wellbore diagram of proposed completion 4/20/06 4/21/06 4/22/06 4/22/06 4/22/06 4/22/06 4/22/06 4/22/06 4/22/06 4/26/06 4/28/06 he Well Bore. hed until tred.
OTHER: 13. Describe proposed or completed operations. (Clear of starting any proposed work). SEE RULE 1103. or recompletion. Plug #1- Set CIBP at 8400', C Plug #2- Set CIBP at 8000', C Plug #3- Spot 40 sx at 7390' Plug #4- Spot 25 sx at 6558' Plug #5- Spot 25 sx at 6558' Plug #5- Spot 25 sx at 4598', Cut & Pull 3190' of Plug #6- Spot 40 ex Cmt. 3250 Plug #7- Spot 35 sx Cmt. 1350 Plug #8- Spot 35 sx Cmt. 1350 Plug #9- Spot 35 sx Cmt. 400' Cut off Well Head In 20 sx Cement 60' to	DTHER: rly state all pertinent details, an For Multiple Completions: An cap w/25 sx Cmt., Tag 7205' Tag 4635' 5 1/2" Casing. ', Tag 3100' , Tag 3100' , Tag 630' , Tag 630' , Tag 285' istall Dry Marker, Surface. Approved as to plugging of to Liability under bond is retain surface restoration is completed betet to the best of my knowledge	d give pertinent dates, including estimated date trach wellbore diagram of proposed completion 4/20/06 4/21/06 4/22/06 4/22/06 4/22/06 4/22/06 4/22/06 4/22/06 4/26/06 4/28/06 he Well Bore. hed until tred.
OTHER: 13. Describe proposed or completed operations. (Clear of starting any proposed work). SEE RULE 1103. or recompletion. Plug #1- Set CIBP at 8400', C Plug #2- Set CIBP at 8000', C Plug #3- Spot 40 sx at 7390' Plug #4- Spot 25 sx at 6558' Plug #5- Spot 25 sx at 6558', Cut & Pull 3190' of Plug #6- Spot 40 sx Cmt. 3250 Plug #7- Spot 35 sx Cmt. 1350 Plug #8- Spot 35 sx Cmt. 1350 Plug #9- Spot 35 sx Cmt. 400' Cut off Well Head In 20 sx Cement 60' to	DTHER: rly state all pertinent details, an For Multiple Completions: An cap w/25 sx Cmt., Tag 7205' Tag 4635' 5 1/2" Casing. ', Tag 3100' , Tag 3100' , Tag 630' , Tag 630' , Tag 285' istall Dry Marker, Surface. Approved as to plugging of to Liability under bond is retain surface restoration is completed betet to the best of my knowledge	d give pertinent dates, including estimated date trach wellbore diagram of proposed completion 4/20/06 4/21/06 4/21/06 4/22/06 4/22/06 4/22/06 4/22/06 4/22/06 4/26/06 4/28/06 he Well Bore. ned until ted.
OTHER: 13. Describe proposed or completed operations. (Clear of starting any proposed work). SEE RULE 1103. or recompletion. Plug #1- Set CIBP at 8400', C Plug #2- Set CIBP at 8000', C Plug #3- Spot 40 sx at 7390' Plug #4- Spot 25 sx at 6558' Plug #5- Spot 25 sx at 6558' Plug #5- Spot 25 sx at 4598', Cut & Pull 3190' of Plug #6- Spot 40 ex Cmt. 3250 Plug #7- Spot 35 sx Cmt. 1350 Plug #8- Spot 35 sx Cmt. 1350 Plug #9- Spot 35 sx Cmt. 400' Cut off Well Head In 20 sx Cement 60' to	DTHER: rly state all pertinent details, an For Multiple Completions: An cap w/25 sx Cmt., Tag 7205' Tag 4635' 5 1/2" Casing. ', Tag 3100' , Tag 3100' , Tag 630' , Tag 630' , Tag 285' istall Dry Marker, Surface. Approved as to plugging of to Liability under bond is retain surface restoration is completed betet to the best of my knowledge	d give pertinent dates, including estimated date trach wellbore diagram of proposed completion 4/20/06 4/21/06 4/21/06 4/22/06 4/22/06 4/22/06 4/22/06 4/22/06 4/26/06 4/28/06 he Well Bore. ned until tred.
OTHER: 13. Describe proposed or completed operations. (Clear of starting any proposed work). SEE RULE 1103. or recompletion. Plug #1- Set CIBP at 8400', C Plug #2- Set CIBP at 8000', C Plug #3- Spot 40 sx at 7390' Plug #4- Spot 25 sx at 6558' Plug #5- Spot 25 sx at 4598', Cut & Pull 3190' of Plug #6- Spot 40 sx Cmt. 3250 Plug #7- Spot 35 sx Cmt. 1350 Plug #8- Spot 35 sx Cmt. 775' Plug #9- Spot 35 sx Cmt. 400' Cut off Well Head Im 20 sx Cement 60' to I hereby certify that the information above is true and comp grade task has been/will be constructed or chard according to NMOO SIGNATURE	DTHER: rly state all pertinent details, an For Multiple Completions: An cap w/25 sx Cmt., 'tag 7205' Tag 4635' 5 1/2" Casing. ', Tag 3100' , Tag 3100' , Tag 630' , Tag 285' Istall Dry Marker, Surface. Approved as to plugging of the Liability under bond is retain surface restoration is completed blete to the best of my knowledg D guidelines [], a general permit []	d give pertinent dates, including estimated date trach wellbore diagram of proposed completion 4/20/06 4/21/06 4/21/06 4/22/06 4/22/06 4/22/06 4/22/06 4/26/06 4/28/06 the Well Bore. The Well Bore. The duntil tred. $35 \pm 2 \pm 100$ 35 ± 100
OTHER: 13. Describe proposed or completed operations. (Clear of starting any proposed work). SEE RULE 1103. or recompletion. Plug #1- Set CIBP at 8400', C Plug #2- Set CIBP at 8000', C Plug #3- Spot 40 sx at 7390' Plug #4- Spot 25 sx at 6558' Plug #5- Spot 25 sx at 6558' Cut & Pull 3190' of Plug #6- Spot 40 ex Cmt. 3250 Plug #7- Spot 35 sx Cmt. 1350 Plug #7- Spot 35 sx Cmt. 1350 Plug #8- Spot 35 sx Cmt. 775' Plug #9- Spot 35 sx Cmt. 400' Cut off Well Head Im 20 sx Cement 60' to Plug takk has been/will be constructed or closed according to NMOO StGNATURE Type or print name	DTHER: rly state all pertinent details, an For Multiple Completions: An cap w/25 sx Cmt., cap w/25 sx Cmt., Tag 7205' Tag 4635' 5 1/2" Casing. 1, Tag 3100' , Tag 3100' , Tag 630' , Tag 285' astall Dry Marker, Surface. Approved as to plugging of t Liability under bond is retain surface restoration is completed to the best of my knowledg CD guidelines [], a general permit []	d give pertinent dates, including estimated date trach wellbore diagram of proposed completion 4/20/06 4/21/06 4/21/06 4/22/06 4/22/06 4/22/06 4/22/06 4/22/06 4/26/06 4/28/06 he Well Bore. ned until tred.
OTHER: 13. Describe proposed or completed operations. (Clear of starting any proposed work). SEE RULE 1103. or recompletion. Plug #1- Set CIBP at 8400', C Plug #2- Set CIBP at 8000', C Plug #3- Spot 40 sx at 7390' Plug #4- Spot 25 sx at 6558' Plug #5- Spot 25 sx at 4598', Cut & Pull 3190' of Plug #6- Spot 40 ax Cmt. 3250 Plug #7- Spot 35 sx Cmt. 1350 Plug #8- Spot 35 sx Cmt. 1350 Plug #9- Spot 35 sx Cmt. 400' Cut off Well Head In 20 sx Cement 60' to Plug to any the construct or closed according to NMOO SIGNATURE Type or print name For State Use Only	DTHER: rly state all pertinent details, an For Multiple Completions: An cap w/25 sx Cmt., 'ag 7205' Tag 4635' 5 1/2" Casing. ', Tag 3100' , Tag 3100' , Tag 630' , Tag 285' istall Dry Marker, Surface. Approved as to plugging of t Liability under bond is retain surface restoration is completed to the best of my knowledge CD guidelines [], a general permit [] TITLE Agent	d give pertinent dates, including estimated date trach wellbore diagram of proposed completion 4/20/06 4/21/06 4/21/06 4/22/06 4/22/06 4/22/06 4/26/06 4/28/06 he Well Bore. ned until tred. $325 \pm 21 - 420$ $325 \pm 21 - 420$ 325
OTHER: 13. Describe proposed or completed operations. (Clear of starting any proposed work). SEE RULE 1103. or recompletion. Plug #1- Set CIBP at 8400', C Plug #2- Set CIBP at 8000', C Plug #3- Spot 40 sx at 7390' Plug #4- Spot 25 sx at 6558' Plug #5- Spot 25 sx at 6558' Cut & Pull 3190' of Plug #6- Spot 40 ex Cmt. 3250 Plug #7- Spot 35 sx Cmt. 1350 Plug #7- Spot 35 sx Cmt. 1350 Plug #8- Spot 35 sx Cmt. 775' Plug #9- Spot 35 sx Cmt. 400' Cut off Well Head Im 20 sx Cement 60' to Plug takk has been/will be constructed or closed according to NMOO StGNATURE Type or print name	DTHER: rly state all pertinent details, an For Multiple Completions: An cap w/25 sx Cmt., 'tag 7205' Tag 4635' 5 1/2" Casing. ', Tag 3100' , Tag 3100' , Tag 630' , Tag 285' Istall Dry Marker, Surface. Approved as to plugging of the Liability under bond is retain surface restoration is completed blete to the best of my knowledg D guidelines [], a general permit []	d give pertinent dates, including estimated date trach wellbore diagram of proposed completion 4/20/06 4/21/06 4/21/06 4/22/06 4/22/06 4/22/06 4/26/06 4/28/06 he Well Bore. ned until tred. 3000000000000000000000000000000000000