District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

Approval:

Printed Name/Title

### State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

### Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes \[ \] No \[ \]

Type of action: Registration of a pit or below-grade tank \[ \] Closure of a pit or below-grade tank \[ X \] Operator: XTO Energy, Inc Telephone:432-620-6000 e-mail address: richard\_hudson@xtoenergy.com Address: 200 N. Loraine Ste. 800 Midland, Tx. 79701 Facility or well name: Whirlwind 25 State # 1 API #:30-025-38702 U/L or Qtr/Qtr P Sec 25 T 16 S R 34 E NAD: 1927 🗌 1983 🗍 Latitude Longitude Surface Owner: Federal State X Private Indian Pit Below-grade tank Type: DrillingX Production Disposal Volume: bbl Type of fluid: Workover Emergency Construction material: Double-walled, with leak detection? Yes 🗆 If not, explain why not 1 2008 Lined Unlined U Liner type: Synthetic Thickness \_\_\_\_\_mil Clay \_ Pit Volume 5,000 bbl Less than 50 feet (20 points) Depth to ground water (vertical distance from bottom of pit to seasonal 50 feet or more, but less than 100 feet (10 points) high water elevation of ground water.) 100 feet or more ( 0 points) Yes (20 points) Wellhead protection area: (Less than 200 feet from a private domestic No) ( 0 points) water source, or less than 1000 feet from all other water sources.) Less than 200 feet (20 points) Distance to surface water: (horizontal distance to all wetlands, playas, 200 feet or more, but less than 1000 feet (10 points) irrigation canals, ditches, and perennial and ephemeral watercourses.) 1000 feet or more ( 0 points) **Ranking Score (Total Points)** If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite X offsite I If offsite, name of facility . (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No 🗵 Yes 🗌 If yes, show depth below ground surface ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations. Additional Comments: Reclaim reserve pit per N.M.O.C.D. Rule 50 Encapsulate reserve using 12 mil plastic in pit and cap with 20 mil plastic Cover with 3 ' nature soil Seed area with specified seed mixture I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines X \( \subseteq \), a general permit \( \subseteq \), or an (attached) alternative OCD-approved plan \( \subseteq \). Date: 06/04/2008 6-4-08 Mintenance Foreman Printed Name/Title Gene Hudson Signature Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

- ohuso

Signature ENVIRONMENTAL ENGINEER Date: 6.11.08

# New Mexico Office of the State Engineer POD Reports and Downloads

Township: 16S Range: 34E Sections:						
NAD27 X: Zone: Search Radius:						
County: Basin: Number: Suffix:						
Owner Name: (First) (Last) C Non-Domestic C Domestic						
POD / Surface Data Report Avg Depth to Water Report Water Column Report						
Clear Form iWATERS Menu						

#### AVERAGE DEPTH OF WATER REPORT 05/30/2008

								(Depth	Water in	Feet)
Bsn	Tws	Rng	Sec	Zone	x	Y	Wells	Min	Max	Avg
L	16S	34E	01				1	65	65	65
L	16S	34E	02				2	73	84	79
L	16S	34E	05				1	135	135	135
L	16S	34E	06				4	80	148	118
L	16S	34E	80				2	110	110	110
L	16S	34E	09				2	125	125	125
L	16S	34E	12				11	58	85	71
L	16S	34E	14				2	45	82	64
$\mathbf{L}$	16S	34E	16				1	110	110	110
L	16S	34E	17				3	105	140	125
L	16S	34E	20				6	100	125	112
L	16S	34E	21				6	100	120	110
L	16S	34E	22				3	90	125	113
L	16S	34E	23				2	90	91	91
L	16S	34E	26				2	125	125	125
L	16S	34E	27				2	94	97	96
$\mathbf L$	16S	34E	28				2	118	118	118
$\mathbf L$	16S	34E	29				2	118	118	118
L	16S	34E	30				7	94	125	115
L	16S	34E	32				2	60	100	80
L	16S	34E	34				3	75	120	100
L	16S	34E	35				2	70	85	78
L	16S	34E	36				1	84	84	84

Record Count: 69

Whirlwind 25 State #1

## New Mexico Office of the State Engineer POD Reports and Downloads

Township: 16S Range: 34E Sections: 25					
NAD27 X: Zone: Search Radius:					
County: Basin: Number: Suffix:					
Owner Name: (First) (Last) C Non-Domestic C Domestic					
POD// Surface Data Report Avg Depth to Water Report  Water Column Report					
Clear Form iWATERS Menu , Help					

AVERAGE DEPTH OF WATER REPORT 06/04/2008

Bsn Tws Rng Sec Zone X Y Wells Min Max Avg

No Records found, try again

XTO ENERGY, INC.

P.O. BOX 700

**EUNICE, N.M. 88231** 

575-394-2089

W E

Drill pit

Stack Pack

Dy whirlwind 25 State #1 Well UP Sec. 25 T/65 R 34E

Tank Battery

Gene Hudson cell: 441-1634