

	State of New Mexico			Form C-103
Office District I	Energy, Minerals and Natural R	esources		May 27, 2004
1625 N. French Dr., Hobbs, NM 88240	ş' ,		WELL API NO.	
District II 1301 W. Grand Ave., Artesia, NM 88210	OIL CONSERVATION DIV		0-025-021938	
District III	1220 South St. Francis Dr		5. Indicate Type of Leas	e FEE Ļ
1000 Rio Brazos Rd., Aztec, NM 87410	Santa Fe, NM 87505		STATE STATE State Oil & Gas Lease	
<u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM	5		5. State Off & Gas Lease	7
87505				
SUNDRY NOTICES AND REPORTS ON WELLS  (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A			Lease Name or Unit A	
	CATION FOR PERMIT" (FORM C-101) FOR SUC	СН	Flying M San Andres Un	
1. Type of Well: Oil Well	Gas Well 🗌 Other X WIW 🗼 🗀	lection 8	3. Well Number 15-3	
2. Name of Operator		2	O. OGRID Number	
SOUTHWEST ROYALTIES, INC			21355	
3. Address of Operator	NAME TENANCE TOTAL		0. Pool name or Wildca	nt
6 DESTA DRIVE, STE 2100, MIL	DLAND, TEXAS /9/05	<u>_</u>	Flying M San Andres	
4. Well Location				
Unit LetterP:	525_feet from theS line a	and797_	feet from theE_	line
Section 21	Township 9S Range	33E	NMPM LEA	County
	11. Elevation (Show whether DR, RKB)	, RT, GR, etc.)		
	4341' GL			233
Pit or Below-grade Tank Application 0				
	aterDistance from nearest fresh water w	ell Distan	ce from nearest surface water	r
Pit Liner Thickness: mil	Below-Grade Tank: Volume	bbls; Const	ruction Material	
12. Check A	Appropriate Box to Indicate Nature	of Notice, Re	eport or Other Data	
	TENTIONETO	0	<del> · · - · ·</del>	
NOTICE OF IN	TENTION TO:	SUBSE	EQUENT REPORT	OF:
PERFORM REMEDIAL WORK	ì	SUBSE MEDIAL WORK	EQUENT REPORT ALTER	OF: RING CASING □
PERFORM REMEDIAL WORK  TEMPORARILY ABANDON	PLUG AND ABANDON 🔲 REM			RING CASING 🗌
PERFORM REMEDIAL WORK  TEMPORARILY ABANDON	PLUG AND ABANDON  REN CHANGE PLANS COM	MEDIAL WORK	☐ ALTEFING OPNS.☐ P AND	RING CASING 🗌
PERFORM REMEDIAL WORK  TEMPORARILY ABANDON PULL OR ALTER CASING	PLUG AND ABANDON	MEDIAL WORK MMENCE DRILL SING/CEMENT J	☐ ALTEFING OPNS.☐ P AND	RING CASING 🗌
PERFORM REMEDIAL WORK  TEMPORARILY ABANDON  PULL OR ALTER CASING  OTHER:	PLUG AND ABANDON	MEDIAL WORK MMENCE DRILL SING/CEMENT J HER:	⊠ ALTEF ING OPNS.□ P AND OB □	RING CASING  A
PERFORM REMEDIAL WORK TEMPORARILY ABANDON DULL OR ALTER CASING OTHER:  13. Describe proposed or compof starting any proposed wo	PLUG AND ABANDON	MEDIAL WORK MMENCE DRILL SING/CEMENT J HER: ent details, and g	□ ALTER ING OPNS. □ P AND OB □  ive pertinent dates, inclu	RING CASING  A  A  A  A  A  A  A  A  A  B  A  B  B
PERFORM REMEDIAL WORK TEMPORARILY ABANDON DULL OR ALTER CASING OTHER:  13. Describe proposed or comp	PLUG AND ABANDON	MEDIAL WORK MMENCE DRILL SING/CEMENT J HER: ent details, and g	□ ALTER ING OPNS. □ P AND OB □  ive pertinent dates, inclu	RING CASING  A  A  A  A  A  A  A  A  A  B  A  B  B
PERFORM REMEDIAL WORK TEMPORARILY ABANDON DULL OR ALTER CASING DOTHER:  13. Describe proposed or compof starting any proposed woor recompletion.	PLUG AND ABANDON REM CHANGE PLANS COM MULTIPLE COMPL CAS  OTH leted operations. (Clearly state all pertine ork). SEE RULE 1103. For Multiple Cor	MEDIAL WORK MMENCE DRILL SING/CEMENT J HER: ent details, and g inpletions: Attac	□ ALTER ING OPNS. □ P AND OB □  ive pertinent dates, inclu h wellbore diagram of process.	RING CASING  A  A  A  A  A  A  A  A  A  A  Composed completion
PERFORM REMEDIAL WORK TEMPORARILY ABANDON DULL OR ALTER CASING DOTHER:  13. Describe proposed or composed or recompletion.  Situation: HIT (hole in tbg); RU 5/1	PLUG AND ABANDON REM CHANGE PLANS COM MULTIPLE COMPL CAS  OTH letted operations. (Clearly state all pertine ork). SEE RULE 1103. For Multiple Cor  9/08 and 3/20/08; found hole 2 <sup>nd</sup> jt from	MEDIAL WORK MMENCE DRILL SING/CEMENT J HER: ent details, and g inpletions: Attac	□ ALTER ING OPNS. □ P AND OB □  ive pertinent dates, inclu h wellbore diagram of process.	RING CASING  A  A  A  A  A  A  A  A  A  A  Composed completion
PERFORM REMEDIAL WORK TEMPORARILY ABANDON DULL OR ALTER CASING DOTHER:  13. Describe proposed or compof starting any proposed woor recompletion.	PLUG AND ABANDON REM CHANGE PLANS COM MULTIPLE COMPL CAS  OTH letted operations. (Clearly state all pertine ork). SEE RULE 1103. For Multiple Cor  9/08 and 3/20/08; found hole 2 <sup>nd</sup> jt from	MEDIAL WORK MMENCE DRILL SING/CEMENT J HER: ent details, and g inpletions: Attac	□ ALTER ING OPNS. □ P AND OB □  ive pertinent dates, inclu h wellbore diagram of process.	RING CASING  A  A  A  A  A  A  A  A  A  A  B  A  C  C  C  C  C  C  C  C  C  C  C  C
PERFORM REMEDIAL WORK TEMPORARILY ABANDON DULL OR ALTER CASING DOTHER:  13. Describe proposed or composed or recompletion.  Situation: HIT (hole in tbg); RU 5/1	PLUG AND ABANDON REM CHANGE PLANS COM MULTIPLE COMPL CAS  OTH letted operations. (Clearly state all pertine ork). SEE RULE 1103. For Multiple Cor  9/08 and 3/20/08; found hole 2 <sup>nd</sup> jt from	MEDIAL WORK MMENCE DRILL SING/CEMENT J HER: ent details, and g inpletions: Attac	□ ALTER ING OPNS. □ P AND OB □  ive pertinent dates, inclu h wellbore diagram of process.	RING CASING  A  A  A  A  A  A  A  A  A  A  B  A  C  C  C  C  C  C  C  C  C  C  C  C
PERFORM REMEDIAL WORK TEMPORARILY ABANDON DULL OR ALTER CASING DOTHER:  13. Describe proposed or composed or recompletion.  Situation: HIT (hole in tbg); RU 5/1	PLUG AND ABANDON REM CHANGE PLANS COM MULTIPLE COMPL CAS  OTH letted operations. (Clearly state all pertine ork). SEE RULE 1103. For Multiple Cor  9/08 and 3/20/08; found hole 2 <sup>nd</sup> jt from	MEDIAL WORK MMENCE DRILL SING/CEMENT J  MER: ent details, and g impletions: Attace	MALTER ALTER PAND OB □  ive pertinent dates, incluing the wellbore diagram of processors and the second processors are some tester of the second processors and the second processors are some tester of the second processors are second processors and the second processors are second processors are second processors are second processors are second processors.	RING CASING  A  A  A  A  A  A  A  A  A  A  B  A  C  C  C  C  C  C  C  C  C  C  C  C
PERFORM REMEDIAL WORK TEMPORARILY ABANDON DULL OR ALTER CASING DOTHER:  13. Describe proposed or composed or recompletion.  Situation: HIT (hole in tbg); RU 5/1	PLUG AND ABANDON REM CHANGE PLANS COM MULTIPLE COMPL CAS  OTH letted operations. (Clearly state all pertine ork). SEE RULE 1103. For Multiple Cor  9/08 and 3/20/08; found hole 2 <sup>nd</sup> jt from	MEDIAL WORK MMENCE DRILL SING/CEMENT J  MER: ent details, and g impletions: Attace	□ ALTER ING OPNS. □ P AND OB □  ive pertinent dates, inclu h wellbore diagram of process.	RING CASING  A  A  A  A  A  A  A  A  A  A  B  A  C  C  C  C  C  C  C  C  C  C  C  C
PERFORM REMEDIAL WORK TEMPORARILY ABANDON DULL OR ALTER CASING DOTHER:  13. Describe proposed or composed or recompletion.  Situation: HIT (hole in tbg); RU 5/1	PLUG AND ABANDON REM CHANGE PLANS COM MULTIPLE COMPL CAS  OTH letted operations. (Clearly state all pertine ork). SEE RULE 1103. For Multiple Cor  9/08 and 3/20/08; found hole 2 <sup>nd</sup> jt from	MEDIAL WORK MMENCE DRILL SING/CEMENT J  MER: ent details, and g impletions: Attace	MALTER ALTER PAND OB □  ive pertinent dates, incluing the wellbore diagram of processors and the second processors are some tester of the second processors and the second processors are some tester of the second processors are second processors and the second processors are second processors are second processors are second processors are second processors.	RING CASING  A  A  A  A  A  A  A  A  A  A  B  C  C  C  C  C  C  C  C  C  C  C  C
PERFORM REMEDIAL WORK TEMPORARILY ABANDON DULL OR ALTER CASING DOTHER:  13. Describe proposed or compof starting any proposed we or recompletion.  Situation: HIT (hole in tbg); RU 5/1 Hook up injection line, clean location	PLUG AND ABANDON CHANGE PLANS COMMULTIPLE COMPL CAS OTHeted operations. (Clearly state all pertine ork). SEE RULE 1103. For Multiple Company and 3/20/08; found hole 2 <sup>nd</sup> jt from and rig down. Chart attached.	MEDIAL WORK MMENCE DRILL SING/CEMENT J  HER: ent details, and g impletions: Attace  the JUN  JUN	ALTERING OPNS. P AND OB P AND object of the pertinent dates, including the wellbore diagram of processors. P A177: pressure tests of the pertinent dates.	RING CASING DA DE CASING DA DE CASING DA DE CASING DE CA
PERFORM REMEDIAL WORK TEMPORARILY ABANDON DULL OR ALTER CASING DOTHER:  13. Describe proposed or compof starting any proposed we or recompletion.  Situation: HIT (hole in tbg); RU 5/1 Hook up injection line, clean location.	PLUG AND ABANDON CHANGE PLANS COMMULTIPLE COMPL CAS OTHeted operations. (Clearly state all pertine ork). SEE RULE 1103. For Multiple Common and rig down. Chart attached.	MEDIAL WORK MMENCE DRILL SING/CEMENT J HER: ent details, and g impletions: Attac  the property of the property	ALTERING OPNS. PAND OB  ive pertinent dates, inclu h wellbore diagram of processory  A177: pressure teste  10 2008	RING CASING DATE OF A DATE
PERFORM REMEDIAL WORK TEMPORARILY ABANDON DULL OR ALTER CASING DOTHER:  13. Describe proposed or compof starting any proposed we or recompletion.  Situation: HIT (hole in tbg); RU 5/1 Hook up injection line, clean location.	PLUG AND ABANDON REM CHANGE PLANS COM MULTIPLE COMPL CAS  OTH letted operations. (Clearly state all pertine ork). SEE RULE 1103. For Multiple Cor  9/08 and 3/20/08; found hole 2 <sup>nd</sup> jt from	MEDIAL WORK MMENCE DRILL SING/CEMENT J HER: ent details, and g impletions: Attac  the properties of th	ALTERING OPNS. PAND OB  ive pertinent dates, inclu h wellbore diagram of processory  A177: pressure teste  10 2008	RING CASING DATE OF A DATE
PERFORM REMEDIAL WORK TEMPORARILY ABANDON DULL OR ALTER CASING DOTHER:  13. Describe proposed or compof starting any proposed we or recompletion.  Situation: HIT (hole in tbg); RU 5/1 Hook up injection line, clean location described by the information of the proposed was also been been been been been been been bee	PLUG AND ABANDON	MEDIAL WORK MMENCE DRILL SING/CEMENT J  HER: ent details, and g inpletions: Attac  the	ALTERING OPNS. PANDOB P	RING CASING
PERFORM REMEDIAL WORK TEMPORARILY ABANDON DULL OR ALTER CASING DOTHER:  13. Describe proposed or compof starting any proposed we or recompletion.  Situation: HIT (hole in tbg); RU 5/1 Hook up injection line, clean location.	PLUG AND ABANDON	MEDIAL WORK MMENCE DRILL SING/CEMENT J  HER: ent details, and g inpletions: Attac  the	ALTERING OPNS. PAND OB  ive pertinent dates, inclu h wellbore diagram of processory  A177: pressure teste  10 2008	RING CASING
PERFORM REMEDIAL WORK TEMPORARILY ABANDON DULL OR ALTER CASING DOTHER:  13. Describe proposed or compof starting any proposed we or recompletion.  Situation: HIT (hole in tbg); RU 5/1 Hook up injection line, clean location duples to the information of the constructed or SIGNATURE Type or print name DAWN M. HO	PLUG AND ABANDON	MEDIAL WORK MMENCE DRILL SING/CEMENT J  MER: ent details, and g impletions: Attace  the	ALTERING OPNS. PANDOB P	RING CASING
PERFORM REMEDIAL WORK TEMPORARILY ABANDON DULL OR ALTER CASING DOTHER:  13. Describe proposed or compof starting any proposed we or recompletion.  Situation: HIT (hole in tbg); RU 5/1 Hook up injection line, clean location described in the proposed we or recompletion.	PLUG AND ABANDON	MEDIAL WORK MMENCE DRILL SING/CEMENT J  HER: ent details, and g impletions: Attac  the top top the service of t	ALTERING OPNS. PANDOB P	RING CASING
PERFORM REMEDIAL WORK TEMPORARILY ABANDON DULL OR ALTER CASING DOTHER:  13. Describe proposed or compost starting any proposed we or recompletion.  Situation: HIT (hole in tbg); RU 5/1 Hook up injection line, clean location grade tank has been/will be constructed or SIGNATURE Type or print name DAWN M. HOFOR State Use Only	PLUG AND ABANDON	MEDIAL WORK MMENCE DRILL SING/CEMENT J  MER: ent details, and g impletions: Attace  the	ALTERING OPNS. PANDOB P	RING CASING
PERFORM REMEDIAL WORK TEMPORARILY ABANDON DULL OR ALTER CASING DOTHER:  13. Describe proposed or compof starting any proposed we or recompletion.  Situation: HIT (hole in tbg); RU 5/1 Hook up injection line, clean location duples to the information of the constructed or SIGNATURE Type or print name DAWN M. HO	PLUG AND ABANDON	MEDIAL WORK MMENCE DRILL SING/CEMENT J  HER: ent details, and g impletions: Attac  the top top the service of t	ALTERING OPNS. PANDOB P	that any pit or below-p-approved plan

Submit 3 Copies To Appropriate District





And April 2018

and the second second of the second second