•

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

1000 Rto Brazos Road, Aztec, NM 87410 District IV 1220 So	For permanent pits and exceptions submitto buth St. Francis Dr.			
	Set valion DivisionFor permanent pits and exceptions submittobuth St. Francis Dr.the Santa Fe Environte of the state of th			
Pit. Closed-Loop System, Below-Grade Tank, or JUN 2 3 2008				
Proposed Alternative Metho	d Permit or Closure Plan Application PBS OCD			
Type of action: X Permit of a pit, closed-loop	p system, below-grade tank, or proposed alternative method ρ_{l-DODD}			
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request				
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances				
Operator: <u>Mack Energy Corporation</u>	OGRID #013837			
Address P.O. Box 960 Artesia, NM 88211	OGRID # 013837 / 1-0960			
Facility or well name: Gar_State #4				
API Number: 30-025-37366 38505	OCD Permut Number: 34770			
U/L or Qtr/Qtr Section Township	6SRange_33ECounty: Lea, NM			
Center of Proposed Design: Latitude	Longitude NAD: [] 1927 [] 1983			
Surface Owner: 🗋 Federal 🏧 State 🗌 Private 🗋 Tribal Trust or India	n Allotment			
$\square \underline{Pit}: Subsection F or G of 19.15.17.11 NMAC $	Closed-loop System: Subsection H of 19.15.17.11 NMAC			
Temporary: 🔲 Drilling 🗌 Workover	Drying Pad Tanks XX Haul-off Bins DOther			
Permanent Emergency Cavitation				
Lined Unlined	Liner type: Thicknessmil			
Liner type: Thicknessmil 🔲 LLDPE 🗌 HDPE 🛄 PVC	□ Other			
Other String-Reinforced	Seams: 🗍 Welded 🔲 Factory 🗌 Other			
Seams: 🗌 Welded 🔲 Factory 🗍 Other				
Volume:bbl Dimensions: Lx Wx D	Dimensions: Lengthx Width			
Below-grade tank: Subsection I of 19 15.17.11 NMAC	Fencing: Subsection D of 19.15.17.11 NMAC			
Volume:bbl	Chain link, six feet in height, two strands of barbed wire at top			
Type of fluid:	Four foot height, four strands of barbed wire evenly spaced between one and			
Tank Construction material:	four feet			
Secondary containment with leak detection	Netting: Subsection E of 19.15.17.11 NMAC			
☐ Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off	Screen 🗌 Netting 🗋 Other			
Visible sidewalls and liner	☐ Monthly inspections			
Visible sidewalls only	Signs: Subsection C of 19.15.17.11 NMAC			
Other	12'x24', 2' lettering, providing Operator's name, site location, and			
Liner type: Thicknessmi1 🔲 HDPE 🗋 PVC	emergency telephone numbers			
□ Other	Signed in compliance with 19 15.3.103 NMAC			
Alternative Method:	Administrative Approvals and Exceptions:			
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration	Justifications and/or demonstrations of equivalency are required Please refer to 19 15.17 NMAC for guidance.			
of approval.	Please check a box if one or more of the following is requested, if not leave blank:			
4	Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau office for			
	consideration of approval. Exception(s) Requests must be submitted to the Santa Fe			
	Environmental Bureau office for consideration of approval			

5			
Siting Criteria (regarding permitting): 19 15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17 10 NMAC for guidance. Siting criteria does not apply to drying pads or above-grade tanks associated with a closed- loop system.			
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank - NM Office of the State Engineer - iWATERS database search; USGS, Data obtained from nearby wells	🗌 Yes 🗌 No		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	🗌 Yes 🗍 No		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	□ Yes □ No □ NA		
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo: Satellite image	☐ Yes ☐ No ☐ NA		
 Visual inspection (certification) of the proposed site, reful project of the projec	🗌 Yes 🗌 No		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978. Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	🗌 Yes 🗌 No		
 Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map: Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No		
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	🗌 Yes 🗍 No		
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	🔲 Yes 🗌 No		
Within a 100-year floodplain. - FEMA map	Yes No		
Temporary Pits. Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the) NMAC documents are		
Instructions: Each of the following items must be allached to the application. Trease matched, attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.15 NMA Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17 Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.13 NMAC	LC		
Previously Approved Design (attach copy of design) API Number: or Permit Number:			
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (required for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.15 Siting Criteria Compliance Demonstrations (required for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15 17.13 NMAC NMAC			
Previously Approved Design (attach copy of design) API Number:			

•

Oil Conservation Division

·				
Permanent Pits Permit Application Checklist: Subsection B of 19 15.17 9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the do	ocuments are			
attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19 15 17 15 NMAC Sitting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC				
Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15 17 11 NMAC				
Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19 15 17.11 NMAC				
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19 15.17 11 NMAC				
Quality Control/Quality Assurance Construction and Installation Plan				
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15.17 11 NMAC				
\Box Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan				
Oil Field Waste Stream Characterization				
Monitoring and Inspection Plan				
Eroston Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19 15 17.9 NMAC and 19 15 17.13 NMAC				
Proposed Closure: 19.15.17.13 NMAC				
Type: Drilling Workover Emergency Cavitation Permanent Pit Below-grade Tank Closed-loop System Alternative				
Proposed Closure Method: 🔲 Waste Excavation and Removal				
On-site Closure Method (only for temporary pits and closed-loop systems)				
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for cor	nsideration)			
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC				
Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable				
source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau				
office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10				
NMAC for guidance.	-			
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - (WATERS database search; USGS, Data obtained from nearby wells	☐ Yes ☐ No ☐ NA			
Ground water is between 50 and 100 feet below the bottom of the buried waste				
- NM Office of the State Engineer - IWATERS database search; USGS, Data obtained from nearby wells				
Ground water is more than 100 feet below the bottom of the buried waste.				
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake	🗌 Yes 🗌 No			
(measured from the ordinary high-water mark). - Topographic map: Visual inspection (certification) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	🗌 Yes 🗌 No			
 Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 				
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock	🗌 Yes 🗌 No			
watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.	🔲 Yes 🗌 No			
- Written confirmation or verification from the municipality; Written approval obtained from the municipality				
Within 500 feet of a wetland.	🗌 Yes 🗌 No			
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site				
Within the area overlying a subsurface mine.				
- Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division				
Within an unstable area.				
 Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources; USGS, NM Geological Society; Topographic map 	Yes No			
Within a 100-year floodplain. - FEMA map	U Yes No			

•

Waste Excavation and Removal Closure Plan Checklist: (19 15 17.13 NMAC) Instructions: Each of the following items must be attached to the				
Waste Excavation and Removal Closure Plan Checklist: (19 15 17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15 17 13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15.17 13 NMAC Maste Excavation Plan Checklist: Maste Revegetation Plan - based upon the appropriate requirements of Subsection F of 19 15.17 13 NMAC Revegetation Plan - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC Revegetation Plan - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC Still Backtill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC Revegetation Plan - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC Still Reclamation Plan - based upon the appropriate requirements of Subsection G of 19 15.17 13 NMAC Waste Removal Closure For Closed-loop Systems That Unline Haul-off Bins Only: (19 15.17 13 D MAC) Instructions: Please indentify the facility				
or facilities for the disposal of liquids, drilling fluids and drill cuttings.				
Disposal Facility Name <u>Controlled Recovery Inc.</u> Disposal Facility Permit Number <u>R-9166</u>				
On-Site Closure Plan Checklist: (19.15 17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate.				
by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17 10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15.17 13 NMAC Construction and Design of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19 15.17.13 NMAC Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC				
Operator Application Certification:				
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief				
Name (Print): Jerry W. Sherrell Title: Production Clerk				
Signature: June 19, 2008				
e-mail address:jerrys@mackenergycorp.comTelephone(575) 748-1288				
e-mail address: jerrys@mackenergvcorp.com Telephone (575) 748-1288 OCD Approval Permit Application (including closure plan) Closure Plan (only) OCD Representative Signature:				
OCD Approvals Permit Application (including closure plan) Closure Plan (only)				
OCD Approvals Permit Application (including closure plan) Closure Plan (only) OCD Representative Signature:				
OCD Approvals Permit Application (including closure plan) Closure Plan (only) OCD Representative Signature:				
OCD Appravals Parmit Application (including closure plan) Closure Plan (only) OCD Representative Signature:				
OCD Approvals Permit Application (including closure plan) Closure Plan (only) OCD Representative Signature:				
OCD Appravals Parmit Application (including closure plan) Closure Plan (only) OCD Representative Signature:				
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Representative Signature:				
OCD Approvals Permit Application (including closure plan) Closure Plan (only) OCD Representative Signature:				

Form	(`-]	4.1
1 1 1 1 1 1	C . 1	T

•

Oil Conservation Division

1

-

Mack Energy Closed Loop System Design Plan

Equipment list,

- 2-414 Swaco Centrifuges
- 2-4 screen Mongoose shale shakers
- 2-250 BBL tanks to hold fluid
- 2- CRI Bins with track system
- 2- 500 BBL frac tanks for fresh water
- 2- 500 BBL frac tanks for brine water

Operation and Maintenance

Closed Loop equipment will be inspected daily by each tour and any necessary maintenance performed Any leak in system will be repaired and/or contained immediately OCD notified within 48 hours Remediation process started

Closure Plan

During drilling operations all liquids, drilling fluids and cuttings Will be hauled off via CRI(Controlled Recovery Incorporated Permit R-9166).