District I
1625 N French Dr., Hobbs, NM 88240
District II
1301 W Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S St Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate of the District Office.

Pit, Closed-Loop System, Below-Grade Tank, or
Proposed Alternative Method Permit or Closure Plan Application

Type of action:

| Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method. | Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method. |

Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request

The state of the s	ndividual pit, closed-loop system, below-grade tank or alternative request
Please be advised that approval of this request does not relieve the operator of li- environment. Nor does approval relieve the operator of its responsibility to con-	ability should operations result in pollution of surface water, ground water or the uply with any other applicable governmental authority's rules, regulations or ordinances
	OGRID # 013837
Address: P.O. Box 960 Artesia, NM 88211-	0960
Facility or well name: Ohio State #2	
API Number: 30-025- 3899D	OCD Permit Number:
U/L or Qtr/Qtr K Section 7 Township 1	8S Range 35E County: Lea, NM
Center of Proposed Design: Latitude	Longitude NAD·
Surface Owner:   Federal X State Private Tribal Trust or Indian	Allotment
Pit: Subsection F or G of 19.15.17.11 NMAC	Closed-loop System: Subsection H of 19.15.17.11 NMAC
Temporary: Drilling Workover	☐ Drying Pad ☐ Tapaks 🔀 Haul-off Bins ☐ Other
☐ Permanent ☐ Emergency ☐ Cavitation	☐ Lined ☐ Unlined
Lined Unlined	Liner type: Thicknessmil
Liner type: Thicknessmil	Other
Other String-Reinforced	Seams: Welded Factory Other
Seams: Welded Factory Other	Volume:bblyd <sup>3</sup>
Volume:         x W x D	Dimensions: Lengthx Width
Below-grade tank: Subsection I of 19.15.17.11 NMAC	Fencing: Subsection D of 19.15.17.11 NMAC
Volume:bbl	☐ Chain link, six feet in height, two strands of barbed wire at top
Type of fluid:	Four foot height, four strands of barbed wire evenly spaced between one and
Tank Construction material:	four feet
Secondary containment with leak detection	Netting: Subsection E of 19.15 17.11 NMAC
☐ Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off	Screen Netting Other
☐ Visible sidewalls and liner	☐ Monthly inspections
☐ Visible sidewalls only	Signs: Subsection C of 19.15.17.11 NMAC
Other	12'x24', 2' lettering, providing Operator's name, site location, and
Liner type: Thicknessmil  HDPE PVC	emergency telephone numbers
Other	Signed in compliance with 19.15.3.103 NMAC
Alternative Method: Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration	Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.
of approval.	Please check a box if one or more of the following is requested, if not leave
	blank: Administrative approval(s): Requests must be submitted to the
	appropriate division district or the Santa Fe Environmental Bureau office for
	consideration of approval.  Exception(s): Requests must be submitted to the Santa Fe
	Environmental Bureau office for consideration of approval.

Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above-grade tanks associated with a closed-loop system.		
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No	
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No	
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to temporary, emergency, or cavitation pits and below-grade tanks)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No	
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to permanent pits)  - Visual inspection (certification) of the proposed site; Aerial photo: Satellite image	Yes No	
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	Yes No	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No	
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No	
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No	
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	☐ Yes ☐ No	
Within a 100-year floodplain FEMA map	☐ Yes ☐ No	
Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.    Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.15 NMAC   Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.15 NMAC   Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC   Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC   Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC   Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC		
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC		
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Geologic and Hydrogeologic Data (required for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.15  Siting Criteria Compliance Demonstrations (required for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC  Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC		
Previously Approved Design (attach copy of design) API Number:		

Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the do	cuments are
attached.	cuments are
Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.15 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15 17.10 NMAC Climatological Factors Assessment	
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC  Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC  Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC  Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17 11 NMAC  Quality Control/Quality Assurance Construction and Installation Plan	
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Nuisance or Hazardous Odors, including H <sub>2</sub> S, Prevention Plan  Emergency Response Plan	
<ul> <li>□ Oil Field Waste Stream Characterization</li> <li>□ Monitoring and Inspection Plan</li> <li>□ Erosion Control Plan</li> </ul>	
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	+
Proposed Closure:       19.15.17.13 NMAC         Type:       □ Drilling       □ Workover       □ Emergency       □ Cavitation       □ Permanent Pit       □ Below-grade Tank       □ Closed-loop System	Alternative
Proposed Closure Method: Waste Excavation and Removal On-site Closure Method (only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial	
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for con	isideration)
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC  Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for approval. Instiffrations and/or demonstrations of approval. Places refer to 19.15.17.10	
office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.	
Ground water is less than 50 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is more than 100 feet below the bottom of the buried waste.  NM Office of the State Engineer - iWATERS database search; USGS, Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	Yes No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	☐ Yes ☐ No
Within a 100-year floodplain FEMA map	☐ Yes ☐ No

Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the	
closure plan. Please indicate, by a check mark in the box, that the documents are attached.	
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15.17.13 NMAC	
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection P of 19 13.17.13 NMAC   X  Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)	
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC	
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17 13 NMAC	
Waste Removal Closure For Closed-loop Systems That Utilize Haul-off Bins Only: (19 15.17.13.D NMAC) Instructions: Please indentify the facility	ity
or facilities for the disposal of liquids, drilling fluids and drill cuttings.	•
Disposal Facility Name: Controlled Recovery Inc. Disposal Facility Permit Number: R-9166	
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicated to the closure plan.	= te.
by a check mark in the box, that the documents are attached.	-,
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC	
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC	
Construction and Design of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17 11 NMAC	
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC	
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC	
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)	
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC	
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC	
☐ Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15 17.13 NMAC	
Operator Application Certification:	
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.	
Name (Print): Jerry W. Sherrell Title: Production Clerk	
Signature: June 19, 2008	
e-mail address: jerrys@mackenergycorp.com Telephone: (575) 748-1288	
o man account	
OCD Approval: Permit Application (including closure plan) Closure Plan (only)	
OCD Approval: Permit Application (including closure plan) Closure Plan (only)	•
OCD Approval: Permit Application (including closure plan) Closure Plan (only)	
OCD Approval: Permit Application (including closure plan) Closure Plan (only)  OCD Representative Signature: Approval Date: 6/23/05  Title: OCD Permit Number: PI-DDO16	•
OCD Approval: Permit Application (including closure plan) Closure Plan (only)  OCD Representative Signature: Approval Date: 6/23/05  Title: OCD Permit Number: Pl-DDD16  Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC	•
OCD Approval: Permit Application (including closure plan)	-
OCD Approval: Permit Application (including closure plan)	_
OCD Approval: Permit Application (including closure plan)	-
OCD Approval: Permit Application (including closure plan)	-
OCD Approval: Permit Application (including closure plan)	-
OCD Approval: Permit Application (including closure plan)	-
OCD Approval: Permit Application (including closure plan)	
OCD Approval: Permit Application (including closure plan)	-
OCD Approval: Permit Application (including closure plan)	
OCD Approval: Permit Application (including closure plan)	-
OCD Approval: Permit Application (including closure plan)	-
OCD Approval: Permit Application (including closure plan)	-
OCD Approval: Permit Application (including closure plan)	-
OCD Approval: Permit Application (including closure plan)  Closure Plan (only)  OCD Representative Signature:  Approval Date:  6/23/life  Title:  OCD Permit Number:  OCD Permit Number:  Closure Report (required within 60 days of closure completion):  Subsection K of 19.15.17.13 NMAC    Closure Method:  Closure Completion Date:  Closure Method  If different from approved plan, please explain.  Closure Report Attachment Checklist:  Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.  Proof of Closure Notice  Proof of Deed Notice (if applicable)  Plot Plan  Confirmation Sampling Analytical Results  Disposal Facility Name and Permit Number  Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique  Site Reclamation (Photo Documentation)	-
OCD Approval: Permit Application (including closure plan)  Closure Plan (only)  OCD Representative Signature:  Approval Date:  6/23/05  Title:  OCD Permit Number:  OCD Permit Number:  OCD Permit Number:  Closure Report (required within 60 davs of closure completion):  Subsection K of 19.15.17.13 NMAC  Closure Completion Date:  Closure Method:  Alternative Closure Method  If different from approved plan, please explain.  Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.  Proof of Closure Notice  Proof of Deed Notice (if applicable)  Plot Plan  Confirmation Sampling Analytical Results  Signature Material Sampling Analytical Results  Signature Material Sampling Analytical Results  Signature Material Samplication Rates and Seeding Technique  Site Reclamation (Photo Documentation)  On-site Closure Location: Latitude  Longitude  NAD:  1927 1983	-
OCD Approval: Permit Application (including closure plan)	
OCD Approval: Permit Application (including closure plan)	-
OCD Approval: Permit Application (including closure plan)   Closure Plan (only)  OCD Representative Signature:	
OCD Approval: Permit Application (including closure plan)	
OCD Approval: Permit Application (including closure plan)	-
OCD Approval: Permit Application (including closure plan)   Closure Plan (only)  OCD Representative Signature:	-
OCD Approval: Permit Application (including closure plan)	

## Mack Energy Closed Loop System Design Plan

Equipment list,

- 2-414 Swaco Centrifuges
- 2-4 screen Mongoose shale shakers
- 2-250 BBL tanks to hold fluid
- 2- CRI Bins with track system
- 2-500 BBL frac tanks for fresh water
- 2-500 BBL frac tanks for brine water

## **Operation and Maintenance**

Closed Loop equipment will be inspected daily by each tour and any necessary maintenance performed

Any leak in system will be repaired and/or contained immediately

OCD notified within 48 hours

Remediation process started

## Closure Plan

During drilling operations all liquids, drilling fluids and cuttings Will be hauled off via CRI(Controlled Recovery Incorporated Permit R-9166).