

Submit To Appropriate District Office State Lease - 6 copies Fee Lease - 5 copies District I 1625 N French Dr., Hobbs, NM 88240 District II 1301 W Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S St Francis Dr., Santa Fe, NM 87505		<b>RECEIVED</b> <b>MAR 19 2008</b> <b>HOBBS OGD</b>		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505		<b>Form C-105</b> Revised June 10, 2003	
				WELL API NO.		30-025-38256	
				5. Indicate Type of Lease		STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>	
				State Oil & Gas Lease No.		VO-5305	
<b>WELL COMPLETION OR RECOMPLETION REPORT AND LOG</b>							
1a. Type of Well: OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> DRY <input type="checkbox"/> OTHER <input type="checkbox"/> <b>CONFIDENTIAL</b>				7. Lease Name or Unit Agreement Name			
b. Type of Completion NEW <input checked="" type="checkbox"/> WORK <input type="checkbox"/> DEEPEN <input type="checkbox"/> PLUG <input type="checkbox"/> DIFF <input type="checkbox"/> WELL OVER BACK RESVR.				Waylon State Unit			
2. Name of Operator Yates Petroleum Corporation				8. Well No 8			
3. Address of Operator 105 South Fourth Street, Artesia, NM 88210 (575) 748-1471				9. Pool name or Wildcat Eight Mile Draw; Morrow, NW (Gas)			
4. Well Location Unit Letter <u>C</u> : <u>660</u> Feet From The <u>North</u> Line and <u>2310</u> Feet From The <u>West</u> Line Section <u>14</u> Township <u>11S</u> Range <u>34E</u> NMPM <u>Lea</u> County							
10. Date Spudded 10-19-07 RH 10-24-07 RT		11. Date T.D. Reached 12-7-07		12. Date Compl. (Ready to Prod.) 2-18-08		13 Elevations (DF& RKB, RT, GR, etc.) 4145' GR, 4165' KB	
14. Elev. Casinghead		15 Total Depth 12430'		16. Plug Back T.D. 12384'		17. If Multiple Compl. How Many Zones?	
				18 Intervals Drilled By		Rotary Tools 60-12430'	
						Cable Tools	
19 Producing Interval(s), of this completion - Top, Bottom, Name 12240-12256' Morrow						20. Was Directional Survey Made No	
21. Type Electric and Other Logs Run CNL, CBL						22. Was Well Cored No	
<b>23. CASING RECORD (Report all strings set in well)</b>							
CASING SIZE		WEIGHT LB /FT.		DEPTH SET		HOLE SIZE	
20"		Conductor		60'		CEMENTING RECORD	
11-3/4"		42#		418'		Redi-mix	
8-5/8"		24#, 32#		4165'		300 sx (circ)	
5-1/2"		17#		12430'		1215 sx (circ)	
						1655 sx (TOC-7200' calc)	
<b>24. LINER RECORD</b>							
SIZE		TOP		BOTTOM		SACKS CEMENT	
<b>25. TUBING RECORD</b>							
SIZE		DEPTH SET		PACKER SET			
2-7/8"		12006'		12006'			
26. Perforation record (interval, size, and number) 12240-12256' w/96 .40" holes				27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.			
				DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED	
				12240-12256'		1500 gal 7-1/2% Morrow acid w/1000 SCF N2/bbl w/90 balls	
				12240-12256'		Frac w/32000 gal 70Q Medallion foam w/32000# 20/40 Carboprop	
<b>28. PRODUCTION</b>							
Date First Production 2-18-08		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Producing	
Date of Test 3-11-08		Hours Tested 24		Choke Size 64/64"		Prod'n For Test Period	
				Oil - Bbl 61		Gas - MCF 201	
				Water - Bbl. 3		Gas - Oil Ratio	
Flow Tubing Press. 150#		Casing Pressure 550#		Calculated 24-Hour Rate		Oil Gravity - API - (Corr.)	
				Oil - Bbl. 61		Gas - MCF 201	
				Water - Bbl. 3			
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold						Test Witnessed By Martel Ramirez	
30. List Attachments Deviation Report, Logs							
31. I hereby certify that the information shown on both sides of this form as true and complete to the best of my knowledge and belief							
Signature: <u>Stormi Davis</u>				Printed Name: <u>Stormi Davis</u>		Title: <u>Regulatory Compliance Technician</u> Date: <u>3-17-08</u>	
E-mail Address: <u>stormid@ypcnm.com</u>							

# INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn. "B"
T. Salt	T. Strawn 11030'	T. Kirtland-Fruitland	T. Penn. "C"
B. Salt	T. Atoka 11624'	T. Pictured Cliffs	T. Penn. "D"
T. Yates 2775'	T. L. Miss Lm	T. Cliff House	T. Leadville
T. 7 Rivers	T. Devonian	T. Menefee	T. Madison
T. Queen	T. Silurian	T. Point Lookout	T. Elbert
T. Grayburg	T. Montoya	T. Mancos	T. McCracken
T. San Andres 4074'	T. Simpson	T. Gallup	T. Ignacio Otzte
T. Glorieta 5534'	T. McKee	Base Greenhorn	T. Granite
T. Paddock	T. Ellenburger	T. Dakota	T
T. Blinebry	T. Gr. Wash	T. Morrison	T
T. Tubb 6990'	T. Delaware	T. Todilto	T
T. Drinkard	T. Bone Springs	T. Entrada	T
T. Abo 7780'	T. Rustler 2148'	T. Wingate	T
T. Wolfcamp Lm 9238'	T. Morrow 12081'	T. Chinle	T
T. Penn 9906'	T. Austin 12269'	T. Permian	T
T. Cisco (Bough C)	T. Chester Lm 12358'	T. Penn "A"	T

## OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....

No. 4, from.....to.....

## IMPORTANT WATER SANDS

• Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....  
 No. 2, from.....to.....feet.....  
 No. 3, from.....to.....feet.....

## LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology

From	To	Thickness In Feet	Lithology

MARTIN YATES, III  
1912-1985

FRANK W. YATES  
1936-1986



105 SOUTH FOURTH STREET  
ARTESIA, NEW MEXICO 88210-2118  
TELEPHONE (575) 748-1471

S. P. YATES  
CHAIRMAN EMERITUS

JOHN A. YATES  
CHAIRMAN OF THE BOARD

FRANK YATES, JR.  
PRESIDENT

PEYTON YATES  
DIRECTOR

JOHN A. YATES, JR.  
DIRECTOR

*Compl 2/18/08  
Done in  
out 3/19/08  
6/9/08*

March 17, 2008

New Mexico Oil Conservation Division  
1625 N. French Drive  
Hobbs, NM 88240

Re: Waylon State Unit #8

To Whom It May Concern:

Enclosed are the required forms of completion for the Waylon State Unit #8. Pursuant to NMOCD Rule 19.15.13.1105.C, Yates Petroleum Corporation respectfully requests that the logs and C105 be held confidential for the prescribed 90 days. Thank you for your assistance with this matter.

If you have any questions, please call.

Sincerely,

Stormi Davis  
Regulatory Compliance Technician

Attachments