

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 87240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
May 27, 2004

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-23097 ✓
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/> ✓
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name: Aztec State ✓
8. Well Number 5 ✓
9. OGRID Number 16696 ✓
10. Pool name or Wildcat Baum Upper Penn ✓

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>	2. Name of Operator OXY USA Inc. ✓
3. Address of Operator P.O. Box 50250 Midland, TX 79710-0250	4. Well Location Unit Letter <u>C</u> : <u>660</u> feet from the <u>north</u> line and <u>1980</u> feet from the <u>west</u> line Section <u>26</u> Township <u>13S</u> Range <u>32E</u> NMPM County <u>Lea</u>
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4308'	

Pit or Below-grade Tank Application <input type="checkbox"/> or Closure <input type="checkbox"/>
Pit type <u>Steel</u> Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____
Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPLETION <input type="checkbox"/>
OTHER: <input type="checkbox"/>	

SUBSEQUENT REPORT OF:

REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
CASING TEST AND CEMENT JOB <input type="checkbox"/>	
OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

RECEIVED

JUN 03 2008

HOBBS OCD

See Attachment

THE OIL CONSERVATION DIVISION **MUST BE**
NOTIFIED 24 HOURS PRIOR TO THE BEGINNING
OF PLUGGING OPERATIONS

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐ , a general permit ☐ or an (attached) alternative OCD-approved plan ☐

SIGNATURE David Stewart TITLE Sr. Regulatory Analyst DATE 6/23/08

Type or print name David Stewart

E-mail address:

Telephone No. 432-685-5717

For State Use Only

OCD DISTRICT SUPERVISOR/GENERAL MANAGER

JUL 07 2008

APPROVED BY Chris Williams TITLE _____ DATE _____

Conditions of Approval, if any:

TD-9974' PBTD-9840'' PERFS-9756-9809' CIBP-9840'

13-3/8" 37# csg @ 355' w/350sx, 17-1/2" hole, TOC-Surf-Circ
8-5/8" 24-32# @ 4060' w/ 400sx, 11" hole, TOC-2490'-Calc
5-1/2" 17# csg @ 9972' w/350sx, 7-7/8" hole, TOC-8136''-TS

1. RIH & Set CIBP @ 9700' M&P 25sx cmt
2. M&P 25sx cmt @ 8800-8700'
3. Cut & Pull 5-1/2" csg @ +/- 8050'
4. M&P 30sx @ 8100-8000'
5. M&P 35sx @ 6055-5955'
6. M&P 40sx @ 4110-4010' WOC-Tag
7. Perf @ 1640' sqz 60sx cmt to 1540'
8. Perf @ 405' sqz 325sx cmt to Surface
10# MLF between plugs

OXY USA Inc. - Proposed
Aztec State #5
API No. 30-025-23097

325sx @ 405-Surface



Perf @ 405'

17" hole @ 355'
13-3/8" csg @ 355'
w/ 350sx-TOC-Surf-Circ

60sx @ 1640-1540' WOC-Tag



Perf @ 1640'

40sx @ 4110-4010' WOC-Tag



11" hole @ 4060'
8-5/8" csg @ 4060'
w/ 400sx-TOC-2490'-Calc

35sx @ 6055-5955'



30sx @ 8100-8000'



Cut & Pull 5-1/2" csg @ +/- 8050'

25sx @ 8800-8700'

CIBP @ 9700' w/ 25sx cmt

CIBP @ 9840'

7-7/8" hole @ 9974'
5-1/2" csg @ 9972'
w/ 350sx-TOC-8136'-TS

Perfs @ 9756-9809'
Perfs @ 9857-9919'

TD-9974'

OXY USA Inc. - Current
Aztec State #5
API No. 30-025-23097

